



US 20170165170A1

(19) **United States**(12) **Patent Application Publication** (10) **Pub. No.: US 2017/0165170 A1**
(43) **Pub. Date:** **Jun. 15, 2017**

(54)	EMULSIONS COMPRISING AT LEAST THREE DIFFERENT PRESERVATIVES	<i>A6IK 8/42</i> (2006.01) <i>A6IK 8/23</i> (2006.01) <i>A6IK 8/92</i> (2006.01) <i>A6IK 8/34</i> (2006.01) <i>A6IK 8/368</i> (2006.01) <i>A6IK 8/43</i> (2006.01) <i>A6IK 8/33</i> (2006.01) <i>A6IQ 19/10</i> (2006.01) <i>A6IK 8/36</i> (2006.01)
(71)	Applicant: Henkel AG & Co. KGaA , Duesseldorf (DE)	
(72)	Inventors: Heike Schelges , Willich (DE); Rainer Simmering , Grevenbroich (DE); Barbara Heide , Krefeld (DE); Melanie Rauschenberg , Kamen (DE)	
(73)	Assignee: Henkel AG & Co. KGaA , Duesseldorf (DE)	
(21)	Appl. No.: 15/372,523	
(22)	Filed: Dec. 8, 2016	
(30)	Foreign Application Priority Data	
	Dec. 11, 2015 (DE) 10 2015 225 003.2	
		U.S. Cl.
		CPC <i>A6IK 8/4953</i> (2013.01); <i>A6IQ 19/10</i> (2013.01); <i>A6IK 8/06</i> (2013.01); <i>A6IK 8/42</i> (2013.01); <i>A6IK 8/4926</i> (2013.01); <i>A6IK 8/23</i> (2013.01); <i>A6IK 8/36</i> (2013.01); <i>A6IK 8/34</i> (2013.01); <i>A6IK 8/361</i> (2013.01); <i>A6IK 8/347</i> (2013.01); <i>A6IK 8/345</i> (2013.01); <i>A6IK 8/368</i> (2013.01); <i>A6IK 8/43</i> (2013.01); <i>A6IK 8/494</i> (2013.01); <i>A6IK 8/33</i> (2013.01); <i>A6IK 8/922</i> (2013.01); <i>A6IK 2800/524</i> (2013.01); <i>A6IK 2800/592</i> (2013.01)

Publication Classification

(51)	Int. Cl.
	<i>A6IK 8/49</i> (2006.01)
	<i>A6IK 8/06</i> (2006.01)

(57)

ABSTRACT

Cosmetic agents in the form of emulsions include synergistically effective preservative combinations. The cosmetic agents according to the present invention are used to clean and/or care for skin and/or hair.

EMULSIONS COMPRISING AT LEAST THREE DIFFERENT PRESERVATIVES

FIELD OF THE INVENTION

[0001] The present invention generally relates to cosmetic agents that include at least one emulsifier, at least one oil and/or one wax and/or one ester, at least one special preservative combination, and additionally at least one further preservative. The present invention also relates to the use of such cosmetic agents to clean and care for skin and/or hair.

BACKGROUND OF THE INVENTION

[0002] Due to their composition, cosmetic agents can be a growth medium for germs and microorganisms. These germs can bring about microbial contamination for the consumer on the one hand, and on the other hand can alter the ingredients of the cosmetic, thus forming substances with undesirable effects such as sensitization or skin irritation. These cosmetics must be preserved in order to prevent these undesirable consequences and ensure a certain minimum shelf life thereof. Because preservatives, in turn, have an irritant potential, use thereof in cosmetics is strictly regulated.

[0003] The skin microflora has a decisive influence on different cosmetic parameters. Thus, pathogenic germs such as *Staphylococcus aureus* play a crucial role in the formation of skin blemishes. Recent studies also indicate that an imbalance in the skin microflora can affect the aging of the skin, because undesired germs lead to an increased immune response from the skin, leading in turn to increased inflammatory reactions over the course of which skin aging markers are stimulated.

[0004] There therefore has been and continues to be a need for preservative compositions that prevent undesired germs from colonizing the product or the skin, but without interfering or without interfering significantly with the natural skin flora.

[0005] The mixture of different antimicrobial substances to increase the antimicrobial activity is generally known. Thus, WO 03/043593 A1 proposes combining conventional antibacterial substances such as triclosan, phenoxyethanol, or hexetidine with ethyl lauroyl arginate in order to intensify the antibacterial effect. WO 2007/014580 A1 proposes preservative mixtures including ethyl lauroyl arginate alongside salts of organic or inorganic acids—in particular, sodium citrate, sodium acetate, sodium glutamate, sodium fumarate, sodium malate, sodium gluconate, sodium laurate, sodium lactate, sodium hexametaphosphate, sodium tert-butylhydroquinate, sodium propylparabenate, or the hydrochlorides of glucosamine or ethanolamine. EP 1414394 B1 discloses cosmetic compositions including a preservative mixture made of ethyl lauroyl arginate and parabens, imidazolidinyl urea, phenoxyethanol, DMDM hydantoin, 2-methyl-5-chloro-3,4-isothiazolinone/2-methyl-3,4-isothiazolinone, and Quaternium-15.

[0006] There is therefore also the need to provide antimicrobial compositions that are highly effective when a small amount is used.

[0007] In summary, it is desirable to provide cosmetic agents that have a favorable cleaning and caring effect, with simultaneously excellent preservation. In particular, synergistic preservative combinations that are highly effective at low concentrations and enable the production of low-irritant

and low-sensitization cosmetic agents due to an overall reduction in amounts used are desirable.

[0008] Furthermore, other desirable features and characteristics of the present invention will become apparent from the subsequent detailed description of the invention and the appended claims, taken in conjunction with this background of the invention.

BRIEF SUMMARY OF THE INVENTION

[0009] A cosmetic agent includes, in a cosmetically acceptable carrier, at least one emulsifier; at least one compound selected from the group consisting of oils, waxes, esters, or mixtures thereof; at least one preservative mixture selected from the group consisting of chloroxylenol and phenoxyisopropanol, undecylenic acid and formic acid, phenoxyisopropanol and piroctone olamine, phenoxyisopropanol and formic acid, sulfite(s) and hexetidine, ethyl lauroyl arginate and formic acid, ethyl lauroyl arginate and chloroxylenol, hexetidine and benzyl alcohol, hexetidine and chloroxylenol, hexetidine and piroctone olamine, hexetidine and chlorophenesin, hexetidine and formic acid, and mixtures thereof, and at least one further preservative selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof, and mixtures of these preservatives.

DETAILED DESCRIPTION OF THE INVENTION

[0010] The following detailed description of the invention is merely exemplary in nature and is not intended to limit the invention or the application and uses of the invention. Furthermore, there is no intention to be bound by any theory presented in the preceding background of the invention or the following detailed description of the invention.

[0011] It has now been surprisingly found that the use of certain preservative mixtures in cosmetic agents leads to a synergistic effect on the preservative action. Therefore, the amount of preservatives used can be reduced without negatively affecting the preservative action. Due to the reduced amount of preservatives, the cosmetic agents according to the present invention are low-irritant and low-sensitization.

[0012] The subject matter of the present invention is a cosmetic agent including, in a cosmetically acceptable carrier:

- [0013] a) at least one emulsifier;
- [0014] b) at least one compound selected from the group consisting of oils, waxes, esters, or mixtures thereof;
- [0015] c) at least one preservative mixture selected from the group consisting of

- [0016] chloroxylenol and phenoxyisopropanol,
- [0017] undecylenic acid and formic acid,
- [0018] phenoxyisopropanol and piroctone olamine,
- [0019] phenoxyisopropanol and formic acid,
- [0020] sulfite(s) and hexetidine,
- [0021] ethyl lauroyl arginate and formic acid,
- [0022] ethyl lauroyl arginate and chloroxylenol,
- [0023] hexetidine and benzyl alcohol,
- [0024] hexetidine and chloroxylenol,
- [0025] hexetidine and piroctone olamine,

- [0026] hexetidine and chlorophenesin,
- [0027] hexetidine and formic acid,
- [0028] and mixtures thereof, and
- [0029] d) at least one further preservative selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben (s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof, and mixtures of these preservatives.
- [0030] The cosmetic agents of the present invention are preferably emulsions in the form of cleansing milks, impregnation solutions for cleaning cloths, and emulsions for removing eye makeup.
- [0031] According to the present invention, the term "preservative mixture" is understood to mean a mixture made of two of the preservatives listed above under the feature c).
- [0032] Furthermore, according to the present invention, the term "emulsifiers" is understood to mean amphiphilic (bifunctional) compounds composed of at least one hydrophobic moiety and at least one hydrophilic moiety. The hydrophobic residue is preferably a hydrocarbon chain having eight to 28 carbon atoms, which may be saturated or unsaturated and linear or branched. Especially preferably, this C8-C28 alkyl chain is linear.
- [0033] In addition, the term "wax" in the context of the present invention is understood to mean substances that are kneadable or solid to brittle at 20° C., have a coarse to finely crystalline structure, and visually are translucent to opaque but not glassy. Moreover, these substances melt above 25° C. without decomposing, are slightly liquid (slightly viscous) at slightly above the melting point, have a strongly temperature-dependent consistency and solubility, and can be polished under slight pressure.
- [0034] In addition, according to the present invention, the term "ester" is understood to mean carboxylic acid derivatives having at least one functional group R1-C(O)—O—R2, wherein R1 and R2—each independently of one another—denote C2-C30 alkyl groups, C2-C30 alkylene groups, and C2-C30 aralkyl groups. Preferred esters include exactly one of the aforementioned functional groups. Such esters can be obtained, for example, through the reaction of a carboxylic acid with an alcohol.
- [0035] Values indicated by wt % presently designate—unless otherwise specified—the total weight of the cosmetic agents according to the present invention, wherein the sum of all ingredients of the agents according to the present invention gives 100 wt %.
- [0036] As a first essential component a), the cosmetic agent according to the present invention includes at least one emulsifier.
- [0037] In the context of the present invention, it has proven preferable when the cosmetic agent includes a non-ionic emulsifier. Nonionic emulsifiers are understood according to the present invention to mean emulsifiers having no charged groups. Charged groups are understood to mean both permanently cationic and anionic groups and temporarily cationic and anionic groups. Permanently cationic and anionic groups have a cationic or anionic charge irrespective of the pH value. Temporarily cationic and anionic groups, on the other hand, have a cationic or anionic charge only at certain pH values. Preferred cosmetic agents of the present invention are therefore characterized by including at least one emulsifier selected from the group consisting of: (i) addition products of 4 to 30 mol ethylene oxide and/or 1 to 5 mol propylene oxide with linear C8-C22 alcohols, with C12-C22 carboxylic acids, and with C8-C15 alkylphenols; (ii) C12-C22 carboxylic acid mono- and diesters of addition products of 1 to 30 mol ethylene oxide with C3-C6 polyols; (iii) ethylene oxide and polyglycerol addition products with methyl glucoside carboxylic acid esters, carboxylic acid alkanolamides, and carboxylic acid glucamides, C8-C22 alkylmono- and oligoglycosides; (iv) addition products of 5 to 60 mol ethylene oxide with castor oil and hydrogenated castor oil; (v) partial esters of polyols having three to six carbon atoms with saturated C8-C22 carboxylic acids; (vi) sterols; (vii) carboxylic acid esters of sugars and sugar alcohols; and (viii) mixtures thereof.
- [0038] Advantageously, the at least one emulsifier in the cosmetic agents according to the present invention is used in certain ranges. Preferred cosmetic agents of the present invention are therefore characterized by including—based on the total weight thereof—0.1 to 40 wt %, preferably 0.3 to 35 wt %, preferably 0.5 to 30 wt %, in particular, 1.0 to 20 wt % at least one emulsifier. Use of the aforementioned amounts ensures sufficient emulsification of the ingredients and thus enables high storage stability of the cosmetic agents according to the present invention.
- [0039] As a second essential component b), the cosmetic agents according to the present invention include at least one compound selected from the group consisting of oils, waxes, esters, or mixtures thereof.
- [0040] It has proven advantageous in the context of the present invention when the cosmetic agents include at least one volatile non-silicone oil and/or a vegetable oil. Volatile non-silicone oils are understood according to the present invention to mean oils that include no silicon atoms and—at 20° C. and an ambient pressure of 1.013 hPa—have a vapor pressure of 2.66 Pa to 40,000 Pa (0.02 to 300 mmHg), preferably 10 to 12,000 Pa (0.1 to 90 mmHg), further preferably 13 to 3,000 Pa (0.1 to 23 mmHg), in particular, 15 to 500 Pa (0.1 to 4 mmHg). It is therefore preferred according to the present invention when the cosmetic agent includes at least one oil, wherein the oil is selected from the group consisting of: (i) volatile non-silicone oils, in particular, liquid paraffin oils and isoparaffin oils, such as isodecane, isoundecane, isododecane, isotridecane, isotetradecane, isopentadecane, isohexadecane, and isoeicosane; (ii) vegetable oils, in particular, sunflower oil, olive oil, soybean oil, rapeseed oil, almond oil, jojoba oil, orange oil, wheat germ oil, peach kernel oil, and the liquid components of coconut oil; and (iii) mixtures thereof. The use of the aforementioned oils in the cosmetic agents according to the present invention leads to a high care effect and conditioning of the skin and/or hair.
- [0041] It is furthermore preferably in the context of the present invention when the cosmetic agents include at least one wax. Preferred cosmetic agents of the present invention are therefore characterized by including at least one wax, the wax being selected from the group consisting of: (i); coconut fatty acid glycerol mono-, di-, and triesters; (ii) *Butyrospermum parki* (Shea butter); (iii) esters of saturated monohydric C8-C18 alcohols with saturated C12-C18 monocarboxylic acids; (iv) linear primary C12-C24 alkanols; (v) esters from a saturated monohydric C16-C60 alkanol and a saturated C8-C36 monocarboxylic acid, in particular, cetyl behenate, stearyl behenate, and C20-C40 alkyl stearate; (vi) glycerol

esters of saturated linear C12-C30 carboxylic acids, which can be hydroxylated, in particular, hydrogenated palm oil, hydrogenated coconut oil, hydrogenated castor oil, glyceryl tribehenate, and glyceryl tri-12-hydroxystearate; (vii) natural vegetable waxes, in particular, candelilla wax, carnauba wax, Japan wax, sugar cane wax, ouricoury wax, cork wax, sunflower wax, fruit waxes; (viii) animal waxes, in particular, bee wax, shellac wax, and spermaceti; (ix) synthetic waxes, in particular montan ester waxes, hydrogenated jojoba waxes and sasol waxes, polyalkylene waxes and polyethylene glycol waxes, C20-C40 dialkyl esters of dimer acids, C30-50 alkyl beeswax, and alkyl and alkyl aryl esters of dimeric fatty acids, paraffin waxes; and (x) mixtures thereof. Commercial products bearing the INCI name Cocoglycerides, in particular the commercial products Novata® (from BASF), particularly preferably Novata® AB, a mixture of C12-18 mono-, di-, and triglycerides that melts in the range from 30 to 32° C., and the products of the Softisan series (Sasol Germany GmbH) bearing the INCI name Hydrogenated Cocoglycerides, in particular Softisan 100, 133, 134, 138, 142, are particularly preferred. Further preferred esters of saturated, monohydric C12-18 alcohols with saturated C12-18 monocarboxylic acids are stearyl laurate, cetearyl stearate (such as Crodamol® CSS), cetyl palmitate (such as Cutina® CP), and myristyl myristate (such as Cetiol® MM). Furthermore, a C20-C40 alkyl stearate is preferably used as the wax component. This ester is known under the name Kester Wax® K82H or Kester Wax® K80H and is sold by Koster Keunen Inc.

[0042] In the context of the present invention, it has also proven preferable when the cosmetic agent includes at least one ester. It is therefore preferred according to the present invention when the cosmetic agent includes at least one ester, wherein the ester is selected from the group consisting of: (i) triethyl citrates; (ii) dicarboxylic acid esters of linear or branched C2-C10 alkanols; (iii) symmetric, asymmetric, or cyclic esters of carbonic acid with alcohols; (iv) esters of dimers of unsaturated C12-22 carboxylic acids with monohydric, linear, branched, and cyclic C2-18 alkanols or C2-6 alkanols; (v) benzoic acid esters of linear or branched C8-22 alkanols, such as benzoic acid C12-15 alkyl esters, benzoic acid isostearyl esters, and benzoic acid octyldodecyl esters; and (vi) mixtures thereof. The use of the aforementioned esters also leads to favorable care and conditioning of the skin and/or hair.

[0043] Especially preferred embodiments of the present invention include at least one aforementioned oil and/or wax and/or one aforementioned ester.

[0044] As a third essential component c), the cosmetic agent includes at least one certain preservative mixture. These preservative mixtures have a synergistic effect in connection with the additional preservative d) on the antimicrobial action, and therefore lead to especially effective preservation of the cosmetic agents according to the present invention. Furthermore, due to the synergistic effect, the amount used thereof can be reduced, so as to yield low-irritant and low-sensitization cosmetic agents.

[0045] The cosmetic agents according to the present invention preferably have a certain weight ratio of the preservatives c) included in these agents. It is therefore preferred in the context of the present invention when the cosmetic agents have a weight ratio of the first preservative

to the second preservative in the preservative mixture c) of 10:1 to 1:10, preferably 8:1 to 1:8, preferably 5:1 to 1:5, in particular, 2:1 to 1:2. The use of such weight ratios has proven especially advantageous for the synergistic increase in the preservative power of this mixture in combination with the additional preservative d).

[0046] The cosmetic agent according to the present invention includes the preservative mixture c) preferably in certain ranges. Preferred cosmetic agents according to the present invention are therefore characterized by including—based on the total weight thereof—0.001 to 10 wt %, preferably 0.005 to 7.0 wt %, preferably 0.01 to 4.0 wt %, in particular, 0.05 to 2.0 wt % at least one preservative mixture (c). The aforementioned amounts refer to the total amount of the preservative mixture, i.e., the aforementioned two preservatives. The use of such amounts of the preservative mixture leads to excellent preservation of the cosmetic agents according to the present invention. Furthermore, due to the synergistic action of the preservative mixture in connection with the at least one further preservative, the amount of preservatives used can be reduced without negatively affecting the preservative power. The cosmetic agents according to the present invention are therefore especially low-irritant and low-sensitization.

[0047] As a fourth essential component, the cosmetic agents according to the present invention include at least one additional preservative d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof, and mixtures of these preservatives. The addition of this at least one further preservative leads to a synergistic increase in the preservative power, in connection with the aforementioned preservative combination.

[0048] It may, however, be preferred in the context of the present invention when a mixture of the aforementioned compounds is used as the preservative d). Preferred cosmetic agents according to the present invention are therefore characterized by including at least two further preservatives d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof.

[0049] Further preferred cosmetic agents according to the present invention are characterized by including at least three further preservatives d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof.

[0050] Moreover, cosmetic agents that are advantageous according to the present invention are those including at least four further preservatives d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl

biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof.

[0051] Finally, cosmetic agents according to the present invention are preferably those including a mixture made of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, and citric acid as further preservatives d).

[0052] Particularly preferably, the cosmetic agents according to the present invention include the following preservatives or mixtures of these preservatives KM1 to KM466, as the additional preservative d) (where be=sodium benzoate, pr=propionic acid, sa=sodium salicylate, zn=zinc pyrithione, pb=paraben, pg=propyl aminopropyl biguanide, pe=phenoxyethanol, cl=climbazole, chi=chlorhexidine, be=behentrimonium chloride, cb=cetrimonium bromide, cc=cetrimonium chloride, lb=laurtrimonium bromide, lc=laurtrimonium chloride, sb=steartrimonium bromide, sc=steartrimonium chloride, gl=glutaraldehyde, zi=citric acid, siz=silver citrate).

KM1	KM2	KM3	KM4	KM5	KM6	KM7	KM8
be	pr	sa	zn	pb	pg	pe	Cl
KM9	KM10	KM11	KM12	KM13	KM14	KM15	KM16
chi	bc	cb	cc	lb	lc	sb	Sc
KM17	KM18	KM19	KM20	KM21	KM22	KM23	KM24
gl	zi	siz	be + pr	be + pr + sa	be + pr + zn	be + pr + pb	be + pr + pg
KM25	KM26	KM27	KM28	KM29	KM30	KM31	KM32
be + pr + pe	be + pr + cl	be + pr + chi	be + pr + bc	be + pr + cb	be + pr + cc	be + pr + lb	be + pr + lc
KM33	KM34	KM35	KM36	KM37	KM38	KM39	KM40
be + pr + sb	be + pr + sc	be + pr + gl	be + pr + zi	be + pr + siz	be + sa + zn	be + sa + pb ¹⁾	be + sa + pg
KM41	KM42	KM43	KM44	KM45	KM46	KM47	KM48
be + sa + pe	be + sa + cl	be + sa + chi	be + sa + bc	be + sa + cb	be + sa + cc	be + sa + lb	be + sa + lc
KM49	KM50	KM51	KM52	KM53	KM54	KM55	KM56
be + sa + sb	be + sa + sc	be + sa + gl	be + sa + zi	be + sa + siz	be + zn + pb ¹⁾	be + zn + pg	be + zn + pe
KM57	KM58	KM59	KM60	KM61	KM62	KM63	KM64
be + zn + cl	be + zn + chi	be + zn + bc	be + zn + cb	be + zn + cc	be + zn + lb	be + zn + lc	be + zn + sb
KM65	KM66	KM67	KM68	KM69	KM70	KM71	KM72
be + zn + sc	be + zn + gl	be + zn + zi	be + zn + siz	be + pb ¹⁾ + pg	be + pb ¹⁾ + pe	be + pb + cl	be + pb ¹⁾ + chi
KM73	KM74	KM75	KM76	KM77	KM78	KM79	KM80
be + pb ¹⁾ + bc	be + pb ¹⁾ + cb	be + pb ¹⁾ + cc	be + pb ¹⁾ + lb	be + pb ¹⁾ + lc	be + pb ¹⁾ + sb	be + pb ¹⁾ + sc	be + pb ¹⁾ + gl
KM81	KM82	KM83	KM84	KM85	KM86	KM87	KM88
be + pb ¹⁾ + zi	be + pb ¹⁾ + siz	be + pg + pe	be + pg + cl	be + pg + chi	be + pg + bc	be + pg + cb	be + pg + cc
KM89	KM90	KM91	KM92	KM93	KM94	KM95	KM96
be + pg + lb	be + pg + lc	be + pg + sb	be + pg + sc	be + pg + gl	be + pg + zi	be + pg + siz	be + pe + cl
KM97	KM98	KM99	KM100	KM101	KM102	KM103	KM104
be + pe + chi	be + pe + bc	be + pe + cb	be + pe + cc	be + pe + lb	be + pe + lc	be + pe + sb	be + pe + sc
KM105	KM106	KM107	KM108	KM109	KM110	KM111	KM112
be + pe + gl	be + pe + zi	be + pe + siz	be + cl + chi	be + cl + bc	be + cl + cb	be + cl + cc	be + cl + lb

-continued

KM113	KM114	KM115	KM116	KM117	KM118	KM119	KM120
be + cl + lc	be + cl + sb	be + cl + sc	be + cl + gl	be + cl + zi	be + cl + siz	be + chi + bc	be + chi + cb
KM121	KM122	KM123	KM124	KM125	KM126	KM127	KM128
be + bc + siz	be + cb + cc	be + cb + lb	be + cb + lc	be + cb + sb	be + cb + sc	be + cb + gl	be + cb + zi
KM129	KM130	KM131	KM132	KM133	KM134	KM135	KM136
be + lc + gl	be + lc + zi	be + lc + siz	be + sb + sc	be + sb + gl	be + sb + zi	be + sb + siz	be + sc + gl
KM137	KM138	KM139	KM140	KM141	KM142	KM143	KM144
pr + sa + lc	pr + sa + sb	pr + sa + sc	pr + sa + gl	pr + sa + zi	pr + sa + siz	pr + zn + pb ¹⁾	pr + zn + pg
KM145	KM146	KM147	KM148	KM149	KM150	KM151	KM152
pr + pb ¹⁾ + chi	pr + pb ¹⁾ + bc	pr + pb ¹⁾ + cb	pr + pb ¹⁾ + cc	pr + pb ¹⁾ + lb	pr + pb ¹⁾ + lc	pr + pb ¹⁾ + sb	pr + pb ¹⁾ + sc
KM153	KM154	KM155	KM156	KM157	KM158	KM159	KM160
pr + pe + cl	pr + pe + chi	pr + pe + bc	pr + pe + cb	pr + pe + cc	pr + pe + lb	pr + pe + lc	pr + pe + sb
KM161	KM162	KM163	KM164	KM165	KM166	KM167	KM168
pr + chi + cb	pr + chi + cc	pr + chi + lb	pr + chi + lc	pr + chi + sb	pr + chi + sc	pr + chi + gl	pr + chi + zi
KM169	KM170	KM171	KM172	KM173	KM174	KM175	KM176
pr + cb + zi	pr + cb + siz	pr + cc + lb	pr + cc + lc	pr + cc + sb	pr + cc + sc	pr + cc + gl	pr + cc + zi
KM177	KM178	KM179	KM180	KM181	KM182	KM183	KM184
pr + sc + gl	pr + sc + zi	pr + sc + siz	pr + gl + zi	pr + gl + siz	pr + zi + siz	be + sa	be + zn
KM185	KM186	KM187	KM188	KM189	KM190	KM191	KM192
pr + pg	pr + pg	pr + pe	pr + cl	pr + chi	pr + bc	pr + cb	pr + cc
KM193	KM194	KM195	KM196	KM197	KM198	KM199	KM200
sa + lb	sa + lc	sa + sb	sa + gl	sa + zi	sa + siz	sa + zn + pb	sa + zn + pg
KM201	KM202	KM203	KM204	KM205	KM206	KM207	KM208
sa + pb ¹⁾ + chi	sa + pb ¹⁾ + bc	sa + pb ¹⁾ + cb	sa + pb ¹⁾ + cc	sa + pb ¹⁾ + lb	sa + pb ¹⁾ + lc	sa + pb ¹⁾ + sb	sa + pb ¹⁾ + sc
KM209	KM210	KM211	KM212	KM213	KM214	KM215	KM216
sa + pe + cl	sa + pe + chi	sa + pe + bc	sa + pe + cb	sa + pe + cc	sa + pe + lb	sa + pe + lc	sa + pe + sb
KM217	KM218	KM219	KM220	KM221	KM222	KM223	KM224
sa + chi + cb	sa + chi + cc	sa + chi + lb	sa + chi + lc	sa + chi + sb	sa + chi + sc	sa + chi + gl	sa + chi + zi
KM225	KM226	KM227	KM228	KM229	KM230	KM231	KM232
sa + cb + zi	sa + cb + siz	sa + cc + lb	sa + cc + lc	sa + cc + sb	sa + cc + sc	sa + cc + gl	sa + cc + zi
KM233	KM234	KM235	KM236	KM237	KM238	KM239	KM240
sa + sc + gl	sa + sc + zi	sa + sc + siz	sa + gl + zi	sa + gl + siz	sa + zi + siz	zn + pb	zn + pg
KM241	KM242	KM243	KM244	KM245	KM246	KM247	KM248
zn + pb ¹⁾ + bc	zn + pb ¹⁾ + cb	zn + pb ¹⁾ + cc	zn + pb ¹⁾ + lb	zn + pb ¹⁾ + lc	zn + pb ¹⁾ + sb	zn + pb ¹⁾ + sc	zn + pb ¹⁾ + gl

-continued

KM249	KM250	KM251	KM252	KM253	KM254	KM255	KM256
zn + pe + chi	zn + pe + bc	zn + pe + cb	zn + pe + cc	zn + pe + lb	zn + pe + lc	zn + pe + sb	zn + pe + sc
KM257	KM258	KM259	KM260	KM261	KM262	KM263	KM264
zn + chi + cc	zn + chi + lb	zn + chi + lc	zn + chi + sb	zn + chi + sc	zn + chi + gl	zn + chi + zi	zn + chi + siz
KM265	KM266	KM267	KM268	KM269	KM270	KM271	KM272
zn + cb + siz	zn + cc + lb	zn + cc + lc	zn + cc + sb	zn + cc + sc	zn + cc + gl	zn + cc + zi	zn + cc + siz
KM273	KM274	KM275	KM276	KM277	KM278	KM279	KM280
zn + sc + zi	zn + sc + siz	zn + gl + zi	zn + gl + siz	zn + zi + siz	pb ¹⁾ + pg	pb ¹⁾ + pe	pb ¹⁾ + cl
KM281	KM282	KM283	KM284	KM285	KM286	KM287	KM288
pb ¹⁾ + cc	pb ¹⁾ + lb	pb ¹⁾ + lc	pb ¹⁾ + sb	pb ¹⁾ + sc	pb ¹⁾ + gl	pb ¹⁾ + zi	pb ¹⁾ + siz
KM289	KM290	KM291	KM292	KM293	KM294	KM295	KM296
pb ¹⁾ + pe + cb	pb ¹⁾ + pe + cc	pb ¹⁾ + pe + lb	pb ¹⁾ + pe + lc	pb ¹⁾ + pe + sb	pb ¹⁾ + pe + sc	pb ¹⁾ + pe + gl	pb ¹⁾ + pe + zi
KM297	KM298	KM299	KM300	KM301	KM302	KM303	KM304
pb ¹⁾ + chi + lc	pb ¹⁾ + chi + sb	pb ¹⁾ + chi + sc	pb ¹⁾ + chi + gl	pb ¹⁾ + chi + zi	pb ¹⁾ + chi + siz	pb ¹⁾ + bc + cb	pb ¹⁾ + bc + cc
KM305	KM306	KM307	KM308	KM309	KM310	KM311	KM312
pb ¹⁾ + cc + lc	pb ¹⁾ + cc + sb	pb ¹⁾ + cc + sc	pb ¹⁾ + cc + gl	pb ¹⁾ + cc + zi	pb ¹⁾ + cc + siz	pb ¹⁾ + lb + lc	pb ¹⁾ + lb + sb
KM313	KM314	KM315	KM316	KM317	KM318	KM319	KM320
pb ¹⁾ + gl + zi	pb ¹⁾ + gl + siz	pb ¹⁾ + zi + siz	pg + pe	pg + cl	pg + chi	pg + bc	pg + cb
KM321	KM322	KM323	KM324	KM325	KM326	KM327	KM328
pg + pe + gl	pg + pe + zi	pg + pe + siz	pg + cl + chi	pg + cl + bc	pg + cl + cb	pg + cl + cc	pg + cl + lb
KM329	KM330	KM331	KM332	KM333	KM334	KM335	KM336
pg + bc + cb	pg + bc + cc	pg + bc + lb	pg + bc + lc	pg + bc + sb	pg + bc + sc	pg + bc + gl	pg + bc + zi
KM337	KM338	KM339	KM340	KM341	KM342	KM343	KM344
pg + lb + lc	pg + lb + sb	pg + lb + sc	pg + lb + gl	pg + lb + zi	pg + lb + siz	pg + lc + sb	pg + lc + sc
KM345	KM346	KM347	KM348	KM349	KM350	KM351	KM352
pe + cb	pe + cc	pe + lb	pe + lc	pe + sb	pe + gl	pe + zi	pe + siz
KM353	KM354	KM355	KM356	KM357	KM358	KM359	KM360
pe + chi + sb	pe + chi + sc	pe + chi + gl	pe + chi + zi	pe + chi + siz	pe + bc + cb	pe + bc + cc	pe + bc + lb
KM361	KM362	KM363	KM364	KM365	KM366	KM367	KM368
pe + cc + sb	pe + cc + sc	pe + cc + gl	pe + cc + zi	pe + cc + siz	pe + lb + lc	pe + lb + sb	pe + lb + sc
KM369	KM370	KM371	KM372	KM373	KM374	KM375	KM376
pe + gl + siz	pe + zi + siz	cl + chi	cl + bc	cl + cb	cl + cc	cl + lb	cl + lc
KM377	KM378	KM379	KM380	KM381	KM382	KM383	KM384
cl + bc + lb	cl + bc + lc	cl + bc + sb	cl + bc + sc	cl + bc + gl	cl + bc + zi	cl + bc + siz	cl + cb + cc

-continued

KM385	KM386	KM387	KM388	KM389	KM390	KM391	KM392
cl + lb + sc	cl + lb + gl	cl + lb + zi	cl + lb + siz	cl + lc + sb	cl + lc + sc	cl + lc + gl	cl + lc + zi
KM393	KM394	KM395	KM396	KM397	KM398	KM399	KM400
chi + sb	chi + gl	chi + zi	chi + siz	chi + bc + cb	chi + bc + cc	chi + bc + lb	chi + bc + lb
KM401	KM402	KM403	KM404	KM405	KM406	KM407	KM408
chi + cc + sc	chi + cc + gl	chi + cc + zi	chi + cc + siz	chi + lb + lc	chi + lb + sb	chi + lb + sc	chi + lb + gl
KM409	KM410	KM411	KM412	KM413	KM414	KM415	KM416
chi + zi + siz	bc + cb	bc + cc	bc + lb	bc + lc	bc + sb	bc + gl	bc + zi
KM417	KM418	KM419	KM420	KM421	KM422	KM423	KM424
bc + lb + lc	bc + lb + sb	bc + lb + sc	bc + lb + gl	bc + lb + zi	bc + lb + siz	bc + lc + sb	bc + lc + sc
KM425	KM426	KM427	KM428	KM429	KM430	KM431	KM432
cb + sb	cb + gl	cb + zi	cb + siz	cb + lb + lc	cb + lb + sb	cb + lb + sc	cb + lb + gl
KM433	KM434	KM435	KM436	KM437	KM438	KM439	KM440
cb + zi + siz	lb + lc	lb + sb	lb + gl	lb + zi	lb + siz	lb + lc + sb	lb + lc + sc
KM441	KM442	KM443	KM444	KM445	KM446	KM447	KM448
lc + siz	lc + sb + sc	lc + sb + gl	lc + sb + zi	lc + sb + siz	lc + sc + gl	lc + sc + zi	lc + sc + siz
KM449	KM450	KM451	KM452	KM453	KM454	KM455	KM456
cb + cc + lb	cb + cc + lc	cb + cc + sb	cb + cc + sc	cb + cc + gl	cb + cc + zi	cb + cc + siz	cc + lb
KM457	KM458	KM459	KM460	KM461	KM462	KM463	KM464
cc + sb + sc	cc + sb + gl	cc + sb + zi	cc + sb + siz	cc + sc + gl	cc + sc + zi	cc + sc + siz	cc + gl + zi
KM465				KM466			
cc + gl + siz				cc + zi + siz			

^bparaben is selected from the group consisting of methylparaben, ethylparaben, propylparaben, butylparaben, and mixtures thereof

[0053] In this context, it is advantageous when the at least one additional preservative d) is used in a certain total amount. It is therefore preferred according to the present invention when the cosmetic agents include—based on the total weight thereof—0.001 to 10 wt %, preferably 0.005 to 9.0 wt %, preferably 0.05 to 8.0 wt %, in particular, 0.1 to 7.0 wt % at least one further preservative d). If more than one additional preservative d) is used, the total amounts given above indicate the mixture of these preservatives. The use of such amounts of the at least one additional preservative leads to a synergistic increase in the preservative power, in combination with the at least one preservative mixture c).

[0054] The following table sets forth preferred embodiments AF1 to AF505 of the cosmetic agents according to the

present invention (all values represent wt %). Here, c denotes chloroxylenol, p denotes phenoxyisopropanol, u denotes undecylenic acid, a denotes formic acid, pi denotes piroctone olamine, s denotes sulfite, h denotes hexetidine, e denotes ethyl lauroyl arginate * HCl, ch denotes chlorphenesin, and b denotes benzyl alcohol. Also, in the table, the indication (c+p) (1:2) denotes a mixture made of chloroxylenol and phenoxyisopropanol at a weight ratio 1:2 (based on the total weight of the mixture). (c+p)+(u+a) denotes the combination of a mixture made of chloroxylenol and phenoxyisopropanol with a mixture made of undecylenic acid and formic acid. The aforementioned preservative or preservative mixtures KM1 to KM466 are used, respectively in each case, as the additional preservative d) (marked as “KM” in the table).

	AF1		AF2		AF3
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF4	AF5	AF6	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil	1.0-30	Oil	1.0-30	Oil
(c + p) + (p + a)	0.05-2	(c + p) + (s ²) + h	0.05-2	(c + p) + (e + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF7	AF8	AF9	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil	1.0-30	Oil	1.0-30	Oil
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF10	AF11	AF12	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil	1.0-30	Oil	1.0-30	Oil
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF13	AF14	AF15	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Wax	1.0-30	Wax	1.0-30	Wax
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF16	AF17	AF18	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Wax	1.0-30	Wax	1.0-30	Wax
(c + p) + (p + a)	0.05-2	(c + p) + (s ²) + h	0.05-2	(c + p) + (e + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF19	AF20	AF21	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Wax	1.0-30	Wax	1.0-30	Wax
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF22	AF23	AF24	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Wax	1.0-30	Wax	1.0-30	Wax
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF25	AF26	AF27	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Ester	1.0-30	Ester	1.0-30	Ester
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF28	AF29	AF30	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Ester	1.0-30	Ester	1.0-30	Ester
(c + p) + (p + a)	0.05-2	(c + p) + (s ²) + h	0.05-2	(c + p) + (e + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF31	AF32	AF33	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Ester	1.0-30	Ester	1.0-30	Ester
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)
KM	0.1-7.0	KM	0.1-7.0	KM

-continued

	AF34		AF35		AF36
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF37		AF38		AF39
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF40		AF41		AF42
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(u + a) + (s ²) + h	0.05-2	(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF43		AF44		AF45
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2	(u + a) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF46		AF47		AF48
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Wax	1.0-30
(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2	(u + a) (1:3)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF49		AF50		AF51
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2	(u + a) + (s ²) + h	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF52		AF53		AF54
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2	(u + a) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF55		AF59		AF57
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(u + a) + (h + c)	0.05-2	(u + a) + (h + pi)	0.05-2	(u + a) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF58		AF59		AF60
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Ester	1.0-30	Ester	1.0-30
(u + a) + (h + a)	0.05-2	(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF61		AF62		AF63
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(u + a) + (p + a)	0.05-2	(u + a) + (s ²) + h	0.05-2	(u + a) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF64		AF65		AF66
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(u + a) + (e + c)	0.05-2	(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF67		AF68		AF69
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(u + a) + (h + pi)	0.05-2	(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF70		AF71		AF72
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2	(p + pi) + (s ²) + h	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF73		AF74		AF75
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2	(p + pi) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF76		AF77		AF78
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2	(p + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF79		AF80		AF81
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Wax	1.0-30	Wax	1.0-30
(p + pi) + (h + a)	0.05-2	(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF82		AF83		AF84
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(p + pi) + (s ²) + h	0.05-2	(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF85		AF86		AF87
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(p + pi) + (h + b)	0.05-2	(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF88		AF89		AF90
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Ester	1.0-30	Ester	1.0-30
(p + pi) + (h + a)	0.05-2	(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF91		AF92		AF93
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Ester	1.0-30	Ester	1.0-30
(p + pi) + (s ²) + h	0.05-2	(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF94		AF95		AF96
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(p + pi) + (h + b)	0.05-2	(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF97		AF98		AF99
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Wax	1.0-30
(p + pi) + (h + ch)	0.05-2	(p + pi) + (h + a)	0.05-2	(p + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF100		AF101		AF102
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(s ²) + h) (2:1)	0.05-2	(s ²) + h) + (e + a)	0.05-2	(s ²) + h) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF103		AF104		AF105
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(s ²) + h) + (h + b)	0.05-2	(p + pi) + (e + c)	0.05-2	(p + pi) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF106		AF107		AF108
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(s ²) + h) + (h + c)	0.05-2	(s ²) + h) + (h + pi)	0.05-2	(s ²) + h) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF109		AF110		AF111
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Wax	1.0-30	Wax	1.0-30
(s ²) + h) + (h + a)	0.05-2	(s ²) + h) (2:1)	0.05-2	(s ²) + h) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF112		AF113		AF114
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(s ²) + h) + (e + c)	0.05-2	(s ²) + h) + (h + b)	0.05-2	(s ²) + h) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF115		AF116		AF117
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(s ²) + h) + (h + pi)	0.05-2	(s ²) + h) + (h + ch)	0.05-2	(s ²) + h) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF118		AF119		AF120
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(s ²) + h) (2:1)	0.05-2	(s ²) + h) + (e + a)	0.05-2	(s ²) + h) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF121		AF122		AF123
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Ester	1.0-30	Ester	1.0-30
(s ²) + h) + (h + b)	0.05-2	(s ²) + h) + (h + c)	0.05-2	(s ²) + h) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF124		AF125		AF126
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Oil	1.0-30
(s ²) + h) + (h + ch)	0.05-2	(s ²) + h) + (h + a)	0.05-2	(e + a) (1:2)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF127		AF128		AF129
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2	(e + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF130		AF131		AF132
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF133		AF134		AF135
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(e + a) (1:2)	0.05-2	(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF136		AF137		AF138
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(e + a) + (h + c)	0.05-2	(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF139		AF140		AF141
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Ester	1.0-30
(e + a) + (h + a)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) (1:2)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF139		AF140		AF141
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2	(e + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF142		AF143		AF144
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF145		AF146		AF147
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF148		AF149		AF150
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF151		AF152		AF153
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF154		AF155		AF156
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF157		AF158		AF159
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF160		AF161		AF162
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF163		AF164		AF165
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF166		AF167		AF168
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF169		AF170		AF171
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF172		AF172		AF173
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF174		AF175		AF176
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF177		AF178		AF179
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Wax	1.0-30	Wax	1.0-30
(h + c) + (h + a)	0.05-2	(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF180		AF181		AF182
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Ester	1.0-30
(h + c) + (h + ch)	0.05-2	(h + c) + (h + a)	0.05-2	(h + c) (1:5)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF183		AF184		AF185
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(h + c) + (h + pi)	0.05-2	(h + c) + (h + ch)	0.05-2	(h + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF186		AF187		AF188
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Oil	1.0-30
(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2	(h + pi) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF189		AF190		AF191
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Wax	1.0-30	Wax	1.0-30	Wax	1.0-30
(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2	(h + pi) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF192		AF193		AF194
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2	(h + pi) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF195		AF196		AF197
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Oil	1.0-30	Wax	1.0-30
(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF198		AF199		AF200
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Ester	1.0-30	Ester	1.0-30
(h + ch) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF201		AF202		AF203
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil	1.0-30	Wax	1.0-30	Ester	1.0-30
(h + a) (1:5)	0.05-2	(h + a) (1:5)	0.05-2	(h + a) (1:5)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF204		AF205		AF206
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF207		AF208		AF209
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester	1.0-30	Ester	1.0-30	Ester	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF210		AF211		AF212
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF213		AF214		AF215
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(c + p) + (p + a)	0.05-2	(c + p) + (s2) + h	0.05-2	(c + p) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF216		AF217		AF218
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF219		AF220		AF221
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF222		AF223		AF224
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF225		AF226		AF227
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(u + a) + (s2) + h	0.05-2	(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF228		AF229		AF230
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2	(u + a) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF231		AF232		AF233
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	KationT	1.0-30
(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2	(u + a) (1:3)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF234		AF235		AF236
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2	(p + pi) + (s2) + h	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF237		AF238		AF239
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2	(p + pi) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF240		AF241		AF242
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2	(p + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF243		AF244		AF245
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(p + pi) + (h + a)	0.05-2	(s2) + h) (2:1)	0.05-2	(s2) + h) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF246		AF247		AF248
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(s2) + h) + (e + c)	0.05-2	(s2) + h) + (h + b)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF249		AF250		AF251
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(p + pi) + (h + b)	0.05-2	(s2) + h) + (h + c)	0.05-2	(s2) + h) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF252		AF253		AF254
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(s2) + h) + (h + ch)	0.05-2	(s2) + h) + (h + a)	0.05-2	(e + a) (1:2)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF255		AF256		AF257
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2	(e + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF258		AF259		AF260
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF261		AF262		AF263
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF264		AF265		AF266
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF267		AF268		AF269
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF270		AF271		AF272
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF273		AF274		AF275
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF276		AF277		AF278
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(h + c) + (h + a)	0.05-2	(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF279		AF280		AF281
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Wax	1.0-30	Oil + Wax	1.0-30	Oil + Wax	1.0-30
(h + pi) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF282		AF283		
Emulsifier	1.0-20	Emulsifier	1.0-20		
Oil + Wax	1.0-30	Oil + Wax	1.0-30		
(h + ch) + (h + a)	0.05-2	(h + a) (1:5)	0.05-2		
KM	0.1-7.0	KM	0.1-7.0		
	AF284		AF285		AF286
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF287		AF288		AF289
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(c + p) + (p + a)	0.05-2	(c + p) + (s2) + h	0.05-2	(c + p) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF290		AF291		AF292
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF293		AF294		AF295
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF296		AF297		AF298
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF299		AF300		AF301
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(u + a) + (s2) + h	0.05-2	(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF302		AF303		AF304
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2	(u + a) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF305		AF306		AF307
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	KationT	1.0-30
(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2	(u + a) (1:3)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF308		AF309		AF310
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2	(p + pi) + (s2) + h	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF311		AF312		AF313
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2	(p + pi) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF314		AF315		AF316
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2	(p + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF317		AF318		AF319
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(p + pi) + (h + a)	0.05-2	(s2) + h) (2:1)	0.05-2	(s2) + h) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF320		AF321		AF322
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(s2) + h) + (e + c)	0.05-2	(s2) + h) + (h + b)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF323		AF324		AF325
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(p + pi) + (h + b)	0.05-2	(s2) + h) + (h + c)	0.05-2	(s2) + h) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF326		AF327		AF328
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(s2) + h) + (h + ch)	0.05-2	(s2) + h) + (h + a)	0.05-2	(e + a) (1:2)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF329		AF330		AF331
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2	(e + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF332	AF333	AF334	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF335	AF336	AF337	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF338	AF339	AF340	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF341	AF342	AF343	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF344	AF345	AF346	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF347	AF348	AF349	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2	(e + c) + (h + ch)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF350	AF351	AF352	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(h + c) + (h + a)	0.05-2	(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF353	AF354	AF355	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Oil + Ester	1.0-30	Oil + Ester	1.0-30	Oil + Ester
(h + pi) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)
KM	0.1-7.0	KM	0.1-7.0	KM
	AF356	AF357		
Emulsifier	1.0-20	Emulsifier	1.0-20	
Oil + Ester	1.0-30	Oil + Ester	1.0-30	
(h + ch) + (h + a)	0.05-2	(h + a) (1:5)	0.05-2	
KM	0.1-7.0	KM	0.1-7.0	
	AF358	AF359	AF360	
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)
KM	0.1-7.0	KM	0.1-7.0	KM

-continued

	AF361		AF362		AF363
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(c + p) + (p + a)	0.05-2	(c + p) + (s2) + h	0.05-2	(c + p) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF364		AF365		AF366
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF367		AF368		AF369
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF370		AF371		AF372
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF373		AF374		AF375
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(u + a) + (s2) + h	0.05-2	(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF376		AF377		AF378
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2	(u + a) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF379		AF380		AF381
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	KationT	1.0-30
(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2	(u + a) (1:3)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF382		AF383		AF384
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2	(p + pi) + (s2) + h	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF385		AF386		AF387
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2	(p + pi) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF388		AF389		AF390
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2	(p + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF391		AF392		AF393
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(p + pi) + (h + a)	0.05-2	(s2) + h) (2:1)	0.05-2	(s2) + h) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF394		AF395		AF396
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(s2) + h) + (e + c)	0.05-2	(s2) + h) + (h + b)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF397		AF398		AF399
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(p + pi) + (h + b)	0.05-2	(s2) + h) + (h + c)	0.05-2	(s2) + h) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF400		AF401		AF402
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(s2) + h) + (h + ch)	0.05-2	(s2) + h) + (h + a)	0.05-2	(e + a) (1:2)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF403		AF404		AF405
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2	(e + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF406		AF407		AF408
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF409		AF410		AF411
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF412		AF413		AF414
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF415		AF416		AF417
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF418		AF419		AF420
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF421		AF422		AF423
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF424		AF425		AF426
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(h + c) + (h + a)	0.05-2	(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF427		AF428		AF429
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax	1.0-30	Ester + Wax	1.0-30	Ester + Wax	1.0-30
(h + pi) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF430		AF431		
Emulsifier	1.0-20	Emulsifier	1.0-20		
Ester + Wax	1.0-30	Ester + Wax	1.0-30		
(h + ch) + (h + a)	0.05-2	(h + a) (1:5)	0.05-2		
KM	0.1-7.0	KM	0.1-7.0		
	AF432		AF433		AF434
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(c + p) (1:2)	0.05-2	(c + p) + (u + a)	0.05-2	(c + p) + (p + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF435		AF436		AF437
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(c + p) + (p + a)	0.05-2	(c + p) + (s2) + h	0.05-2	(c + p) + (e + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF438		AF439		AF440
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(c + p) + (e + c)	0.05-2	(c + p) + (h + b)	0.05-2	(c + p) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF441		AF442		AF443
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(c + p) + (h + pi)	0.05-2	(c + p) + (h + ch)	0.05-2	(c + p) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF444		AF445		AF446
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(u + a) (1:3)	0.05-2	(u + a) + (p + pi)	0.05-2	(u + a) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF447		AF448		AF449
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(u + a) + (s2) + h	0.05-2	(u + a) + (e + a)	0.05-2	(u + a) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0

-continued

	AF450	AF451	AF452
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(u + a) + (h + b)	0.05-2	(u + a) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF453	AF454	AF455
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(u + a) + (h + ch)	0.05-2	(u + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF456	AF457	AF458
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(p + pi) (1:1)	0.05-2	(p + pi) + (p + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF459	AF460	AF461
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(p + pi) + (e + a)	0.05-2	(p + pi) + (e + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF462	AF463	AF464
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(p + pi) + (h + c)	0.05-2	(p + pi) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF465	AF466	AF467
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(p + pi) + (h + a)	0.05-2	(s2) + h) (2:1)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF468	AF469	AF470
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(s2) + h) + (e + c)	0.05-2	(s2) + h) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF471	AF472	AF473
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(p + pi) + (h + b)	0.05-2	(s2) + h) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF474	AF475	AF476
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(s2) + h) + (h + ch)	0.05-2	(s2) + h) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0
	AF477	AF478	AF479
Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(e + a) + (e + c)	0.05-2	(e + a) + (h + b)	0.05-2
KM	0.1-7.0	KM	0.1-7.0

-continued

	AF480		AF481		AF482
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(e + a) + (h + pi)	0.05-2	(e + a) + (h + ch)	0.05-2	(e + a) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF483		AF484		AF485
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(e + c) (1:2)	0.05-2	(e + c) + (h + b)	0.05-2	(e + c) + (h + c)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF486		AF487		AF488
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(e + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF489		AF490		AF491
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(h + b) (1:10)	0.05-2	(h + b) + (h + c)	0.05-2	(e + c) + (h + pi)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF492		AF493		AF494
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(h + b) + (h + pi)	0.05-2	(h + b) + (h + ch)	0.05-2	(e + c) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF495		AF496		AF497
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(h + c) (1:5)	0.05-2	(h + c) + (h + pi)	0.05-2	(e + c) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF498		AF499		AF500
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(h + c) + (h + a)	0.05-2	(h + pi) (1:10)	0.05-2	(h + pi) + (h + ch)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF501		AF502		AF503
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30
(h + pi) + (h + a)	0.05-2	(h + ch) (1:3)	0.05-2	(h + ch) + (h + a)	0.05-2
KM	0.1-7.0	KM	0.1-7.0	KM	0.1-7.0
	AF504		AF505		
Emulsifier	1.0-20	Emulsifier	1.0-20	Emulsifier	1.0-20
Ester + Wax + Oil	1.0-30	Ester + Wax + Oil	1.0-30		
(h + ch) + (h + a)	0.05-2	(h + a) (1:5)	0.05-2		
KM	0.1-7.0	KM	0.1-7.0		

²or 2): Sulfite is selected from the group consisting of sodium sulfite, ammonium bisulfite, ammonium sulfite, potassium sulfite, potassium hydrogen sulfite, sodium bisulfite, sodium metabisulfite, and potassium metabisulfite, and mixtures thereof

[0055] The aforementioned oils, waxes, and esters are preferably used as the oil, wax, and ester in the embodiments AF1 to AF505. The cosmetic agents AF1 to AF505 have a favorable cleaning effect and excellent preservation. The synergistic effect of the preservatives used makes it possible to reduce the amount used without negatively affecting the preservative effect. The cosmetic compositions according to the present invention are therefore low-irritant and low-sensitization.

[0056] In addition to the components a) to d) that are compulsory according to the present invention, the cosmetic agents according to the present invention may in principle include any and all other components known to a person skilled in the art for such cosmetic compositions. Examples of further active ingredients, auxiliary substances, and additives include:

[0057] thickening agents such as gelatins or plant gums, for example agar-agar, guar gum, alginates, xanthan

gum, gum arabic, karaya gum, carob seed meal, linseed gums, dextrans, cellulose derivatives, for example methyl cellulose, hydroxyalkyl cellulose, and carboxymethyl cellulose, starch fractions and derivatives such as amylose, amylopectin, and dextrins, fully synthetic hydrocolloids such as, for example, polyvinyl alcohol;

[0058] texturizing agents such as maleic acid and lactic acid;

[0059] solvents and solubilizers such as ethanol, isopropanol, ethylene glycol, propylene glycol, glycerol, and diethylene glycol;

[0060] active ingredients to improve the fiber structure, in particular mono-, di- and oligosaccharides such as, for example, glucose, galactose, fructose, fruit sugar, and lactose;

[0061] dyes to color the agent;

[0062] substances for adjusting the pH value, such as α - and β -hydroxycarboxylic acids;

[0063] active ingredients such as allantoin and bisabolol;

[0064] complexing agents such as EDTA, NTA, β -alanine diacetic acid, and phosphonic acids;

[0065] ceramides. Ceramides are understood to be N-acyl sphingosine (fatty acid amides of sphingosine) or synthetic analogs of such lipids (known as pseudo-ceramides),

[0066] opacifiers such as latex, styrene/PVP and styrene/acrylamide copolymers;

[0067] pearlizing agents such as ethylene glycol mono- and distearate, as well as PEG-3 distearate;

[0068] pigments;

[0069] propellants such as propane-butane mixtures, N_2O , dimethyl ether, CO_2 , and air;

[0070] viscosity adjusters such as salts (NaCl);

[0071] anionic, cationic, and amphoteric surfactants;

[0072] cationic, nonionic, and amphoteric polymers;

[0073] vitamins, in particular from the group consisting of A, B, C, E, F, and H;

[0074] UV filters, in particular, benzophenones, p-aminobenzoic acid esters, diphenyl acrylic acid esters, cinnamic acid esters, salicylic acid esters, benzimidazoles, and o-aminobenzoic acid esters;

[0075] protein hydrolysates and cationized protein hydrolysates;

[0076] humectants or penetration enhancers and/or swelling agents, in particular, urea and urea derivatives, guanidine and derivatives thereof, arginine and derivatives thereof, water glass, imidazole and derivatives thereof, histidine and derivatives thereof, benzyl alcohol, glycol ethers, propylene glycol ethers, for example propylene glycol monoethyl ether, carbonates, hydrogen carbonates, 1,2-diols, and 1,3-diols;

[0077] plant extracts, e.g., from green tea, white tea, oak bark, stinging nettle, witch hazel, hops, chamomile, burdock, horsetail, whitethorn, lime blossom, lychee, almond, aloe vera, pine, horse chestnut, sandalwood, juniper, coconut, mango, apricot, lemon, wheat, kiwi, melon, orange, grapefruit, sage, rosemary, birch, mallow, lady's smock, wild thyme, yarrow, thyme, melissa, restarrow, coltsfoot, marshmallow, ginseng, ginger root, *Echinacea purpurea*, *Olea europaea*, *Foeniculum vulgare* and *Apium graveolens*,

[0078] silicone oils, in particular, polyalkyl siloxanes, polyaryl siloxanes, and polyalkyl aryl siloxanes, which may optionally be functionalized with organic groups and/or ethoxy groups and/or propoxy groups.

[0079] The aforementioned further ingredients may be included—based on the total weight of the cosmetic agent—in a total amount of 0.001 to 50 wt %, preferably 0.01 to 40 wt %, preferably 0.1 to 30 wt %, in particular, 0.5 to 20 wt %.

[0080] A second subject matter of the present invention is the use of the cosmetic agents according to the present invention to clean and care for skin and hair.

[0081] What has been said about the cosmetic agents according to the present invention applies, mutatis mutandis, to further preferred embodiments of the use according to the present invention, in particular, regarding the cosmetic agents used.

[0082] The following examples illustrate the present invention, but do so in a non-limiting manner.

Examples

[0083] The following cleansing emulsions were produced:

[0084] Cleansing milk (indicated in wt %)

Raw material	1.1	1.2	1.3	1.4	1.5	1.6
<i>Helianthus annuus</i> seed oil	5.00	5.00	5.00	5.00	5.00	5.00
Isopropyl palmitate	4.98	4.98	4.98	4.98	4.98	4.98
<i>Rosa damascena</i> flower water	4.97	4.97	4.97	4.97	4.97	4.97
Ethyl lauroyl arginate * HCl	—	—	—	—	—	0.40
Piroctone olamine	—	—	—	—	—	1.00
Sodium sulfite	—	0.20	—	0.20	—	0.20
Hexetidine	0.10	0.10	—	—	—	0.10
Formic acid	—	—	0.50	—	—	0.50
Phenoxyisopropanol	—	—	1.00	—	0.80	1.00
Undecylenic acid	0.20	—	—	—	0.20	0.20
Chloroxenol	—	—	—	0.50	—	0.50
Benzyl alcohol	—	—	—	—	—	1.00
Chlorphenesin	—	—	—	—	—	0.30
Benzoic acid	—	—	—	—	—	0.20
Phenoxyethanol	—	0.50	0.40	—	—	0.50
Methylparaben	0.20	—	—	—	0.20	0.20
Ethylparaben	0.20	—	—	—	0.10	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	—	—	—	—	0.60
Polyaminopropyl biguanide	0.30	—	0.30	—	0.30	0.30
Climbazole	—	0.50	—	—	—	0.50
Chlorhexidine	—	—	—	—	0.30	0.30
Glutaraldehyde	—	—	0.10	—	—	0.10
Salicylic acid	0.20	—	—	—	—	0.50
Benzalkonium chloride	—	0.10	—	—	—	0.10
KM ¹⁾	—	—	—	1.5	—	—
Cetearyl alcohol	2.50	2.50	2.50	2.50	2.50	2.50
Cocoglycerides	2.00	2.00	2.00	2.00	2.00	2.00
<i>Laurus nobilis</i> leaf extract	1.99	1.99	1.99	1.99	1.99	1.99
Hydrogenated vegetable oil	1.00	1.00	1.00	1.00	1.00	1.00
Xanthan gum	1.00	1.00	1.00	1.00	1.00	1.00
Lauryl glucoside	0.95	0.95	0.95	0.95	0.95	0.95
Polyglyceryl-2 dipolyhydroxystearate	0.95	0.95	0.95	0.95	0.95	0.95
Panthenol	0.50	0.50	0.50	0.50	0.50	0.50
Citric acid	0.21	0.21	0.21	0.21	0.21	0.21
Sodium stearoyl glutamate	0.10	0.10	0.10	0.10	0.10	0.10
Tocopheryl acetate	0.09	0.09	0.09	0.09	0.09	0.09
Citric acid	0.02	0.02	0.02	0.02	0.02	0.02
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0085] Cleansing milk (indicated in wt %)

Raw material	2.1	2.2	2.3	2.4	2.5	2.6
Paraffinum liquidum	20.00	20.00	20.00	20.00	20.00	20.00
Glycerol	1.99	1.99	1.99	1.99	1.99	1.99
Ceteareth-12	1.39	1.39	1.39	1.39	1.39	1.39
Triceteareth-4 phosphate	1.27	1.27	1.27	1.27	1.27	1.27
Cetearyl alcohol	0.75	0.75	0.75	0.75	0.75	0.75
Ethyl lauroyl arginate * HCl	0.13	—	—	—	0.40	0.40
Piroctone olamine	—	—	—	—	—	1.00
Sodium sulfite	—	—	—	—	—	0.20
Hexetidine	—	—	—	0.10	0.10	0.10
Formic acid	—	—	0.50	—	—	0.50
Phenoxyisopropanol	—	1.00	—	—	—	1.00
Undecylenic acid	—	—	0.20	—	—	0.20
Chloroxylenol	0.75	0.50	—	—	—	0.50
Benzyl alcohol	—	—	—	1.00	—	1.00
Chlorophenesin	—	—	—	—	—	0.30
Benzoic acid	0.30	—	—	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	—	—	—	—	—	0.20
Ethylparaben	—	—	0.10	—	—	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	0.60	—	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	—	—	—	0.50
Chlorhexidine	—	—	—	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	—	0.20	0.20	—	—	0.50
Benzalkonium chloride	—	—	—	—	—	0.10
KM ¹⁾	—	—	—	0.5	2.0	—
Sorbitol	0.70	0.70	0.70	0.70	0.70	0.70
Panthenol	0.50	0.50	0.50	0.50	0.50	0.50
Carbomer	0.30	0.30	0.30	0.30	0.30	0.30
Fragrance	0.14	0.14	0.14	0.14	0.14	0.14
<i>Argania spinosa</i> kernel oil	0.10	0.10	0.10	0.10	0.10	0.10
Xanthan gum	0.09	0.09	0.09	0.09	0.09	0.09
Trisodium dicarboxymethyl alaninate	0.04	0.04	0.04	0.04	0.04	0.04
Pantolactone	0.01	0.01	0.01	0.01	0.01	0.01
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0086] Cleansing milk (indicated in wt %)

-continued

Raw material	3.1	3.2	3.3	3.4	3.5	3.6	Raw material	3.1	3.2	3.3	3.4	3.5	3.6
Ethylhexyl palmitate	6.00	6.00	6.00	6.00	6.00	6.00	Methylparaben	—	—	—	—	—	0.20
Hexanediol	6.00	6.00	6.00	6.00	6.00	6.00	Ethylparaben	—	—	—	—	—	0.10
Hexyl laurate	3.00	3.00	3.00	3.00	3.00	3.00	Propionic acid	—	—	—	—	—	2.00
Myristyl myristate	2.91	2.91	2.91	2.91	2.91	2.91	Sorbic acid	—	—	0.60	—	—	0.60
Caprylic/Capric triglyceride	2.00	2.00	2.00	2.00	2.00	2.00	Polyaminopropyl biguanide	—	—	—	—	—	0.30
Sucrose stearate	1.91	1.91	1.91	1.91	1.91	1.91	Climbazole	—	0.50	—	—	—	0.50
CI 77891	0.60	0.60	0.60	0.60	0.60	0.60	Chlorhexidine	—	—	—	—	—	0.30
Panthenol	0.50	0.50	0.50	0.50	0.50	0.50	Glutaraldehyde	—	—	—	—	—	0.10
Cetearyl alcohol	0.50	0.50	0.50	0.50	0.50	0.50	Salicylic acid	—	—	—	—	—	0.50
Ethyl lauroyl arginate * HCl	0.40	—	0.40	—	—	0.40	Benzalkonium chloride	—	0.10	—	—	—	0.10
Piroctone olamine	—	1.00	—	—	—	1.00	KM ¹⁾	—	—	—	0.2	1.5	—
Sodium sulfite	—	—	—	—	—	—	Glyceryl stearate	0.50	0.50	0.50	0.50	0.50	0.50
Hexetidine	—	—	—	—	—	—	Cera alba	0.50	0.50	0.50	0.50	0.50	0.50
Formic acid	0.50	—	0.50	0.50	—	0.50	Fragrance	0.34	0.34	0.34	0.34	0.34	0.34
Phenoxyisopropanol	—	1.00	—	—	1.00	1.00	Tocopheryl acetate	0.30	0.30	0.30	0.30	0.30	0.30
Undecylenic acid	—	—	—	0.20	—	0.20	Hydroxypropyl methylcellulose	0.20	0.20	0.20	0.20	0.20	0.20
Chloroxylenol	—	—	—	—	0.50	0.50	Carbomer	0.17	0.17	0.17	0.17	0.17	0.17
Benzyl alcohol	—	—	—	—	—	1.00	Bisabolol	0.09	0.09	0.09	0.09	0.09	0.09
Chlorophenesin	—	—	—	—	—	0.30	Myristyl alcohol	0.09	0.09	0.09	0.09	0.09	0.09
Benzoic acid	—	0.20	0.20	—	—	0.20	Sodium hydroxide	0.06	0.06	0.06	0.06	0.06	0.06
Phenoxyethanol	0.50	—	0.50	—	—	0.50	Retinyl palmitate	0.06	0.06	0.06	0.06	0.06	0.06

Arachis hypogaea oil
Stearic acid

-continued

Raw material	3.1	3.2	3.3	3.4	3.5	3.6
Tocopherol	0.03	0.03	0.03	0.03	0.03	0.03
Hydrogenated palm glycerides citrate	0.02	0.02	0.02	0.02	0.02	0.02
Sucrose	0.02	0.02	0.02	0.02	0.02	0.02
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0087] Washing cream (All values represent wt %)

Raw material	4.1	4.2	4.3	4.4	4.5	4.6
Coco-caprylate/Caprate	5.00	5.00	5.00	5.00	5.00	5.00
Dicaprlyl carbonate	5.00	5.00	5.00	5.00	5.00	5.00
Pentaerythrityl distearate	1.00	1.00	1.00	1.00	1.00	1.00
Propylene glycol	0.84	0.84	0.84	0.84	0.84	0.84
Sodium polyacrylate	0.50	0.50	0.50	0.50	0.50	0.50
Ethyl lauroyl arginate * HCl	0.40	—	—	0.40	—	0.40
Piroctone olamine	—	—	—	—	0.50	1.00
Sodium sulfite	—	—	—	—	0.20	—
Hexetidine	0.10	0.10	0.10	—	—	0.10
Formic acid	—	—	—	—	—	0.50
Phenoxyisopropanol	—	—	—	—	1.00	—
Undecylenic acid	—	—	—	0.20	—	0.20
Chloroxylenol	—	—	0.50	—	—	0.50
Benzyl alcohol	—	1.00	—	—	—	1.00
Chlorphenesin	—	—	—	—	0.30	—
Benzoic acid	—	—	—	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	—	—	—	—	0.20	—
Ethylparaben	—	—	—	—	0.10	—
Propionic acid	—	—	—	—	2.00	—
Sorbic acid	0.20	—	—	—	—	0.60
Polyaminopropyl biguanide	—	—	0.30	—	—	0.30
Climbazole	—	0.50	—	—	—	0.50
Chlorhexidine	—	—	—	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	0.20	—	—	0.50	—	—
Benzalkonium chloride	—	0.10	—	—	—	0.10
KM ¹⁾	—	—	—	0.1	1.0	—
Fragrance	0.32	0.32	0.32	0.32	0.32	0.32
Tetrasodium EDTA	0.10	0.10	0.10	0.10	0.10	0.10
Butylene glycol	0.09	0.09	0.09	0.09	0.09	0.09
Pentylene glycol	0.04	0.04	0.04	0.04	0.04	0.04
Hydrolyzed soy protein	0.03	0.03	0.03	0.03	0.03	0.03
Prunus persica fruit extract	0.02	0.02	0.02	0.02	0.02	0.02
Panax ginseng root extract	0.01	0.01	0.01	0.01	0.01	0.01
Tocopherol	0.00	0.00	0.00	0.00	0.00	0.00
Sebacic acid	0.00	0.00	0.00	0.00	0.00	0.00
10-Hydroxydecanoic acid	0.00	0.00	0.00	0.00	0.00	0.00
1,10-Decanediol	0.00	0.00	0.00	0.00	0.00	0.00
2,4-Dimethyl-3-cyclohexene carboxaldehyde	0.00	0.00	0.00	0.00	0.00	0.00
Pinus sylvestris bark extract	0.00	0.00	0.00	0.00	0.00	0.00
Ribes nigrum leaf extract	0.00	0.00	0.00	0.00	0.00	0.00
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0088] Cleansing milk cold production (all values represent wt %)

Raw material	5.1	5.2	5.3	5.4	5.5	5.6
Glycerol	4.98	4.98	4.98	4.98	4.98	4.98
Caprylic/Capric triglyceride	4.26	4.26	4.26	4.26	4.26	4.26
Ethylhexyl palmitate	4.00	4.00	4.00	4.00	4.00	4.00
Carthamus tinctorius seed oil	3.00	3.00	3.00	3.00	3.00	3.00

-continued

Raw material	5.1	5.2	5.3	5.4	5.5	5.6
Cocoglycerides	3.00	3.00	3.00	3.00	3.00	3.00
Sorbitol	2.10	2.10	2.10	2.10	2.10	2.10
Glyceryl oleate citrate	1.24	1.24	1.24	1.24	1.24	1.24
Aluminum starch octenylsuccinate	0.93	0.93	0.93	0.93	0.93	0.93
Dimethicone	0.50	0.50	0.50	0.50	0.50	0.50
Carbomer	0.30	0.30	0.30	0.30	0.30	0.30
Fragrance	0.28	0.28	0.28	0.28	0.28	0.28
Sodium acrylate/sodium acryloyldimethyl taurate copolymer	0.19	0.19	0.19	0.19	0.19	0.19
Trilinolein	0.16	0.16	0.16	0.16	0.16	0.16
Polyisobutene	0.14	0.14	0.14	0.14	0.14	0.14
Ethyl lauroyl arginate * HCl	—	—	—	—	—	0.40
Piroctone olamine	0.80	0.50	—	—	—	1.00
Sodium sulfite	—	—	—	0.20	—	0.20
Hexetidine	0.10	0.10	0.10	—	0.10	0.10
Formic acid	—	—	—	—	—	0.50
Phenoxyisopropanol	—	—	—	1.00	—	1.00
Undecylenic acid	—	—	—	—	—	0.20
Chloroxylenol	—	—	—	—	0.50	0.50
Benzyl alcohol	—	—	—	—	—	1.00
Chlorphenesin	—	—	0.30	—	—	0.30
Benzoic acid	—	—	—	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	—	0.20	—	—	—	0.20
Ethylparaben	—	—	—	—	—	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	—	0.60	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	—	—	—	0.50
Chlorhexidine	—	—	—	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	0.20	—	0.50	—	—	0.50
Benzalkonium chloride	—	0.10	—	—	—	0.10
KM ¹⁾	—	—	—	0.3	1.2	—
Panthenol	0.08	0.08	0.08	0.08	0.08	0.08
Tocopheryl acetate	0.05	0.05	0.05	0.05	0.05	0.05
Sorbitan oleate	0.02	0.02	0.02	0.02	0.02	0.02
Caprylyl/Capryl glucoside	0.01	0.01	0.01	0.01	0.01	0.01
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0089] Cleansing emulsion (all values represent wt %)

Raw material	6.1	6.2	6.3	6.4	6.5	6.6
Glycerol	5.01	5.01	5.01	5.01	5.01	5.01
Sorbitol	2.10	2.10	2.10	2.10	2.10	2.10
Hexyl laurate	2.00	2.00	2.00	2.00	2.00	2.00
Ethylhexyl palmitate	2.00	2.00	2.00	2.00	2.00	2.00
Hydroxyethyl urea	1.34	1.34	1.34	1.34	1.34	1.34
Cetearyl alcohol	1.00	1.00	1.00	1.00	1.00	1.00
Aluminum starch octenylsuccinate	0.93	0.93	0.93	0.93	0.93	0.93
Glyceryl stearate	0.50	0.50	0.50	0.50	0.50	0.50
Potassium cetyl phosphate	0.31	0.31	0.31	0.31	0.31	0.31
Carbomer	0.30	0.30	0.30	0.30	0.30	0.30
Fragrance	0.19	0.19	0.19	0.19	0.19	0.19
Hydrogenated palm glycerides	0.19	0.19	0.19	0.19	0.19	0.19
Sodium acrylate/sodium acryloyldimethyl taurate copolymer	0.19	0.19	0.19	0.19	0.19	0.19
Ethyl lauroyl arginate * HCl	—	—	0.40	0.40	—	0.40
Piroctone olamine	—	—	—	—	—	1.00
Sodium sulfite	—	—	—	—	0.20	0.20
Hexetidine	0.10	0.10	0.10	—	—	0.10
Formic acid	—	0.50	—	—	—	0.50
Phenoxyisopropanol	—	—	—	1.00	—	1.00
Undecylenic acid	—	—	—	—	—	0.20

-continued

Raw material	6.1	6.2	6.3	6.4	6.5	6.6
Chloroxylenol	—	—	—	—	0.50	0.50
Benzyl alcohol	0.50	—	—	—	—	1.00
Chlorphenesin	—	—	—	—	—	0.30
Benzoic acid	—	0.20	—	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	0.10	—	0.20	—	—	0.20
Ethylparaben	0.15	—	—	—	—	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	0.20	0.20	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	—	—	—	0.50
Chlorhexidine	—	0.30	—	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	—	—	—	—	—	0.50
Benzalkonium chloride	—	—	0.10	—	—	0.10
KM ¹⁾	—	—	—	0.9	0.25	—
Panthenol	0.08	0.08	0.08	0.08	0.08	0.08
Urea	0.08	0.08	0.08	0.08	0.08	0.08
Tocopherol acetate	0.05	0.05	0.05	0.05	0.05	0.05
Sorbitan oleate	0.02	0.02	0.02	0.02	0.02	0.02
Caprylyl/Capryl glucoside	0.01	0.01	0.01	0.01	0.01	0.01
Aqua	up to					
	100	100	100	100	100	100

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0090] Cleansing milk (indicated in wt %)

Raw material	7.1	7.2	7.3	7.4	7.5	7.6
<i>Helianthus annuus</i> seed oil	5.00	5.00	5.00	5.00	5.00	5.00
Isopropyl palmitate	4.98	4.98	4.98	4.98	4.98	4.98
<i>Rosa damascena</i> flower water	4.97	4.97	4.97	4.97	4.97	4.97
Ethyl lauroyl arginate * HCl	—	—	—	0.40	—	0.40
Piroctone olamine	—	—	—	—	—	1.00
Sodium sulfite	—	—	0.20	—	—	0.20
Hexetidine	—	—	—	—	0.10	0.10
Formic acid	0.20	—	—	0.50	—	0.50
Phenoxyisopropanol	—	—	—	—	—	1.00
Undecylenic acid	0.20	—	—	—	0.20	0.20
Chloroxylenol	—	0.50	—	—	—	0.50
Benzyl alcohol	—	1.00	—	—	—	1.00
Chlorphenesin	—	—	0.30	—	—	0.30
Benzoic acid	—	—	—	—	—	0.20
Phenoxyethanol	0.30	—	—	—	—	0.50
Methylparaben	—	—	—	—	—	0.20
Ethylparaben	—	—	—	—	—	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	0.60	—	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	—	—	—	0.50
Chlorhexidine	—	0.30	—	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	—	0.20	0.20	—	—	0.50
Benzalkonium chloride	—	0.10	—	—	—	0.10
KM ¹⁾	—	—	—	0.7	0.01	—
Cetearyl alcohol	2.50	2.50	2.50	2.50	2.50	2.50
Cocoglycerides	2.00	2.00	2.00	2.00	2.00	2.00
<i>Laurus nobilis</i> leaf extract	1.99	1.99	1.99	1.99	1.99	1.99
Hydrogenated vegetable oil	1.00	1.00	1.00	1.00	1.00	1.00
Xanthan gum	1.00	1.00	1.00	1.00	1.00	1.00
Lauryl glucoside	0.95	0.95	0.95	0.95	0.95	0.95
Polyglyceryl-2 dipolyhydroxystearate	0.95	0.95	0.95	0.95	0.95	0.95
Panthenol	0.50	0.50	0.50	0.50	0.50	0.50
Citric acid	0.21	0.21	0.21	0.21	0.21	0.21
Sodium stearoyl glutamate	0.10	0.10	0.10	0.10	0.10	0.10
Tocopherol acetate	0.09	0.09	0.09	0.09	0.09	0.09
Aqua	up to					
	100	100	100	100	100	100

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0091] Impregnation solution for cleaning cloths (amounts given in wt %)

Raw material	8.1	8.2	8.3	8.4	8.5	8.6
Propylheptyl caprylate	5.00	5.00	5.00	5.00	5.00	5.00
Glycerol	2.72	2.72	2.72	2.72	2.72	2.72
Isopropyl palmitate	2.00	2.00	2.00	2.00	2.00	2.00
Lauryl glucoside	1.36	1.36	1.36	1.36	1.36	1.36
Polyglyceryl-2 dipolyhydroxystearate	1.36	1.36	1.36	1.36	1.36	1.36
Caprylic/Capric triglyceride	1.00	1.00	1.00	1.00	1.00	1.00
Phenoxyethanol	0.58	0.58	0.58	0.58	0.58	0.58
Sodium polyacrylate	0.35	0.35	0.35	0.35	0.35	0.35
Fragrance	0.29	0.29	0.29	0.29	0.29	0.29
Ethyl lauroyl arginate * HCl	0.40	—	0.40	—	0.4	0.40
Piroctone olamine	—	—	—	—	—	1.00
Sodium sulfite	—	—	—	—	0.20	0.20
Hexetidine	0.10	0.10	—	—	—	0.10
Formic acid	—	—	—	0.50	—	0.50
Phenoxyisopropanol	—	—	—	—	—	1.00
Undecylenic acid	—	0.20	0.20	—	—	0.20
Chloroxylenol	—	—	—	—	—	0.50
Benzyl alcohol	—	—	—	1.00	—	1.00
Chlorphenesin	—	—	—	—	—	0.30
Benzoic acid	0.20	0.20	—	—	—	0.20
Phenoxyethanol	—	—	—	0.50	—	0.50
Methylparaben	—	—	—	—	—	0.20
Ethylparaben	—	—	—	—	—	0.10
Propionic acid	—	—	—	2.00	—	2.00
Sorbic acid	—	0.60	—	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	—	—	—	0.50
Chlorhexidine	—	0.20	0.20	—	—	0.30
Glutaraldehyde	—	—	—	—	—	0.10
Salicylic acid	—	—	—	—	—	0.50
Benzalkonium chloride	—	—	—	—	—	0.10
KM ¹⁾	—	—	—	1.8	0.09	—
<i>Argania spinosa</i> kernel oil	0.10	0.10	0.10	0.10	0.10	0.10
Citric acid	0.03	0.03	0.03	0.03	0.03	0.03
Aqua	up to					
	100	100	100	100	100	100

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0092] Impregnation solutions for cleaning cloths (amounts given in wt %)

Raw material	9.1	9.2	9.3	9.4	9.5	9.6
Glycerol	4.49	4.49	4.49	4.49	4.49	4.49
Cetearyl isononanoate	1.13	1.13	1.13	1.13	1.13	1.13
Ceteareth-20	0.56	0.56	0.56	0.56	0.56	0.56
Cetearyl alcohol	0.56	0.56	0.56	0.56	0.56	0.56
Potassium sorbate	0.30	0.30	0.30	0.30	0.30	0.30
Glyceryl stearate	0.19	0.19	0.19	0.19	0.19	0.19
Fragrance	0.17	0.17	0.17	0.17	0.17	0.17
Ethyl lauroyl arginate * HCl	0.40	0.40	—	—	—	0.40
Piroctone olamine	—	—	—	—	1.00	1.00
Sodium sulfite	—	—	0.20	—	—	0.20
Hexetidine	—	—	—	—	—	0.10
Formic acid	—	—	0.50	—	—	0.50
Phenoxyisopropanol	—	—	—	1.00	—	1.00
Undecylenic acid	—	—	0.20	—	—	0.20
Chloroxylenol	0.30	—	—	—	—	0.50
Benzyl alcohol	—	—	—	1.00	—	1.00
Chlorphenesin	—	0.30	—	—	0.30	0.30
Benzoic acid	—	0.20	0.20	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	—	—	—	—	—	0.20
Ethylparaben	—	0.10	—	—	—	0.10
Propionic acid	—	—	—	—	—	2.00

-continued

Raw material	9.1	9.2	9.3	9.4	9.5	9.6
Sorbic acid	0.20	—	—	—	—	0.60
Polyaminopropyl biguanide	—	—	—	—	—	0.30
Climbazole	—	—	0.50	—	—	0.50
Chlorhexidine	—	—	—	—	—	0.30
Glutaraldehyde	—	0.10	—	—	—	0.10
Salicylic acid	—	—	—	—	—	0.50
Benzalkonium chloride	—	—	0.10	—	—	0.10
KM ¹⁾	—	—	—	0.001	0.4	—
Ceteareth-12	0.04	0.04	0.04	0.04	0.04	0.04
Cetyl palmitate	0.04	0.04	0.04	0.04	0.04	0.04
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0093] Impregnation solution for cleaning cloths (amounts given in wt %)

Raw material	10.1	10.2	10.3	10.4	10.5	10.6
Glycerol	4.28	4.28	4.28	4.28	4.28	4.28
Paraffinum liquidum	4.00	4.00	4.00	4.00	4.00	4.00
PPG-15 stearyl ether	2.50	2.50	2.50	2.50	2.50	2.50
Steareth-10	0.75	0.75	0.75	0.75	0.75	0.75
Glyceryl stearate	0.47	0.47	0.47	0.47	0.47	0.47
PEG-30 STEARATE	0.28	0.28	0.28	0.28	0.28	0.28
Fragrance	0.17	0.17	0.17	0.17	0.17	0.17
Ethyl lauroyl arginate * HCl	—	0.40	—	—	—	0.40
Piroctone olamine	0.60	—	—	—	1.00	1.00
Sodium sulfite	—	—	0.20	—	—	0.20
Hexetidine	0.10	—	—	—	—	0.10
Formic acid	—	—	0.50	—	—	0.50
Phenoxyisopropanol	—	—	—	1.00	—	1.00
Undecylenic acid	—	—	0.20	—	—	0.20
Chloroxylenol	—	—	—	—	—	0.50
Benzyl alcohol	—	—	—	1.00	—	1.00
Chlorphenesin	—	0.30	—	—	0.30	0.30
Benzoic acid	—	0.20	0.20	—	—	0.20
Phenoxyethanol	—	—	—	—	—	0.50
Methylparaben	—	—	—	—	—	0.20
Ethylparaben	—	0.10	—	—	—	0.10
Propionic acid	—	—	—	—	—	2.00
Sorbic acid	—	—	—	—	—	0.60
Dehydroacetic acid	0.20	0.20	0.20	—	—	0.20
Polyaminopropyl biguanide	0.30	—	—	—	—	0.30
Climbazole	—	—	0.50	—	—	0.50
Chlorhexidine	—	—	—	—	—	0.30
Glutaraldehyde	—	0.10	—	—	—	0.10
Salicylic acid	—	—	—	—	—	0.50
Benzalkonium chloride	—	—	0.10	—	—	0.10
KM ¹⁾	—	—	—	0.001	0.4	—
Aqua	up to 100					

¹⁾Preservative mixture selected from at least one of the aforementioned preservative mixtures KM1 to KM466

[0094] While at least one exemplary embodiment has been presented in the foregoing detailed description of the invention, it should be appreciated that a vast number of variations exist. It should also be appreciated that the exemplary embodiment or exemplary embodiments are only examples, and are not intended to limit the scope, applicability, or configuration of the invention in any way. Rather, the foregoing detailed description will provide those skilled in the art with a convenient road map for implementing an exemplary embodiment of the invention, it being understood

that various changes may be made in the function and arrangement of elements described in an exemplary embodiment without departing from the scope of the invention as set forth in the appended claims and their legal equivalents.

What is claimed is:

1. A cosmetic agent including, in a cosmetically acceptable carrier:

- a) at least one emulsifier;
- b) at least one compound selected from the group consisting of oils, waxes, esters, or mixtures thereof;
- c) at least one preservative mixture selected from the group consisting of chloroxylenol and phenoxyisopropanol, undecylenic acid and formic acid, phenoxyisopropanol and piroctone olamine, phenoxyisopropanol and formic acid, sulfite(s) and hexetidine, ethyl lauroyl arginate and formic acid, ethyl lauroyl arginate and chloroxylenol, hexetidine and benzyl alcohol, hexetidine and chloroxylenol, hexetidine and piroctone olamine, hexetidine and chlorophenesin, hexetidine and formic acid, and mixtures thereof, and

d) at least one further preservative selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, clambazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof, and mixtures of these preservatives.

2. The cosmetic agent according to claim 1, wherein the at least one emulsifier is selected from the group consisting of: (i) addition products of 4 to 30 mol ethylene oxide and/or 1 to 5 mol propylene oxide with linear C₈-C₂₂ alcohols, with C₁₂-C₂₂ carboxylic acids, and with C₈-C₁₅ alkylphenols; (ii) C₁₂-C₂₂ carboxylic acid mono- and diesters of addition products of 1 to 30 mol ethylene oxide with C₃-C₆ polyols; (iii) ethylene oxide and polyglycerol addition products with methyl glucoside carboxylic acid esters, carboxylic acid alkanolamides, and carboxylic acid glucamides, C₈-C₂₂ alkylmono- and oligoglycosides; (iv) addition products of 5 to 60 mol ethylene oxide with castor oil and hydrogenated castor oil; (v) partial esters of polyols having three to six carbon atoms with saturated C₈-C₂₂ carboxylic acids; (vi) sterols; (vii) carboxylic acid esters of sugars and sugar alcohols; and (viii) mixtures thereof.

3. The cosmetic agent according to claim 1, including the oil, wherein the oil is selected from the group consisting of: (i) a volatile non-silicone oils selected from the group consisting of isodecane, isoundecane, isododecane, isotridecane, isotetradecane, isopentadecane, isoheptadecane, and isoeicosane; (ii) vegetable oils selected from the group consisting of sunflower oil, olive oil, soybean oil, rapeseed oil, almond oil, jojoba oil, orange oil, wheat germ oil, peach kernel oil, and the liquid components of coconut oil; and (iii) mixtures thereof.

4. The cosmetic agent according to claim 1, including the wax, wherein the wax is selected from the group consisting of: (i) coconut fatty acid glycerol mono-, di-, and triesters; (ii) *Butyrospermum parkii* (Shea butter); (iii) esters of saturated monohydric C₈-C₁₈ alcohols with saturated C₁₂-C₁₈

monocarboxylic acids; (iv) linear primary C₁₂-C₂₄ alkanols; (v) esters from a saturated monohydric C₁₆-C₆₀ alkanol and a saturated C₈-C₃₆ monocarboxylic acid; (vi) glycerol triesters of saturated linear C₁₂-C₃₀ carboxylic acids, which can be hydroxylated; (vii) natural vegetable waxes selected from the group consisting of candelilla wax, carnauba wax, Japan wax, sugar cane wax, ouricoury wax, cork wax, sunflower wax, and fruit waxes; (viii) animal waxes selected from the group consisting of bee wax, shellac wax, and spermaceti; (ix) synthetic waxes selected from the group consisting of montan ester waxes, hydrogenated jojoba waxes and sasol waxes, polyalkylene waxes, polyethylene glycol waxes, C₂₀-C₄₀ dialkyl esters of dimer acids, C₃₀₋₅₀ alkyl beeswax, and alkyl and alkyl aryl esters of dimeric fatty acids, paraffin waxes; and (x) mixtures thereof.

5. The cosmetic agent according to claim 1, including the ester, wherein the ester is selected from the group consisting of: (i) triethyl citrates; (ii) dicarboxylic acid esters of linear or branched C₂-C₁₀ alkanols; (iii) symmetric, asymmetric, or cyclic esters of carbonic acid with alcohols; (iv) esters of dimers of unsaturated C₁₂₋₂₂ carboxylic acids with mono-hydric, linear, branched, and cyclic C₂₋₁₈ alkanols or C₂₋₆ alkanols; (v) benzoic acid esters of linear or branched C₈₋₂₂ alkanols, such as benzoic acid C₁₂₋₁₅ alkyl esters, benzoic acid isostearyl esters, benzoic acid octyldodecyl esters; and (vi) mixtures thereof.

6. The cosmetic agent according to claim 1, wherein the emulsifier is included at a concentration of 0.1 to 40 wt % based on the total weight of the cosmetic agent.

7. The cosmetic agent according to claim 1, wherein the at least one compound selected from the group consisting of oils, waxes, esters, or mixtures thereof is included at a concentration of 0.1 to 50 wt % based on the total weight of the cosmetic agent.

8. The cosmetic agent according to claim 1, wherein a weight ratio of the first preservative to the second preservative in the preservative mixture c) ranges from 10:1 to 1:10.

9. The cosmetic agent according to claim 1, wherein the at least one preservative mixture c) is included at a concentration of 0.001 to 10 wt % based on the total weight of the cosmetic agent.

10. The cosmetic agent according to claim 1, further including at least one further preservative d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof.

11. The cosmetic agent according to claim 1, further including at least two further preservatives d) selected from the group consisting of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben(s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, citric acid and salts thereof.

12. The cosmetic agent according to claim 1, wherein a mixture of preservatives is included as the further preservative d), the mixture being made of benzoic acid and salts thereof, propionic acid and salts thereof, salicylic acid and salts thereof, sorbic acid and salts thereof, zinc salts, paraben (s), polyaminopropyl biguanide, phenoxyethanol, climbazole, chlorhexidine and salts thereof, quaternary ammonium compounds, glutaraldehyde, and citric acid.

13. The cosmetic agent according to claim 10, including the preservative mixture d) at a concentration of 0.001 to 10 wt % based on the total weight of the cosmetic agent.

* * * * *