(19)

(12)





(11) EP 2 361 786 A3


EUROPEAN PATENT APPLICATION

(88)	Date of publication A3: 30.11.2011 Bulletin 2011/48	(51)	Int Cl.: B42B 5/00 ^(2006.01) F16B 15/08 ^(2006.01)	B25C 5/16 ^(2006.01)
(43)	Date of publication A2: 31.08.2011 Bulletin 2011/35			
(21)	Application number: 11167849.6			
(22)	Date of filing: 08.08.2007			
(84)	Designated Contracting States: DE FR GB	(71)	Applicant: MAX CO., L1 Chuo-ku, Tokyo 103-8502 (JP)	D.
(30)	Priority: 11.08.2006 JP 2006220744 11.08.2006 JP 2006220745 11.08.2006 JP 2006220746	(72)	Inventor: Aoki, Akira Chuo-ku, Tokyo 103-8	502 (JP)
(62)	Document number(s) of the earlier application(s) in accordance with Art. 76 EPC: 07792211.0 / 2 050 578	(74)	Representative: Ealey, D Young & Co LLP 120 Holborn London EC1N 2DY (GB	

(54) Interlinked staples and staple cartridge

(57) To provide interlinked staples which are made possible to be fed accurately in the inside of a stapler and a staple cartridge which houses these interlinked staples.

The interlinked staples 1a are constituted by interlinking a plurality of staples 2a each of which has an elongated and straight-formed shape. The vicinities of the edge portions in the longitudinal direction of the each staple 2a are formed in trapezoidal shapes, and the widths are tapered toward the tips thereof. Also, adhesion portions 31 coated with adhesive agent are provided on the rear surfaces of the vicinities of both the edge portions in the longitudinal direction of the each staple 2a. Also, there are provided elliptical feeding holes 32 at predetermined positions from both the edge portions of the side by which each staple 2a is interlinked. A portion between two feeding holes 32 is made to be a slit portion 33 and the respective staples 2a are cut off perfectly thereby. Portions on the outside of the two feeding holes 32 and until both the edge portions of the side by which each staple 2a is interlinked are operated as staple interlinking portions 34 and the respective staples 2a become in a state of being interlinked.





EUROPEAN SEARCH REPORT

Application Number EP 11 16 7849

	Citation of document with in	ERED TO BE RELEVANT dication, where appropriate,	Relevant	CLASSIFICATION OF THE	
ategory	of relevant passa		to claim	APPLICATION (IPC)	
(MAX CO LTD [JP]; ASAI ust 2005 (2005-08-11)	1-4	INV. B42B5/00 B25C5/16 F16B15/08	
(* the whole documen		5-8		
(US 7 021 512 B1 (NA 4 April 2006 (2006-		1-4		
,	* the whole documen		5-8		
,	US 2006/151347 A1 (13 July 2006 (2006- * the whole documen		5-8		
,	US 2004/049144 A1 (11 March 2004 (2004 * the whole documen	-03-11)	5-8		
L.	JP 2000 220617 A (K 8 August 2000 (2000 * the whole documen	1-4			
				TECHNICAL FIELDS SEARCHED (IPC)	
				F16B	
				B27F B65H A61F	
	The present search report has b				
	Place of search	Date of completion of the search	L	Examiner	
	The Hague	13 October 2011	Ket	oemou, Augustin	
X : parti Y : parti docu	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone icularly relevant if combined with anoth ument of the same category inological background	L : document cited fo	ument, but publi the application r other reasons		
	-written disclosure	& : member of the sa			

EP 2 361 786 A3

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 11 16 7849

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

13-10-2011

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 2005072978	A1	11-08-2005	CN JP	1914049 4066032	• •	14-02-2007 26-03-2008
US 7021512	B1	04-04-2006	WO JP JP	0244572 3360120 2002168216	B2	06-06-2002 24-12-2002 14-06-2002
US 2006151347	A1	13-07-2006	US US	2009261010 2010276323		22-10-2009 04-11-2010
US 2004049144	A1	11-03-2004	NONE			
JP 2000220617	Α	08-08-2000	JP	4321896	B2	26-08-2009

FORM P0459