



(19) **United States**

(12) **Patent Application Publication**

Lakshminarayanan et al.

(10) **Pub. No.: US 2020/0320545 A1**

(43) **Pub. Date: Oct. 8, 2020**

(54) **DETERMINING AND USING BRAND INFORMATION IN ELECTRONIC COMMERCE**

Publication Classification

(51) **Int. Cl.**
G06Q 30/02 (2006.01)

(52) **U.S. Cl.**
CPC *G06Q 30/02* (2013.01)

(71) Applicant: **eBay Inc.**, San Jose, CA (US)

(57) **ABSTRACT**

(72) Inventors: **Arun Lakshminarayanan**, San Jose, CA (US); **Gurudatta Horantur Shivaswamy**, Saratoga, CA (US); **Jean-David Ruvini**, Los Gatos, CA (US)


An apparatus and method for predicting a brand name of a product are disclosed herein. A product identification number for the product is converted into a normalized global trade item number (GTIN). For each of a plurality of GTIN prefixes corresponding to the normalized GTIN, brand names and counts of each of the brand names using product information stored in a product catalog are identified. A probability distribution of the brand names is determined in accordance with the brand names and the counts of the brand names for the plurality of the GTIN prefixes. A predicted brand name for the product is identified from among the brand names for the plurality of the GTIN prefixes, the predicted brand name having a highest probability score in the probability distribution of the brand names.

(21) Appl. No.: **16/856,919**

(22) Filed: **Apr. 23, 2020**

Related U.S. Application Data

(63) Continuation of application No. 16/170,415, filed on Oct. 25, 2018, now Pat. No. 10,657,541, which is a continuation of application No. 13/623,697, filed on Sep. 20, 2012, now Pat. No. 10,140,621.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

500

502

504

506

prefix	total occurrences	occurrence by brand
063924	100	b1=25, b2=30, b3=20, b4=5, b5=5, b6=10, b7=3, b8=2
0639247	75	b2=30, b3=20, b4=5, b5=5, b6=10, b7=3, b8=2
06392478	70	b2=30, b3=20, b4=5, b5=5, b6=10
063924786	65	b2=30, b3=20, b4=5, b5=10
0639247860	35	b2=30, b4=5

FIG. 5A

brand	063924	0639247	06392478	063924786	0639247860	best
b1	0.250	522	524	526	528	0.250
b2	0.300	0.400	0.428	0.461	0.857	0.857
b3	0.200	0.266	0.286	0.308	0.308	
b4	0.050	0.066	0.071	0.076	0.142	
b5	0.050	0.066	0.071			
b6	0.010					
b7	0.003	0.040				
b8	0.002	0.026				

FIG. 5B




FIG. 6




FIG. 7

gtin_prefix	co-occurring barnds
04003121044	b1, b2, b3, b4
04003121045	b2, b5, b6
07313460	b7, b8, b9, b10

FIG. 8A

	b1	b2	b3	b4
b1	1.000	0.867	0.292	0.245
b2		1.000	0.433	0.929
b3			1.000	0.342
b4				1.000

FIG. 8B

	b2	b5	b6
b2	1.000	0.832	0.211
b5		1.000	0.632
b6			1.000

820

FIG. 8C

normalized form	synonym
b4	b1
b4	b2
b4	b4
b4	b5

FIG. 8D

<u>Normalized form</u>	<u>Brand synonyms</u>
sony	sony legacy
sony	sony audio video
sony	sony wonder
sony	sony batteries
sony	sony playstation 3
sony	sony playstation 2
sony	sony electronics inc
sony	sony electronics
sony	sony home audio video
sony	sony playstation
sony	sony pep
sony	sony photo video
sony	sony discos mp
sony	sony music entertainment
sony	sony vaio retail products
sony	sony vaio accessories
sony	sony creative software
sony	sony computer electronic
sony	sony computer entertainme
sony	sony columbia
sony	sony ericsson
sony	sony discos j & n records
sony	sony discos globo
sony	sony storage tape drives
sony	sony discos luna music
sony	sony ip surveillance
sony	sony electronics inc.
sony	sony word
sony	sony entertainment
sony	sony media software
sony	sony dslr
sony	sony vaio
sony	sony music
sony	sony online entertainment
sony	sony discos
sony	sony smsp
sony	sony plasma
sony	sony epic
sony	sony security
sony	sony discos orfeon
sony	sony classics
sony	sony projectors

FIG. 8E




FIG. 9




FIG. 10

DETERMINING AND USING BRAND INFORMATION IN ELECTRONIC COMMERCE

CROSS REFERENCES

[0001] This application is a continuation of U.S. application Ser. No. 16/170,415 by Lakshminarayanan et al., entitled “Determining and Using Brand Information in Electronic Commerce,” filed Oct. 25, 2018; which is a continuation of U.S. application Ser. No. 13/623,697 by Lakshminarayanan et al., entitled “Determining and Using Brand Information in Electronic Commerce,” filed Sep. 20, 2012, now U.S. Pat. No. 10,140,621; each of which is hereby incorporated by reference in its entirety.

TECHNICAL FIELD

[0002] The present application relates generally to systems and methods to facilitate use of brand names in an online marketplace.

BACKGROUND

[0003] An electronic marketplace offers a large number of items for sale. It is not uncommon for some electronic marketplaces to offer upwards of hundreds of thousands or millions of items for sale. Each item to be offered for sale is submitted to the electronic marketplace, the submission including information about the item such as an item name, item description, and item image. If the item is associated with a recognizable manufacturer, distributor, or otherwise a source—the item being a brand name item—such source or brand name information may be submitted to the electronic marketplace.

[0004] A plurality of persons may enter item information corresponding to the plurality of items to be offered by the electronic marketplace. For example, the plurality of persons can be a plurality of sellers, each seller submitting one or more items to the electronic marketplace. A multitude of contributors, however, increases the possibility of non-uniformity in item information among the submitted items. Even identical items may be submitted with differing item information, such as non-identical brand names. Non-uniformity in item information or descriptions among items in a catalog increases inefficiencies and inaccuracies in downstream processes involving use of the stored item information. For example, incorrect or incomplete identification of items may occur in response to product search requests due to the non-uniformity in item information in the product catalog.

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] Some embodiments are illustrated by way of example and not limitations in the figures of the accompanying drawings, in which:

[0006] FIG. 1 illustrates a network diagram depicting an example system for facilitating use of brands according to some embodiments.

[0007] FIG. 2 illustrates a block diagram of additional details of the example system of FIG. 1 according to some embodiments.

[0008] FIG. 3 illustrates a block diagram showing brand identification and usage for an electronic marketplace implemented in modules according to some embodiments.

[0009] FIG. 4 illustrates a flow diagram showing brand prediction functionalities or operations implemented by the modules of FIG. 3 according to some embodiments.

[0010] FIG. 5A illustrates an example brand weight or occurrence table/matrix specific to a set of GTIN prefixes according to some embodiments.

[0011] FIG. 5B illustrates an example brand probability distribution table/matrix according to some embodiments.

[0012] FIG. 6 illustrates a flow diagram showing uses of the brand classification model of FIG. 4 according to some embodiments.

[0013] FIG. 7 illustrates a flow diagram for determining brand synonyms according to some embodiments.

[0014] FIGS. 8A-8E illustrate tables/matrices generated to determine brand synonyms in FIG. 7 according to some embodiments.

[0015] FIG. 9 illustrates a flow diagram showing example uses of the brand synonym map according to some embodiments.

[0016] FIG. 10 illustrates a diagrammatic representation of a machine in the example form of a computer system within which a set of instructions, for causing the machine to perform any one or more of the methodologies of FIGS. 2-9 according to some embodiments.

[0017] The headings provided herein are for convenience only and do not necessarily affect the scope or meaning of the terms used.

DETAILED DESCRIPTION

[0018] Described in detail herein is an apparatus and method for determining brand names and using brand names in an electronic commerce environment. In one embodiment, product information of items in a product catalog and product information captured from crawling the web are available. Product information for a given item can include a product identification number as well as a brand name. Such product identification numbers and brand names across a large plurality of items are used to predict a brand for a new item being submitted to the product catalog. The brand prediction may be useful to fill in missing brand information for the new item being submitted, or to validate the brand information provided for the new item. The product identification numbers and brand names across a large plurality of items are also used to determine brand synonyms. Knowledge of brand synonyms improves accuracy of product searching, product matching, product aggregation, product deduping, product attribute value normalization, and the like.

[0019] The following description is presented to enable any person skilled in the art to create and use a computer system configuration and related method and article of manufacture to determine and use brand name information in an electronic commerce environment. Various modifications to the example embodiments will be readily apparent to those skilled in the art, and the generic principles defined herein may be applied to other embodiments and applications without departing from the scope of the invention. Moreover, in the following description, numerous details are set forth for the purpose of explanation. However, one of ordinary skill in the art will realize that the invention may be practiced without the use of these specific details. In other instances, well-known structures and processes are not shown in block diagram form in order not to obscure the description of the invention with unnecessary detail. Thus,

the present disclosure is not intended to be limited to the embodiments shown, but is to be accorded the widest scope consistent with the principles and features disclosed herein.

[0020] FIG. 1 illustrates a network diagram depicting an example system 100 to facilitate classification and use of brands associated with goods, product, and/or services (collectively referred to as items) in an electronic commerce (e-commerce), electronic marketplace, and/or online marketplace environment according to some embodiments. A networked system 102 forms a network-based publication system that provides server-side functionality, via a network 104 (e.g., the Internet or Wide Area Network (WAN)), to one or more clients and devices. FIG. 1 further illustrates, for example, one or both of a web client 106 (e.g., a web browser) and a programmatic client 108 executing on device machines 110 and 112. In one embodiment, the publication system 100 comprises a marketplace system. In another embodiment, the publication system 100 comprises other types of systems such as, but not limited to, a social networking system, a matching system, an electronic commerce (e-commerce) system, and the like.

[0021] Each of the device machines 110, 112 comprises a computing device that includes at least a display and communication capabilities with the network 104 to access the networked system 102. The device machines 110, 112 comprise, but are not limited to, work stations, computers, general purpose computers, Internet appliances, hand-held devices, wireless devices, portable devices, wearable computers, cellular or mobile phones, portable digital assistants (PDAs), smart phones, tablets, ultrabooks, netbooks, laptops, desktops, multi-processor systems, microprocessor-based or programmable consumer electronics, game consoles, set-top boxes, network PCs, mini-computers, and the like. Each of the client machines 110, 112 may connect with the network 104 via a wired or wireless connection. For example, one or more portions of network 104 may be an ad hoc network, an intranet, an extranet, a virtual private network (VPN), a local area network (LAN), a wireless LAN (WLAN), a wide area network (WAN), a wireless WAN (WWAN), a metropolitan area network (MAN), a portion of the Internet, a portion of the Public Switched Telephone Network (PSTN), a cellular telephone network, a wireless network, a WiFi network, a WiMax network, another type of network, or a combination of two or more such networks.

[0022] Each of the device machines 110, 112 includes one or more applications (also referred to as “apps”) such as, but not limited to, a web browser, messaging application, electronic mail (email) application, an e-commerce site application (also referred to as a marketplace application), and the like. In some embodiments, if the e-commerce site application is included in a given one of the device machines 110, 112, then this application is configured to locally provide the user interface and at least some of the functionalities with the application configured to communicate with the networked system 102, on an as needed basis, for data and/or processing capabilities not locally available (such as access to a database of items available for sale, to authenticate a user, to verify a method of payment, etc.). Conversely if the e-commerce site application is not included in a given one of the device machines 110, 112, the given one of the device machines 110, 112 may use its web browser to access the e-commerce site (or a variant thereof) hosted on the networked system 102. Although two device machines 110, 112

are shown in FIG. 1, more or less than two device machines can be included in the system 100.

[0023] An Application Program Interface (API) server 114 and a web server 116 are coupled to, and provide programmatic and web interfaces respectively to, one or more application servers 118. The application servers 118 host one or more marketplace applications 120 and payment applications 122. The application servers 118 are, in turn, shown to be coupled to one or more databases servers 124 that facilitate access to one or more databases 126.

[0024] The marketplace applications 120 may provide a number of e-commerce functions and services to users that access networked system 102. E-commerce functions/services may include a number of publisher functions and services (e.g., searching, listing, content viewing, payment, etc.). For example, the marketplace applications 120 may provide a number of services and functions to users for listing goods and/or services or offers for goods and/or services for sale, searching for goods and services, facilitating transactions, and reviewing and providing feedback about transactions and associated users. Additionally, the marketplace applications 120 may track and store data and metadata relating to listings, transactions, and user interactions. In some embodiments, the marketplace applications 120 may publish or otherwise provide access to content items stored in application servers 118 or databases 126 accessible to the application servers 118 and/or the database servers 124. The payment applications 122 may likewise provide a number of payment services and functions to users. The payment applications 122 may allow users to accumulate value (e.g., in a commercial currency, such as the U.S. dollar, or a proprietary currency, such as “points”) in accounts, and then later to redeem the accumulated value for products or items (e.g., goods or services) that are made available via the marketplace applications 120. While the marketplace and payment applications 120 and 122 are shown in FIG. 1 to both form part of the networked system 102, it will be appreciated that, in alternative embodiments, the payment applications 122 may form part of a payment service that is separate and distinct from the networked system 102. In other embodiments, the payment applications 122 may be omitted from the system 100. In some embodiments, at least a portion of the marketplace applications 120 may be provided on the device machines 110 and/or 112.

[0025] Further, while the system 100 shown in FIG. 1 employs a client-server architecture, embodiments of the present disclosure is not limited to such an architecture, and may equally well find application in, for example, a distributed or peer-to-peer architecture system. The various marketplace and payment applications 120 and 122 may also be implemented as standalone software programs, which do not necessarily have networking capabilities.

[0026] The web client 106 accesses the various marketplace and payment applications 120 and 122 via the web interface supported by the web server 116. Similarly, the programmatic client 108 accesses the various services and functions provided by the marketplace and payment applications 120 and 122 via the programmatic interface provided by the API server 114. The programmatic client 108 may, for example, be a seller application (e.g., the TurboLister application developed by eBay Inc., of San Jose, Calif.) to enable sellers to author and manage listings on the networked system 102 in an off-line manner, and to perform batch-

mode communications between the programmatic client **108** and the networked system **102**.

[0027] FIG. 1 also illustrates a third party application **128**, executing on a third party server machine **130**, as having programmatic access to the networked system **102** via the programmatic interface provided by the API server **114**. For example, the third party application **128** may, utilizing information retrieved from the networked system **102**, support one or more features or functions on a website hosted by the third party. The third party website may, for example, provide one or more promotional, marketplace, or payment functions that are supported by the relevant applications of the networked system **102**.

[0028] FIG. 2 illustrates a block diagram showing components provided within the networked system **102** according to some embodiments. The networked system **102** may be hosted on dedicated or shared server machines (not shown) that are communicatively coupled to enable communications between server machines. The components themselves are communicatively coupled (e.g., via appropriate interfaces) to each other and to various data sources, so as to allow information to be passed between the applications or so as to allow the applications to share and access common data. Furthermore, the components may access one or more databases **126** via the data servers **128**.

[0029] The networked system **102** may provide a number of publishing, listing, and/or price-setting mechanisms whereby a seller (also referred to as a first user) may list (or publish information concerning) goods or services for sale or barter, a buyer (also referred to as a second user) can express interest in or indicate a desire to purchase or barter such goods or services, and a transaction (such as a trade) may be completed pertaining to the goods or services. To this end, the networked system **102** may comprise at least one publication engine **202** and one or more selling engines **204**. The publication engine **202** may publish information, such as item listings or product description pages, on the networked system **102**. In some embodiments, the selling engines **204** may comprise one or more fixed-price engines that support fixed-price listing and price setting mechanisms and one or more auction engines that support auction-format listing and price setting mechanisms (e.g., English, Dutch, Chinese, Double, Reverse auctions, etc.). The various auction engines may also provide a number of features in support of these auction-format listings, such as a reserve price feature whereby a seller may specify a reserve price in connection with a listing and a proxy-bidding feature whereby a bidder may invoke automated proxy bidding. The selling engines **204** may further comprise one or more deal engines that support merchant-generated offers for products and services.

[0030] A listing engine **206** (also referred to as a backend product creation engine) allows sellers to conveniently author listings of items or authors to author publications. In one embodiment, the listings pertain to goods or services that a user (e.g., a seller) wishes to transact via the networked system **102**. In some embodiments, the listings may be an offer, deal, coupon, or discount for the good or service. Each good or service is associated with a particular category. The listing engine **206** may receive listing data such as title, description, and aspect name/value pairs. Furthermore, each listing for a good or service may be assigned an item identifier. In other embodiments, a user may create a listing that is an advertisement or other form of information pub-

lication. The listing information may then be stored to one or more storage devices coupled to the networked system **102** (e.g., databases **126**). Listings also may comprise product description pages that display a product and information (e.g., product title, specifications, and reviews) associated with the product. In some embodiments, the product description page may include an aggregation of item listings that correspond to the product described on the product description page.

[0031] The listing engine **206** also may allow buyers to conveniently author listings or requests for items desired to be purchased. In some embodiments, the listings may pertain to goods or services that a user (e.g., a buyer) wishes to transact via the networked system **102**. Each good or service is associated with a particular category. The listing engine **206** may receive as much or as little listing data, such as title, description, and aspect name/value pairs, that the buyer is aware of about the requested item. In some embodiments, the listing engine **206** may parse the buyer's submitted item information and may complete incomplete portions of the listing. For example, if the buyer provides a brief description of a requested item, the listing engine **206** may parse the description, extract key terms and use those terms to make a determination of the identity of the item. Using the determined item identity, the listing engine **206** may retrieve additional item details for inclusion in the buyer item request. In some embodiments, the listing engine **206** may assign an item identifier to each listing for a good or service.

[0032] In some embodiments, the listing engine **206** allows sellers to generate offers for discounts on products or services. The listing engine **206** may receive listing data, such as the product or service being offered, a price and/or discount for the product or service, a time period for which the offer is valid, and so forth. In some embodiments, the listing engine **206** permits sellers to generate offers from the sellers' mobile devices. The generated offers may be uploaded to the networked system **102** for storage and tracking.

[0033] Searching the networked system **102** is facilitated by a searching engine **208**. For example, the searching engine **208** enables keyword queries of listings published via the networked system **102**. In example embodiments, the searching engine **208** receives the keyword queries from a device of a user and conducts a review of the storage device storing the listing information. The review will enable compilation of a result set of listings that may be sorted and returned to the client device (e.g., device machine **110**, **112**) of the user. The searching engine **308** may record the query (e.g., keywords) and any subsequent user actions and behaviors (e.g., navigations).

[0034] The searching engine **208** also may perform a search based on the location of the user. A user may access the searching engine **208** via a mobile device and generate a search query. Using the search query and the user's location, the searching engine **208** may return relevant search results for products, services, offers, auctions, and so forth to the user. The searching engine **208** may identify relevant search results both in a list form and graphically on a map. Selection of a graphical indicator on the map may provide additional details regarding the selected search result. In some embodiments, the user may specify as part of the search query a radius or distance from the user's current location to limit search results.

[0035] The searching engine 208 also may perform a search based on an image. The image may be taken from a camera or imaging component of a client device or may be accessed from storage.

[0036] In a further example, a navigation engine 210 allows users to navigate through various categories, catalogs, or inventory data structures according to which listings may be classified within the networked system 102. For example, the navigation engine 210 allows a user to successively navigate down a category tree comprising a hierarchy of categories (e.g., the category tree structure) until a particular set of listing is reached. Various other navigation applications within the navigation engine 210 may be provided to supplement the searching and browsing applications. The navigation engine 210 may record the various user actions (e.g., clicks) performed by the user in order to navigate down the category tree.

[0037] The buying engine 212 facilitates one or more buyers to purchase goods or services offered by the networked system 102. The buying engine 212 may provide a user interface to receive indications of goods or services to be purchased, billing information, shipping information, shipping preferences, and the like for a buyer to initiate and complete a purchase of goods or services of interest.

[0038] Additional modules and engines associated with the networked system 102 are described below in further detail. It should be appreciated that modules or engines may embody various aspects of the details described below.

[0039] FIG. 3 illustrates a block diagram showing brand determination and usage for e-commerce or marketplace implemented in modules and libraries/data structures/databases according to some embodiments. The modules comprise one or more software components, programs, applications, apps, or other units of code base or instructions configured to be executed by one or more processors included in the application servers 118 and/or third party server 130. The modules include a brand classifier module 302, an item aspects verification module 304 (may be part of selling engines 204), an item candidate validation module 306 (may be part of listing engine/backend product creation engine 206), a brand synonym module 307, and a search module 308. The modules 302-308 can communicate with each of a GTIN normalization library 310 and a brand normalization library 312, in which libraries 310, 312 may be included in databases 126. Although modules 302-308 are shown as distinct modules in FIG. 3, it should be understood that modules 302-308 may be implemented as fewer or more modules than illustrated. It should also be understood that any of modules 302-308 may communicate with one or more components included in the system 100, such as database servers 124, application servers 118, third party server 130, device machine 110, or device machine 112. Similarly, libraries 310 and 312 are shown as distinct libraries in FIG. 3. However, it is understood that the content of libraries 310, 312 may be stored in fewer or more libraries than illustrates.

[0040] FIG. 4 illustrates a flow diagram 400 showing brands prediction functionalities or operations implemented by the modules of FIG. 3 according to some embodiments. Brand prediction is also referred to as brand classification, brand classification prediction, brand probabilistic prediction, brand modeling, brand classification modeling, or variants thereof. The operations of flow diagram 400 can be performed by a server included in the networked system 102

(e.g., API server 114, web server 116, or application servers 118) and/or third party server 130. FIGS. 5A-5B illustrate example tables or matrices associated with the brand prediction functionalities of FIGS. 3 and 4. FIGS. 3, 4, and 5A-5B are described below in conjunction with each other.

[0041] At a block 402, the brand classifier module 302 (also referred to as a brand predictor module) is configured to convert a product identification number into a normalized GTIN. The product identification number (also referred to as a product identifier) includes identification information about a manufacturer, distributor, or source; a product model; and color or other variations of the product model, etc. associated with a particular item. The product identification number comprises alpha numeric digits associated with a specific good/product/item such as, but not limited to, a universal product code (UPC), international (or European) article number (EAN), international article numbering association (ISBN), or in accordance with other product identification numbering formats. A UPC can comprise 8-, 12-, 13-, or 14-digit formats; an EAN can comprise 8-, 13-, or 15-digit formats; and ISBN can comprise 10- or 13-digit formats. Different product types may use different product identification numbering formats. For example, each book title may be identified by a unique ISBN while electronics may be identified using UPCs. Due to the proliferation of formats, even for the same product type (e.g., UPC being any of four formats), the (initial) product identification number is converted into a standard format, such as a 13-digit GTIN (also referred to as a normalized GTIN or normalized 13-digit GTIN). Reference is made to the following links, which provide example algorithms to convert different types of product identification numbers (UPC, EAN, and ISBN) to a normalized 13-digit GTIN: http://en.wikipedia.org/wiki/Universal_Product_Code, <http://www.nepc.gsl.org.sg/html/DataDictionary/EANCode.htm>, and <http://isbn-information.com/isbn10-to-isbn13.html>.

[0042] Once the product identification number has been converted into a 13-digit GTIN, the brand classifier module 302 is configured to generate a set of GTIN prefixes corresponding to the 13-digit GTIN at a block 404. The normalized GTIN comprises 13 alpha numeric digits, the first 12 digits defining at least a unique manufacturer/distributor/source and a product/item/good and the last digit being a checksum digit. In particular, the first six to ten digits of the normalized GTIN encode manufacturer/distributor/source information (representative of a brand or brand name). The set of GTIN prefixes comprises a first, second, third, fourth, and fifth GTIN prefix that are respectively the first six-, seven-, eight-, nine-, and ten-digits of the normalized GTIN.

[0043] For example, let's assume that a 13-digit GTIN is 0639247860018. The corresponding set of GTIN prefixes are: 063924, 0639247, 06392478, 063924786, and 0639247860.

[0044] Next at a block 406, the brand classifier module 302 is configured to check for a match between any of the generated GTIN prefixes (from block 404) and a file or database of known GTIN prefixes from existing listing items and production information captured from the Internet (e.g., such content stored in the GTIN normalization library 310). If there is a prefix match (yes branch of block 406), then the known brand corresponding to the matching known GTIN in the file or database can be retrieved by (or provided to) the

brand classifier module **302** at a block **408**. This brand is referred to as a predicted brand for the product identification number.

[0045] Otherwise there is no prefix match (no branch of block **406**) and the brand classifier module **302** proceeds to determine brand occurrences for the set of GTIN prefixes at a block **410**. A brand weight table or matrix is generated using the set of GTIN prefixes (from block **404**) and a file or database of known brand occurrences (e.g., GTIN normalization library **310**). This file or database is generated using all or a subset of items submitted to the networked system **100**. Each item to be offered for sale is submitted to the networked system **100** including item information (e.g., item name, item description, product identification number, image, etc.) associated with the respective item. The networked system **100** can use the submitted item information for all or a subset of items to generate the file or database of known GTIN prefixes (converting provided product identification numbers as necessary) and corresponding brand occurrences (from the provided item names and/or item descriptions). The file or database comprises an aggregation of the number of brand occurrences for each GTIN prefix, and is an extraction or summary of known/real item information in the networked system **102**. The file or database is accordingly also referred to as a weight file or brand occurrence file. The weight file may be updated on a periodic or ad hoc basis as item information is updated, the catalog of submitted items changes over time, and/or product information captured from the web changes over time.

[0046] A portion of a sample weight file is shown below, in which the leftmost column comprises GTIN prefixes, the middle column comprises a total count of the number of brand occurrences for the respective GTIN prefix, and the rightmost column comprises a breakdown of the specific brand names and corresponding count for the respective GTIN prefix.

```

...
0014671638 51 maidenform-34; charmed by maidenform-15; maidenform's charmed-2;
00146716382 11 maidenform-10; maidenform's charmed-1;
001467164 534 self expressions-6; control it-2; maidenform-316; charmed by
maidenform-185; maidenform's charmed-25;
00146716410 13 maidenform-6; charmed by maidenform-6; maidenform's charmed-1;
...
0015961153 65 milliken-62; milliken carpets-3;
00159611532 11 milliken-9; milliken carpets-2;
00159611533 11 milliken-10; milliken carpets-1;
...
00165655 54 highnote records-39; muse-4; jdc records-4; muse
records-5; www.secondspin.com-2;
001656553 4 highnote records-2; muse records-1; www.secondspin.com-1;
001656554 24 highnote records-19; muse-1; muse records-3 ; www.secondspin.com-1;
0016565540 4 highnote records-2; muse-1; muse records-1;
00165655488 2 highnote records-1; muse records-1;
001656555 21 highnote records-15; muse-3; jdc records-2; muse records-1;
...

```

As an example, the first row shows that for GTIN prefix 0014671638, a total of 51 brand occurrences exist, in which there are 34 occurrences of brand “maidenform,” 15 occurrences of brand “charmed by maidenform,” and 2 occurrences of brand “maidenform’s charmed.” The weight file may be updated on a periodic or ad hoc basis as item information is updated and/or the catalog of submitted items changes over time.

[0047] FIG. 5A illustrates an example brand weight or occurrence table/matrix **500** specific to the set of GTIN prefixes according to some embodiments. Table/matrix **500** continues the above example in which the 13-digit GTIN is

0639247860018 and the corresponding set of GTIN prefixes are 063924, 0639247, 06392478, 063924786, and 0639247860. Table/matrix **500** includes a GTIN prefix column **502**, a total occurrences column **504**, and occurrences by brand column **506**. Each of the “b1,” “b2,” etc. listed under column **506** represent a unique brand name. The brand predictor module **304** can extract the total occurrences and occurrences by brand data corresponding to the set of GTIN prefixes from the above weight file to generate table/matrix **500**. Notice that the number of distinct brands decreases as the GTIN prefix gets longer.

[0048] Next at a block **412**, the brand classifier module **302** is configured to generate a brand probability distribution for the set of GTIN prefixes. FIG. 5B illustrates an example brand probability distribution table/matrix **510** according to some embodiments. Table/matrix **510** continues the above example in which the 13-digit GTIN is 0639247860018. Table/matrix **510** includes a brand column **512**, followed by a series of GTIN prefix columns **514**, and a best probability column **516**. The table/matrix **510** is populated by converting the contents of table/matrix **500** into probability numbers. For example, b1 occurs once in table/matrix **500** in the first row (GTIN prefix 063924). The probability of the occurrence of b1 is $25/100=0.250$. This probability is shown at location **518** of table/matrix **510**. Similarly, the probability of the occurrence of b2 for GTIN prefix 063924 is $30/100=0.3000$ (shown in location **520**), for GTIN prefix 0639247 is $30/75=0.400$ (shown in location **522**), for GTIN prefix 06392478 is $30/70=0.428$ (shown in location **524**), for GTIN prefix 063924786 is $30/65=0.461$ (shown in location **526**), and for GTIN prefix 0639247860 is $30/35=0.857$ (shown in location **528**). The highest or best probability number for each row is identified in the best probability column **516**.

The highest probability number for the second row (brand b2), for example, is found at location **528** and is duplicated under the best probability column **516**.

[0049] Next at a block **414**, the brand classifier module **302** is configured to identify or determine a predicted brand for the given product identification number (which corresponds to a particular GTIN and which in turn corresponds to a particular set of GTIN prefixes). The brand classifier module **302** identifies the best or highest brand probability score/value from the generated brand probability distribution in block **412**. The predicted brand is the brand corresponding to the best brand probability score in the generated

brand probability distribution. The best brand probability score represents the highest probability across all co-occurring brands and all GTIN prefixes for the given product identification number.

[0050] Continuing the above example, the best brand probability score in table/matrix 510 is 0.857 (shown in location 530). This value corresponds to brand b2. Thus, brand b2 is the predicted brand for the set of GTIN prefixes 063924, 0639247, 06392478, 063924786, and 0639247860.

[0051] Last, at a block 416, the brand classifier module 302 is configured to provide the predicted brand name along with the brand probability score.

[0052] FIG. 4 thus illustrates operations to predict a brand based on a given product identification number or GTIN.

[0053] FIG. 6 illustrates a flow diagram 600 showing uses of the brand classification of FIG. 4 according to some embodiments. The operations of flow diagram 600 can be performed by a server included in the networked system 102 (e.g., API server 114, web server 116, or application servers 118) and/or third party server 130. At a block 602, the networked system 102 receives item information associated with submission of a new item to be offered for sale (or at least listed). As an example, a seller may interface with input fields or screens provided by the networked system 102 to input information about the item being submitted such as, but not limited to, a product identification number (e.g., UPC, EAN, ISBN), brand (e.g., Apple™), product model (e.g., iPad 2), item specification (e.g., color, size, configuration, included accessories, etc.), and/or photos of the item.

[0054] Next at a block 604, the item aspects verification module 304 and/or product candidate validation module 306 checks whether a product identification number is included in the item submission information at block 602. If there is no product identification number provided (no branch of block 604), then the flow diagram 600 ends. Otherwise a product identification number has been provided (yes branch of block 604), and the brand classifier module 302 is configured to determine a predicted brand based on the received product identification number at a block 606. Block 606 includes using the GTIN normalization library 310 to normalize the received product identification number into a 13 digit GTIN and predicting the brand name corresponding to the 13 digit GTIN. In other words, block 606 comprises performing the operations of blocks 402-416 of FIG. 4.

[0055] Once the predicted brand has been determined or identified, a check is performed to see whether a brand name is included in the received item information (block 608). If there is no brand name included in the received item information (no branch of block 608), then the product candidate validation module 306 is configured to classify the newly submitted item (along with its item information) using the predicted brand determined in block 606. In effect, the product candidate validation module 306 is filling in the missing brand information for the newly submitted item with the predicted brand. Then at a block 610, the item information, including the predicted brand, for the newly submitted item is stored in a catalog of items available for sale.

[0056] On the other hand if a brand name is included in the received item information (yes branch of block 608), then a validation check is performed at a block 612 to see whether the submitted brand name matches the predicted brand name. If there is a match (yes branch of block 612), then the product candidate validation module 306 classifies the

newly submitted item (along with its item information) using the predicted brand (or submitted brand, both of which are identical to each other) at the block 609.

[0057] If the validation check reveals that the submitted brand name does not match the predicted brand name (no branch of block 612), then the product candidate validation module 306 is configured to notify the seller (or other designated person) of a possible error in the submitted brand information and suggest changing the submitted brand information to the predicted brand (block 614). Alternatively the product candidate validation module 306 may flag the inconsistency within the catalog but not necessarily notify the seller. As another alternative, the product candidate validation module 306 may replace the submitted brand with the predicted brand in the item information associated with the newly submitted item. In addition to the value of properly classifying items within the catalog for retrieval purposes (discussed in detail below), sellers and buyers also benefit from having accurate and complete item descriptions, particularly the item brand, published by the networked system 102 to facilitate sale of items.

[0058] FIG. 7 illustrates a flow diagram 700 for determining brand synonyms according to some embodiments. The operations of flow diagram 700 can be performed by a server included in the networked system 102 (e.g., API server 114, web server 116, or application servers 118) and/or third party server 130. At a block 702, the brand synonym module 307 is configured to identify from the above mentioned weight file a group of one or more GTIN prefixes having at least one co-occurring brand in common among them. FIG. 8A shows an example portion of the weight file in which rows 802 and 804 have brand b2 in common but row 806 has no brand in common with either row 802 or 804. Assuming no other GTIN prefixes are associated with a brand in either rows 802 or 804, GTIN prefixes 04003121044 (row 802) and 04003121045 (row 804) comprise the group of identified GTIN prefixes in this example.

[0059] Next at a block 704, the brand synonym module 307 is configured to calculate/compute and generate a cosine similarity (score) table/matrix for each of the identified GTIN prefixes. A cosine similarity score provides a measure of the degree of similarity between two alpha numeric text strings, such as strings representative of brand names or variations of brand names. A cosine similarity score of 0 indicates 100% dissimilarity and 1 indicates 100% similarity. Reference is made to http://en.wikipedia.org/wiki/Cosine_similarity which discloses an algorithm for calculating cosine similarity scores. Continuing the example started in FIG. 8A, FIG. 8B illustrates an example cosine similarity table/matrix for the first GTIN prefix 04003121044 (corresponding to row 802 in FIG. 8A). In alternative embodiments, other similarity scoring techniques may be used in place of cosine similarity.

[0060] The brand synonym module 307 uses the cosine similarity table/matrix shown in FIG. 8B to identify each brand pair (excluding same-brand pairs) having a cosine similarity score that is equal to or greater than a pre-defined cosine similarity threshold at a block 706. In one embodiment, the pre-defined cosine similarity threshold can be 0.800. In FIG. 8B, it can be seen that two brand pairs satisfy the condition: brand pair (b1, b2) having a cosine similarity score of 0.867 (location 810) and brand pair (b2, b4) having a cosine similarity score of 0.929 (location 812).

[0061] Next at a block **708**, the brand synonym module **307** is configured to determine a mini-cluster of brands in accordance with the identified brand pair(s). The mini-cluster comprises an aggregation or consolidation of the identified brand pair(s) into a single set, thereby eliminating duplicate brand(s). Continuing the example, identified brand pairs (b1, b2) and (b2, b4) converts into a mini-cluster (b1, b2, b4) for GTIN prefix 04003121044 (corresponding to row **802** in FIG. **8A**).

[0062] If there is another identified GTIN prefix (yes branch of block **710**), then blocks **704-708** are repeated for each subsequent identified GTIN prefix to generate a mini-cluster for each of the identified GTIN prefixes. Continuing the example, FIG. **8C** shows an example cosine similarity table/matrix corresponding to the second GTIN prefix 04003121045 (corresponding to row **804** in FIG. **8A**). Only brand pair (b2, b5) (location **820**) has a sufficiently high enough cosine similarity score of 0.832 to qualify as a brand pair. Because there is only a single brand pair for this GTIN prefix, the mini-cluster is the same as the brand pair, namely (b2, b5).

[0063] Once all of the mini-clusters for the identified GTIN prefixes have been determined (no branch of block **710**), the brand synonym module **307** is configured merge or aggregate the mini-cluster(s) into a larger consolidated brand-cluster at a block **712**. The merging/aggregation comprises merging the mini-clusters and eliminating duplications of brands. The members of the brand-cluster comprise the brand synonyms for a given brand. Brand synonyms may also be referred to as similar brands, equivalent brands, a brand grouping, related brands, or variants thereof. Continuing the example, mini-cluster (b1, b2, b4) and mini-cluster (b2, b5) can be combined into a brand-cluster (b1, b2, b4, b5).

[0064] Next at a block **714**, the brand synonym module **307** is configured to determine a normalized representation of the given brand. The normalized form of the brand comprises the shortest length brand synonym selected from the brand-cluster. In the case where there is more than one brand synonym of the same shortest length, the shortest length brand synonym with the most occurrences is selected as the normalized form. The normalized form of the brand may be considered the brand shorthand. Continuing the example, FIG. **8D** shows an example lookup-type of table providing brand synonyms and the normalized form of the brand. It is assumed that brand **b4** is the short length brand synonym from the brand-cluster (b1, b2, b4, b5), thereby being selected to be the normalized form of the brand. FIG. **8E** shows an example lookup-type brand synonym table for the normalized brand "Sony." The second column represents a listing of the various brand synonyms for "Sony," such as "Sony Music Entertainment," "Sony Columbia," and "Sony Entertainment."

[0065] Last, at a block **716**, the brand synonyms with the corresponding normalized form (also referred to as a map of brand synonyms) are stored in a file or database to form the brand normalization library **312**.

[0066] Blocks **702-716** can be repeated as many times as necessary to build a comprehensive map of brand synonyms based on existing item information in the items catalog.

[0067] FIG. **9** illustrates a flow diagram **900** showing example uses of the brand synonym map according to some embodiments. The operations of flow diagram **900** can be performed by a server included in the networked system **102**

(e.g., API server **114**, web server **116**, or application servers **118**) and/or third party server **130**. At a block **902**, the networked system **102** receives item information associated with submission of a new item to be offered for sale (or at least listed). As an example, a seller may interface with input fields or screens provided by the networked system **102** to input information about the item being submitted such as, but not limited to, a product identification number (e.g., UPC, EAN, ISBN), brand (e.g., Apple™), product model (e.g., iPad 2), item specification (e.g., color, size, configuration, included accessories, etc.), and/or photos of the item.

[0068] Next at a block **904**, a check is performed to whether a brand name is included in the received item information. If no brand name is provided (no branch of block **904**), then the flow diagram **900** ends. Otherwise a brand name is included (yes branch of block **904**), and the brand synonym module **307** and/or item aspects verification module **304** is configured to access the brand normalization library **312** (populated from brand synonyms discussed with respect of FIG. **7**) to look-up a normalized brand corresponding to the brand included in the received item information at a block **906**. If no normalized brand is available (no branch of block **906**), then the flow diagram **900** ends. If a normalized brand is available (yes branch of block **906**), then the normalized brand information is associated with the newly submitted item and stored accordingly. The availability of normalized brand information for an item is useful for downstream processes such as, but not limited to, product searching, product matching, product aggregation, product deduping, product attribute value normalization, and the like.

[0069] In this manner, historical or existing item information in a product catalog and/or product information available on the web is used to determine a probabilistic prediction of a product source identifier (e.g., brand name) for each product identification number encoded in any one of a plurality of different formats. The various formatted product identification numbers are standardized into 13-digit GTIN values. A weight file comprising a correlation of GTIN prefixes, count of occurrences of each given brand name, count of co-occurrences of each given brand name, and the relative co-occurrence probabilities is generated using the existing product catalog and/or product information available on the web. Based on such brand classification or prediction model, the brand names provided with subsequent items that are submitted and/or to be added to the product catalog can be validated. Even if no brand names are provided with the subsequent items, the weight file is used to predict a brand with a certain confidence score (e.g., filling in missing brand information) based on the provided product identification number for a given subsequent item.

[0070] Moreover, groupings of similar or equivalent brand names are determined using the weight file. A set of GTIN prefixes having co-occurring brand(s) within the weight file are identified. For each of the identified GTIN prefixes, the textual similarity of brand names corresponding to the given GTIN prefix is calculated. When the degree of textual similarity between a pair of non-identical brand names is at or above a pre-defined threshold value, the brand names in that pair are considered to be similar, equivalent, or synonyms to each other. The aggregation of all of such brand pairs for the identified set of GTIN prefixes provides a grouping of a similar brand name. One of the brand names from the grouping is selected, usually the brand name of the

shortest text length, to be the normalized or shorthand brand name for the grouping. This process can be repeated as many times as necessary to identify all of the possible groupings of brand synonyms given data stored in the product catalog. Brand synonyms can be used to expand identification of items matching a user's request or search for items. Brand synonyms can also be used to expand identification of items to recommend to a user. Brand synonyms aids in comparison of items, especially new items being submitted for inclusion in the product catalog.

[0071] FIG. 10 shows a diagrammatic representation of a machine in the example form of a computer system 1000 within which a set of instructions, for causing the machine to perform any one or more of the methodologies discussed herein, may be executed. The computer system 1000 comprises, for example, any of the device machine 110, device machine 112, applications servers 118, API server 114, web server 116, database servers 124, or third party server 130. In alternative embodiments, the machine operates as a standalone device or may be connected (e.g., networked) to other machines. In a networked deployment, the machine may operate in the capacity of a server or a client machine in server-client network environment, or as a peer machine in a peer-to-peer (or distributed) network environment. The machine may be a server computer, a client computer, a personal computer (PC), a tablet, a set-top box (STB), a Personal Digital Assistant (PDA), a smart phone, a cellular telephone, a web appliance, a network router, switch or bridge, or any machine capable of executing a set of instructions (sequential or otherwise) that specify actions to be taken by that machine. Further, while only a single machine is illustrated, the term "machine" shall also be taken to include any collection of machines that individually or jointly execute a set (or multiple sets) of instructions to perform any one or more of the methodologies discussed herein.

[0072] The example computer system 1000 includes a processor 1002 (e.g., a central processing unit (CPU), a graphics processing unit (GPU), or both), a main memory 1004 and a static memory 1006, which communicate with each other via a bus 1008. The computer system 1000 may further include a video display unit 1010 (e.g., liquid crystal display (LCD), organic light emitting diode (OLED), touch screen, or a cathode ray tube (CRT)). The computer system 1000 also includes an alphanumeric input device 1012 (e.g., a physical or virtual keyboard), a cursor control device 1014 (e.g., a mouse, a touch screen, a touchpad, a trackball, a trackpad), a disk drive unit 1016, a signal generation device 1018 (e.g., a speaker) and a network interface device 1020.

[0073] The disk drive unit 1016 includes a machine-readable medium 1022 on which is stored one or more sets of instructions 1024 (e.g., software) embodying any one or more of the methodologies or functions described herein. The instructions 1024 may also reside, completely or at least partially, within the main memory 1004 and/or within the processor 1002 during execution thereof by the computer system 1000, the main memory 1004 and the processor 1002 also constituting machine-readable media.

[0074] The instructions 1024 may further be transmitted or received over a network 1026 via the network interface device 1020.

[0075] While the machine-readable medium 1022 is shown in an example embodiment to be a single medium, the term "machine-readable medium" should be taken to

include a single medium or multiple media (e.g., a centralized or distributed database, and/or associated caches and servers) that store the one or more sets of instructions. The term "machine-readable medium" shall also be taken to include any medium that is capable of storing, encoding or carrying a set of instructions for execution by the machine and that cause the machine to perform any one or more of the methodologies of the present invention. The term "machine-readable medium" shall accordingly be taken to include, but not be limited to, solid-state memories, optical and magnetic media, and carrier wave signals.

[0076] It will be appreciated that, for clarity purposes, the above description describes some embodiments with reference to different functional units or processors. However, it will be apparent that any suitable distribution of functionality between different functional units, processors or domains may be used without detracting from the invention. For example, functionality illustrated to be performed by separate processors or controllers may be performed by the same processor or controller. Hence, references to specific functional units are only to be seen as references to suitable means for providing the described functionality, rather than indicative of a strict logical or physical structure or organization.

[0077] Certain embodiments described herein may be implemented as logic or a number of modules, engines, components, or mechanisms. A module, engine, logic, component, or mechanism (collectively referred to as a "module") may be a tangible unit capable of performing certain operations and configured or arranged in a certain manner. In certain example embodiments, one or more computer systems (e.g., a standalone, client, or server computer system) or one or more components of a computer system (e.g., a processor or a group of processors) may be configured by software (e.g., an application or application portion) or firmware (note that software and firmware can generally be used interchangeably herein as is known by a skilled artisan) as a module that operates to perform certain operations described herein.

[0078] In various embodiments, a module may be implemented mechanically or electronically. For example, a module may comprise dedicated circuitry or logic that is permanently configured (e.g., within a special-purpose processor, application specific integrated circuit (ASIC), or array) to perform certain operations. A module may also comprise programmable logic or circuitry (e.g., as encompassed within a general-purpose processor or other programmable processor) that is temporarily configured by software or firmware to perform certain operations. It will be appreciated that a decision to implement a module mechanically, in dedicated and permanently configured circuitry, or in temporarily configured circuitry (e.g., configured by software) may be driven by, for example, cost, time, energy-usage, and package size considerations.

[0079] Accordingly, the term "module" should be understood to encompass a tangible entity, be that an entity that is physically constructed, permanently configured (e.g., hard-wired), non-transitory, or temporarily configured (e.g., programmed) to operate in a certain manner or to perform certain operations described herein. Considering embodiments in which modules or components are temporarily configured (e.g., programmed), each of the modules or components need not be configured or instantiated at any one instance in time. For example, where the modules or

components comprise a general-purpose processor configured using software, the general-purpose processor may be configured as respective different modules at different times. Software may accordingly configure the processor to constitute a particular module at one instance of time and to constitute a different module at a different instance of time.

[0080] Modules can provide information to, and receive information from, other modules. Accordingly, the described modules may be regarded as being communicatively coupled. Where multiples of such modules exist contemporaneously, communications may be achieved through signal transmission (e.g., over appropriate circuits and buses) that connect the modules. In embodiments in which multiple modules are configured or instantiated at different times, communications between such modules may be achieved, for example, through the storage and retrieval of information in memory structures to which the multiple modules have access. For example, one module may perform an operation and store the output of that operation in a memory device to which it is communicatively coupled. A further module may then, at a later time, access the memory device to retrieve and process the stored output. Modules may also initiate communications with input or output devices and can operate on a resource (e.g., a collection of information).

[0081] Although the present invention has been described in connection with some embodiments, it is not intended to be limited to the specific form set forth herein. One skilled in the art would recognize that various features of the described embodiments may be combined in accordance with the invention. Moreover, it will be appreciated that various modifications and alterations may be made by those skilled in the art without departing from the spirit and scope of the invention.

[0082] The Abstract is provided to allow the reader to quickly ascertain the nature of the technical disclosure. It is submitted with the understanding that it will not be used to interpret or limit the scope or meaning of the claims. In addition, in the foregoing Detailed Description, it can be seen that various features are grouped together in a single embodiment for the purpose of streamlining the disclosure. This method of disclosure is not to be interpreted as reflecting an intention that the claimed embodiments require more features than are expressly recited in each claim. Rather, as the following claims reflect, inventive subject matter lies in less than all features of a single disclosed embodiment. Thus the following claims are hereby incorporated into the Detailed Description, with each claim standing on its own as a separate embodiment.

What is claimed is:

1. A computer implemented method, comprising:

receiving product identification information associated with a product being listed for sale;
 predicting, by a hardware processor, a brand name for the product from a plurality of brand names based at least in part on the product identification information;
 updating a product catalog to include a listing associated with the product that includes the predicted brand name based at least in part on associating the product with the predicted brand name;
 receiving a search query to search the updated product catalog for one or more listings; and
 causing presentation of the listing associated with the product that includes the predicted brand name based at least in part on the search query.

2. The method of claim 1, wherein receiving the product identification information comprises:

receiving the product identification information that comprises a submitted brand name for the product.

3. The method of claim 2, wherein causing presentation of the listing further comprises:

causing presentation of the listing that includes the submitted brand name.

4. The method of claim 2, further comprising:

transmitting a notification indicating that the submitted brand name does not match the predicted brand name.

5. The method of claim 2, further comprising:

transmitting a notification requesting to use the predicted brand name in the listing for the product instead of the submitted brand name.

6. The method of claim 2, wherein causing presentation of the listing comprises:

causing presentation of the listing that comprises the predicted brand name that differs from the submitted brand name.

7. The method of claim 2, further comprising:

replacing the submitted brand name associated with the product in the listing with the predicted brand name for the product based at least in part on the submitted brand name not matching the predicted brand name.

8. The method of claim 1, wherein receiving the product identification information comprises:

receiving the product identification information that comprises a product identification number comprising at least one of a universal product code (UPC), an international article number (EAN), an international article numbering association (ISBN), or a combination thereof.

9. A system, comprising:

a memory device for storing instructions;
 a processor which, when executing the instructions, causes the system to perform operations comprising:
 receiving product identification information associated with a product being listed for sale;
 predicting a brand name for the product from a plurality of brand names based at least in part on the product identification information;
 updating a product catalog to include a listing associated with the product that includes the predicted brand name based at least in part on associating the product with the predicted brand name;
 receiving a search query to search the updated product catalog for one or more listings; and
 causing presentation of the listing associated with the product that includes the predicted brand name based at least in part on the search query.

10. The system of claim 9, wherein the instructions to receive the product identification information, when executed, further cause the system to perform operations comprising:

receiving the product identification information that comprises a submitted brand name for the product.

11. The system of claim 10, wherein the instructions to cause presentation of the listing, when executed, further cause the system to perform operations comprising:

causing presentation of the listing that includes the submitted brand name.

12. The system of claim **10**, wherein the processor, when executing the instructions, causes the system to perform operations comprising:

transmitting a notification indicating that the submitted brand name does not match the predicted brand name.

13. The system of claim **10**, wherein the processor, when executing the instructions, causes the system to perform operations comprising:

transmitting a notification requesting to use the predicted brand name in the listing for the product instead of the submitted brand name.

14. The system of claim **10**, wherein the instructions to cause presentation of the listing, when executed, further cause the system to perform operations comprising:

causing presentation of the listing that comprises the predicted brand name that differs from the submitted brand name.

15. The system of claim **10**, wherein the processor, when executing the instructions, causes the system to perform operations comprising:

replacing the submitted brand name associated with the product in the listing with the predicted brand name for the product based at least in part on the submitted brand name not matching the predicted brand name.

16. The system of claim **9**, wherein the instructions to receive the product identification information, when executed, further cause the system to perform operations comprising:

receiving the product identification information that comprises a product identification number comprising at least one of a universal product code (UPC), an international article number (EAN), an international article numbering association (ISBN), or a combination thereof.

17. A non-transitory computer-readable medium comprising instructions which, when read by a machine, cause the machine to perform operations comprising:

receiving product identification information associated with a product being listed for sale;

predicting a brand name for the product from a plurality of brand names based at least in part on the product identification information;

updating a product catalog to include a listing associated with the product that includes the predicted brand name based at least in part on associating the product with the predicted brand name;

receiving a search query to search the updated product catalog for one or more listings; and

causing presentation of the listing associated with the product that includes the predicted brand name based at least in part on the search query.

18. The non-transitory computer-readable medium of claim **17**, wherein the instructions to receive the product identification information, when executed, further cause the system to perform operations comprising:

receiving the product identification information that comprises a submitted brand name for the product.

19. The non-transitory computer-readable medium of claim **18**, wherein the instructions to cause presentation of the listing, when executed, further cause the system to perform operations comprising:

causing presentation of the listing that includes the submitted brand name.

20. The non-transitory computer-readable medium of claim **18**, wherein the instructions further cause the machine to perform operations, comprising:

transmitting a notification indicating that the submitted brand name does not match the predicted brand name.

* * * * *