



(19) **United States**

(12) **Patent Application Publication**
Friedman

(10) **Pub. No.: US 2019/0220920 A1**

(43) **Pub. Date: Jul. 18, 2019**

(54) **USER PUBLISHED AUCTIONS IN ONLINE MEDIUMS**

Publication Classification

(71) Applicant: **Auction.com, LLC**, Irvine, CA (US)

(51) **Int. Cl.**
G06Q 30/08 (2006.01)

(72) Inventor: **Robert Friedman**, Laguna Hills, CA (US)

(52) **U.S. Cl.**
CPC **G06Q 30/08** (2013.01)

(21) Appl. No.: **16/280,931**

(57) **ABSTRACT**


(22) Filed: **Feb. 20, 2019**

A method and system is disclosed for user-published interactive widgets for auctions hosted by an auction forum resource. Examples include an auction forum configured to generate a script associated with an auction upon a publisher-request, and to provide the script to be published on the publisher's resource, resulting in an external interactive component displayed on the publisher's resource. Example features may be configured to respond to user inputs submitted from the interactive component. Furthermore, reward logic can be included to issue a reward to the publisher associated with the script request.

Related U.S. Application Data

(63) Continuation of application No. 15/938,892, filed on Mar. 28, 2018, now Pat. No. 10,255,630, which is a continuation of application No. 14/214,505, filed on Mar. 14, 2014, now Pat. No. 9,959,571.

(60) Provisional application No. 61/800,501, filed on Mar. 15, 2013.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

USER PUBLISHED AUCTIONS IN ONLINE MEDIUMS

RELATED APPLICATIONS

[0001] This application is a continuation of U.S. patent application Ser. No. 15/938,892, filed Mar. 28, 2018, titled “User Published Auctions in Online Mediums,” which is a continuation of U.S. patent application Ser. No. 14/214,505, filed Mar. 14, 2014, titled “User Published Auctions in Online Mediums,” now U.S. Pat. No. 9,959,571, which claims the benefit of priority to Provisional Application No. 61/800,501, filed on Mar. 15, 2013, titled “User Published Auctions in Online Mediums”; the aforementioned priority applications being hereby incorporated by reference in their respective entireties for all purposes.

TECHNICAL FIELD

[0002] Examples described herein relate to online markets, and more specifically, to a system and method for user published auctions in online mediums.

BACKGROUND

[0003] Numerous online auction forums exist that enable consumers and sellers to transact for various kinds of items, such as collectibles, electronics and other goods or services. However, an auction forum user must typically engage the actual auction forum site in order to place a bid and view information pertaining to a particular auction.

BRIEF DESCRIPTION OF THE DRAWINGS

[0004] The disclosure herein is illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which like reference numerals refer to similar elements, and in which:

[0005] FIG. 1 illustrates a system for auction script publication and interaction through an online medium;

[0006] FIG. 2 illustrates an example method of script publication onto a user selected resource;

[0007] FIG. 3 is an example of an interactive component embedded on a user selected resource; and

[0008] FIG. 4 is a block diagram that illustrates a computer system upon which examples described herein can be implemented.

DETAILED DESCRIPTION

[0009] Examples described herein enable individuals to incorporate a functional aspect into a web resource (e.g., social network page, blog) of their choosing for the purpose of publishing a live online auction hosted at another site.

[0010] Online auction forums allow auction users to bid on a variety of items including, for example, homes, real-estate notes, commercial property, motor vehicles (e.g., automobiles, motorcycles, boats), consumer electronics, collectibles, and/or clothing. Typically, bidders must utilize the auction forum itself in order to place bids on the auctioned items.

[0011] A system and method are disclosed relating to re-publication of live online auctions, with the possibility of reward issuance. Examples are described in which auction users can request a script pertaining to a particular auction, which can then be published onto an outside resource, such as a webpage on a social media platform. The published

script can result in an embedded interactive component on the outside resource. The interactive component may provide a user with auction information such as, for example, current highest bid, time left in the auction, etc. The interactive component can also allow a user to interact with the auction and submit bids accordingly. Thus, information inputted into the interactive component may be transmitted or communicated to the auction forum in order to update information relating to that particular auction.

[0012] Systems and methods for managing an auction forum include receiving a publisher request for an interactive auction feature corresponding to a specified auction of the auction forum. In response to the request the system can generate a script that is linked to the specified online auction hosted on the auction forum, and transmit the script to be published on an external resource selected by a publisher associated with the publisher request. The published script results in an interactive component on the external resource. Furthermore, the system can communicate with the interactive component to provide auction content corresponding to the specified online auction. The auction content can include various features, such as a live feature displaying a time left and a current highest bid in the specified auction. The auction content can also include details of the auction item, including a description of the item, seller information, a photograph of the auction item, etc. Further still, the system can process user inputs inputted on the interactive component for the specified online auction. These inputs can include submitted bids or request for more information about the auction or auction item from users interacting with the interactive component. Once the auction is completed and a winning bid is accepted, the auction forum can issue a reward to the publisher of the interactive content. Alternatively, the reward can be issued to the publisher for publishing the script. This reward can be issued in response to the winning bid being submitted on the interactive component published on the external resource.

[0013] The publisher’s external resource can be a webpage associated with the publisher. For example, the external resource can be the publisher’s webpage on a social media platform. Alternatively, the external resource can be the publisher’s blog.

[0014] Among other benefits, examples described herein achieve a technical effect in which programs and operations that require access to resources of a network-based file system are performed significantly faster than more conventional approaches. For example, programs can asynchronously issue file system operation requests from the network-based file systems in order to implement programs such as copying directories. In turn, these programs can complete their objectives at a speed that is based on efficient utilization of the network’s maximum transmission unit (MTU) and maximum bandwidth. Accordingly, examples such as described enable certain programs that require use of network-based file systems to complete their objectives in a fraction of the time as compared to more conventional approaches that rely on synchronous, message-based communications

[0015] One or more variations can be implemented using programmatic modules or components. A programmatic module or component may include a program, a subroutine, a portion of a program, or a software component or a hardware component capable of performing one or more stated tasks or functions. As used herein, a module or

component can exist on a hardware component independently of other modules or components. Alternatively, a module or component can be a shared element or process of other modules, programs or machines.

[0016] Furthermore, one or more examples described herein may be implemented through the use of instructions that are executable by one or more processors. These instructions may be carried on a computer-readable medium. Machines shown or described with figures below provide examples of processing resources and computer-readable mediums on which instructions for implementing variations can be carried and/or executed. In particular, the numerous machines shown with examples of the invention include processor(s) and various forms of memory for holding data and instructions. Examples of computer-readable mediums include permanent memory storage devices, such as hard drives on personal computers or servers. Other examples of computer storage mediums include portable storage units, such as CD or DVD units, flash or solid state memory (such as carried on many cell phones and consumer electronic devices) and magnetic memory. Computers, terminals, network enabled devices (e.g., mobile devices such as cell phones) are all examples of machines and devices that utilize processors, memory, and instructions stored on computer-readable mediums. Additionally, examples may be implemented in the form of computer-programs, or a computer usable carrier medium capable of carrying such a program.

System Architecture

[0017] FIG. 1 illustrates a system for enabling script publication and interaction through a publisher interface. A system 100 such as shown by an example of FIG. 1, can be implemented in connection with an online auction service for any type of commercial item, such as, for example, real property items, (e.g., homes, real-estate notes, commercial property), motor vehicles (e.g., automobiles, motorcycles, boats), consumer electronics, collectibles, or clothing. Furthermore, system 100 can be implemented in connection with any publisher interface such as, for example, a social media platform, website, blog, web application, etc.

[0018] In an example of FIG. 1, system 100 includes functionality that can be implemented by processes, logical components and/or modules. Furthermore, examples described with respect to FIG. 1, achieve a technical effect in which programs and operations that require access to resources included in FIG. 1 are performed significantly faster than more conventional approaches. Such components as shown can be programmatically employed to complete their objectives at a speed that is based on efficient utilization of the network's maximum transmission unit (MTU) and maximum bandwidth. Accordingly, examples such as described enable certain programs that require use of network-based file systems to complete their objectives in a fraction of the time as compared to more conventional approaches that rely on synchronous, message-based communications as between the client terminal and the network-based file systems.

[0019] Referring to FIG. 1, system 100 includes an auction interface 110, where auction users can participate in one or more auctions 112. The auction interface 110 can include a transaction logic 135 configured to transmit or communicate information relating to the auctions to an auction manager 113. This information can include data relating to past

auctions, such as transaction histories, items sold, buyer information, seller information, bidder information, etc. (hereinafter "auction records" 124). The information can also include data relating to present auctions 112, which can also be communicated to the auction manager 113.

[0020] In variations, the system 100 can include a link generator 111. Upon a request by, for example, a publisher, the link generator 111 can be configured to transmit a script request 126 for a particular auction. In doing so, a publisher interested in publishing information relating to a particular auction can enable the link generator 111. The link generator 111 can then generate the script request 126 pertaining to that particular auction, and send it to the script manager 114.

[0021] The auction manager 113 can be configured or otherwise instructed to receive and process data from the transaction logic 135. Other examples can be configured so that the auction manager 113 receives data directly from the auction interface 110 and/or the auction utilities themselves. Upon receiving the data, the auction manager 113 may function to process and communicate the data accordingly. For example, data relating to an auction user's account, such as billing, auction user ID, transaction data, and account information, can be communicated to a user account store 119. As an addition or an alternative, all other data relating to an auction (e.g., auction records 124), can be transferred to an auction database 120 for storage and future access. Furthermore, the auction manager 113 can be configured or otherwise instructed to recognize, relay, process, and/or communicate publisher event information 125. The publisher event information 125 can include the script request 126, an entered bid 132, a script publication, a completed auction, an issued reward 123, etc. The auction manager 113 can communicate the publisher event information 125 to the user account store 119, as shown in FIG. 1, where it can be accessed by a script manager 114. Alternatively, if the publisher event information 125 includes the script request 126, it can be communicated directly to the script manager 114.

[0022] Furthermore, as stated above, the script request 126 can be communicated directly to the script manager 114. The script manager 114 can be configured to process the script request 126. For example, as shown in FIG. 1, the script manager 114 can deliver or otherwise communicate the script 127 pertaining to the script request 126 to a publisher interface 115. The publisher interface 115 can be a website or webpage, a social media platform, a blog, or any mechanism or application that can be used to publish a script 127. Furthermore, the script manager 114 can receive the publisher's ID 122 from the user account store 119, and can further communicate information relating to the script 127 to the user account store 119 in order to, for example, associate the script 127 with the publisher ID 122. Alternatively, as show in FIG. 1, the script manager 114 can bundle information relating to the script 127 with the publisher ID 122, and communicate the bundle 136 to the user account store 119. In practice, an auction user (e.g., a publisher) can enable the link generator 111 for a selected auction. The script request 126 associated with the selected auction can be communicated to the script manager 114, which can in turn deliver the proper script 127 to the publisher interface 115. Further, the script manager 114 may associate the auction user with the publisher ID 122, and combine that with the script request 126, in order to communicate the combination (i.e., ID bundle 136) to the user account store

119. In other variations, the ID bundle **136** may be communicated to a reward logic **118**, which can use the bundle to issue a reward **123** to the proper user account, such as the publisher's account.

[0023] The script manager **114** can communicate the proper script **127** to the publisher interface **115**. As described above, the publisher interface **115** can be a website or webpage, a social media platform, a blog, or any mechanism or application that can be used or enabled to publish the script **127**. The publisher interface **115** can then issue or communicate the script **127** to a relevant publishing component **116** for publication. The publishing component **116** can be a webpage associated with the publisher, such as, for example, a publisher's social media page. However, the publishing component **116** can also be any content or component associated with the publisher interface **115**.

[0024] Once the script **127** is communicated or delivered to the publishing component **116**, the script **127** can then be embedded as an interactive component **117**. The interactive component **117** can generate interactive content on the auction forum. For example, in some examples, the interactive component **117** can be in the form of a scroll over icon, which can accordingly produce a separate window displaying information relating to a particular auction. In other examples, the interactive component **117** can be in the form of a clickable icon that generates an interactive pop up window that allows a user to submit a bid or view information relating to the auction. In still other examples, the interactive component **117** can include a timer displaying the auction period, the current highest bid, a photo of the item up for auction, a brief description of the item being auctioned, the location of the item, and/or an interactive text box or bid interface allowing a user to submit a bid **132** on the spot. As shown by an example of FIG. 1, a user can submit the bid **132** through the interactive component **117** to the transaction logic **135** (e.g., provide the bid **132** directly to the transaction logic **135**). The bid **132** can include a time stamp corresponding to the auction period. Additionally or alternatively, the user can utilize the interactive component **117** to submit an update request **131** to refresh the current status of the auction. However, data from the auction itself (e.g., time remaining in the auction, current highest bid, information relating to the item being auctioned, etc.) can also be streamed, or a live feed of updated content **128** relating to the auction can be displayed on the interactive component **117**.

[0025] Further, the reward logic **118** can be configured to receive the publisher ID **122** from the publishing component **116**. Alternatively, the reward logic **118** can receive the publisher ID **122** directly from the user account store **119**, the publisher interface **115**, the auction manager **113**, and/or the script manager **114**. The reward logic **118** may also be configured to send or otherwise communicate the reward **123** to a user account within the user account store **119**. For example, as shown by an example in FIG. 1, the reward logic **118** can issue the reward **123** to a user account associated with the publisher (i.e., the auction user who enabled the link generator **111** to generate the script request **126**). Alternatively, the reward logic **118** can issue the reward **123** directly to the publisher via other means, such as, for example, through the publisher's publishing component **116** or publisher interface **115**. The reward **123** can be in the form a financial reward. However, the reward **123** can also involve any benefit relating to the auction forum or otherwise.

[0026] In variations, the reward logic **118** can issue the reward **123** to the publisher on whose webpage or resource the winning bid was submitted. Additionally, the reward logic **118** can communicate with the script manager **114** and/or the auction manager **113** in order to determine the various publishers and automatically issue a reward **123** to all or any number of the determined publishers. The reward logic **118** can issue the reward **123** in response to a publisher request for a particular script. Additionally or as an alternative, the reward logic **118** can be configured to issue a reward **123** to bidders based on submitted bids. Further, rewards **123** may be issued on a per-bid basis to either the bidders or the publishers. In such examples, a publisher can be rewarded for each bid submitted over the interactive component **117** published on the publisher's resource **129**. Alternatively, a publisher may be issued a reward **123** based on having the most bids submitted, or a bid that surpasses a reserve price, or the eventual winning bid submitted over that publisher's interactive component **117**.

[0027] In practice, as shown by examples of FIG. 1, the publisher can visit the auction interface **110** and view or participate in one or more auctions **112**. The auctions **112** can be viewed any time prior to or during the auction period. The publisher can enable the link generator **111** for a particular auction **112**, whereupon the link generator **111** can generate and deliver or otherwise communicate a script request **126** corresponding to the auction to the script manager **114**. The script request **126** can include information relating to the particular auction **112**. Additionally, the script request **126** can include the publisher's ID **122**. The script manager **114** can then process the script request **126** and communicate the script **127** pertaining to the particular auction **112**. Additionally, the script manager **114** can also communicate information relating to the script request **126**, such as an auction ID and the publisher's ID, to the user account store **119**. The publisher interface **115** can then receive the script **127** and subsequently publish the script **127** on the publishing component **116**, thereby resulting in the interactive component **117** displayed on the publishing component **116**.

[0028] The interactive component **117** can be configured to communicate directly with the transaction logic **135**, such that viewers and/or users of the publishing component **116** can interact with the particular auction **112**. For example, a user visiting the publishing component **116** can utilize the interactive component **117**, and input a bid **132** or update request **131**. The interactive component **117** can then communicate that input directly to the particular auction **112** via the transaction logic **135**. The communication between the interactive component **117** and the transaction logic **135** can include a time stamp for the bid **132**, the bidder ID **133**, the update request **131**, etc. Additionally, the transaction logic **135** may then communicate back to the interactive component **117** updates or updated content **128** pertaining to the particular auction **112**.

[0029] The publishing component **116** or the publisher interface **115** can communicate the publisher's ID **122** to the reward logic **118**. The reward logic **118** can then correlate the publisher's ID **122** with the publisher's user account in the user account store **119** and issue a reward **123** to the publisher's account.

[0030] The auction manager **113** can be configured to communicate with the transaction logic **135** and/or the auction interface **110**. The auction manager **113** can deliver

auction records **124** to the auction database **120**. The auction manager **113** can also receive information regarding a publisher event **125**. The publisher event **125** can include, for example, a script request **126**, an entered bid **132**, a script publication, a completed auction, an issued reward **123**, etc. The auction manager **113** can communicate the publisher event **125** to the user account store **119** or directly to the reward logic **118**. Upon receiving the publisher event **125** data, the user account store **119** or the reward logic **118** can direct the reward **123** to the publisher's account. The reward **123** can be in the form a financial reward. However, the reward **123** can also involve any benefit relating to the auction forum or otherwise.

[0031] Additionally or as an alternative, the transaction logic **135** can be configured to receive and process the script request **126**, and then subsequently communicate the proper script **127** directly to the publisher interface **115**, and/or directly to the publishing component **116** itself. In these examples, the transaction logic **135** can also be configured to receive inputs from the interactive component **117**. The inputs can include update requests **131**, the publisher ID **122**, a bidder ID **133**, bids **132**, time stamps for bids, and/or bidder information. Additionally or as an alternative, the transaction logic **135** can be configured to provide live content pertaining to the auction to the interactive component **117**. In practice, an auction participant cannot be required to engage the auction directly through the auction interface **110**, but instead can have the ability to transact and/or communicate via the interactive component **117** on the outside publishing component **116**.

[0032] In some variations, the reward logic **118** can be included to issue or otherwise communicate the reward **123** to, for example, the publisher's account in the user account store **119**. The reward logic **118** can receive the publisher ID **122** directly from the publishing component **116**. Alternatively, the publisher ID **122** can be attached to the script request **126** and communicated by the transaction logic **135**. For example, the reward logic **118** can be configured to receive data directly from the transaction logic **135**. Thus, in practice, the publisher can enable the link generator **111** for a particular auction **112**, which would generate the script request **126** directly to the transaction logic **135**. The transaction logic **135** can then direct the correlated script **127** directly to the publisher interface **115** and/or publishing component **116**, whereupon the script can be published. The transaction logic **135** can also direct the publisher ID **122** directly to the reward logic **118** which can, in turn, issue a reward **123** to the publisher's account in the user account store **119**.

[0033] Further variations are also contemplated. For example, the auction interface **110** can include auctions **112** each having its own link generator **111**. In practice, the publisher can enable the link generator **111** associated with a particular auction **112** and embed the interactive component **117** directly to the publishing component **116**. The process for such an example can involve a simple copy/paste action on the part of the publisher. Thus, the interactive component **117** can be embedded on, for example, the publisher's webpage or blog, and users can then interact with the particular auction **112** via the interactive component **117**. Additionally, the reward logic **118** can be configured to communicate with the auction interface **110**, or interactive

component associated with each particular auction **112**, and provide the reward **123** to a publisher account associated with the auction forum.

[0034] The system **100** can involve features where one or more components or elements of the system are incorporated into a single component. For example, a single processor can perform the functions of the auction manager **113**, link generator **111**, and/or transaction logic **135**. Also, for example, a processor can perform one or more functions involved in the system **100**, such as functions described above associated with the link generator **111**, the auction interface **110**, the transaction logic **135**, the auction manager **113**, the script manager **114**, the reward logic **118**, the user account store **119**, and/or the interactive component **117**. Thus, combinations of elements as described in FIG. 1 can be used to perform the overall function of enabling publication of a script **127** associated with a particular auction **112** upon a publishing component **116**.

Methodology

[0035] FIG. 2 illustrates an example method of enabling script publication upon a publishing component. Methods as described by examples of FIG. 2 can be implemented using, for example, a system **100** as described by an example of FIG. 1. Accordingly, reference can be made to elements of system **100**, as shown in an example of FIG. 1, for the purpose of illustrating suitable components or elements for performing a step or sub step being described.

[0036] With reference to FIG. 2, an auction service can host an online auction forum (**200**), thereby allowing users to view information relating to one or more auctions and/or participate in the auctions themselves. The participation can involve submitting one or more bids for a particular item, providing a confidential maximum bid, and/or interacting with multiple auctions at the same time. The auction forum can provide one or more scripts for individual online auctions (**210**). The script requests **126** can relate to a particular auction that the user is interested in following. For example, the user can be interested in a particular item of real estate that is up for auction on the auction forum. The user can enable the link generator **111** for that particular auction, whereupon the script **127** corresponding to the auction can be requested by the user. Upon receiving the script request **126**, the auction forum can then enable the script to be embedded in a user-selected online publication (**220**). The script **127** can be published in any manner. For example, the script may be delivered and embedded upon a publishing component **116** associated with the user.

[0037] In further examples, the user can have a publishing component **116**, such as a webpage, on a publisher interface **115**, such as a social media platform. Upon receiving the script **127**, the publisher interface **115** can embed the script **127** upon the publishing component **116**. In practical effect, for example, the social media platform can embed the script **127** on the user's webpage, thereby generating an embedded interactive component **117** upon the user's webpage.

[0038] The interactive component **117** can be in the form of an interactive interface capable of communicating with the auction forum. Alternatively, the interactive component **117** can be a scroll over icon, providing information in a new window relating to the particular auction. Still further, the interactive component **117** can include a display that can provide other users with auction information such as, for example, current highest bid, time left in the auction, etc.

The display can also allow other users to interact with the auction and submit bids accordingly. Thus, information inputted into the interactive component 117 can be transmitted or communicated to the auction forum in order to update information relating to that particular auction.

[0039] The auction forum can then respond to inputs from the interactive component (230). For example, the communications can involve update requests 131 or bids 132. In such examples, the auction forum can, in turn, communicate updated content 128 relating to the particular auction, or enter the bids 132 into the particular auction. In effect, users of the interactive component 117, located outside the auction forum, can participate in the auction associated with that particular script 127. The auction forum can also display the updated content on the respective auction forum interface (240). Communications from the interactive component 117 can also ultimately be directed to the reward logic 118, which can be configured to issue a reward 123 to the publisher (250). The reward logic 118 can receive information such as publisher ID 122, and/or information relating to the publisher event 125 as described above. The reward logic 118 can receive such information from the script manager 114, the auction manager 113, the publisher interface 115, the publishing component 116, the transaction logic 135, and/or directly from the interactive component 117. The reward 123 can be in the form a financial reward. However, the reward 123 can also involve any benefit relating to the auction forum or otherwise.

[0040] The method as shown by an example in FIG. 2 can be implemented in an auction forum involving multiple auctions 112 and multiple interactive components 117 at any given time. Thus, user interaction can be possible with multiple interactive components 117 over several publisher interfaces 115 involving associated auctions 112.

[0041] FIG. 3 illustrates an example of a supplemental content 372 embedded on a user selected page 370, such as a user webpage on a social media platform. With further reference to FIG. 1, the user of the auction interface 110 can enable the link generator 111 for a particular auction to ultimately embed the supplemental content 372 corresponding to that auction on the user's selected page 370. In an example of FIG. 3, the user can observe auction information 374 corresponding to the particular auction, such as the current bid or the time left in the auction. As an addition or an alternative, the supplemental content 372 can include a text entry box 376 configured to receive inputs and submit them to the auction forum. For example, the user can place a bid for the item being auctioned by typing and submitting an amount into the text entry box 376. The input can then be directed to the auction forum, where the inputs can be registered and the auction updated.

[0042] Additionally, any user visiting the selected page 370 can also input a bid into the embedded supplemental content 372. The bid can be directed to the auction forum, where the current bid can be adjusted accordingly. Furthermore, the user(s) can submit update requests for the particular auction, in which case the auction forum can be configured to provide updated content to the supplemental content 372. Thus, the auction information 374 on the supplemental content 372 can list current information regarding the particular auction. Alternatively, updated content from the particular auction can be streamed or otherwise submitted in real time to the supplemental content 372 on the user selected page 370.

Computer System

[0043] FIG. 4 is a block diagram that illustrates a computer system upon which examples described herein can be implemented. For example, in the context of FIG. 1, system 100 can be implemented using one or more servers such as described by FIG. 4.

[0044] Computer system 400 includes processor 402, memory 404 (including non-transitory memory), storage device 406, and communication interface 408. Computer system 400 includes at least one processor 402 for processing information. Computer system 400 also includes the main memory 404, such as a random access memory (RAM) or other dynamic storage device, for storing information and instructions to be executed by processor 402. Main memory 404 also can be used for storing temporary variables or other intermediate information during execution of instructions to be executed by processor 402. Computer system 400 can also include a read only memory (ROM) or other static storage device for storing static information and instructions for processor 402. The storage device 406, such as a magnetic disk or optical disk, is provided for storing information and instructions. The communication interface 408 can enable the computer system 400 to communicate with one or more networks through use of the network link 410 (wireless or wireline). The communication interface 408 can communicate with one or more of the components and/or logics as shown by an example of FIG. 1 by way of, for example, Ethernet link, the Internet, or other cloud network.

[0045] Variations described herein are related to the use of computer system 400 for implementing the techniques described herein. According to one example, those techniques are performed by computer system 400 in response to processor 402 executing one or more sequences of one or more instructions contained in main memory 404. Such instructions can be read into main memory 404 from another machine-readable medium, such as storage device 406. Execution of the sequences of instructions contained in main memory 404 causes processor 402 to perform the process steps described herein. In alternative variations, hard-wired circuitry can be used in place of or in combination with software instructions to implement variations described herein. Thus, examples described are not limited to any specific combination of hardware circuitry and software.

[0046] Although illustrative variations have been described in detail herein with reference to the accompanying drawings, variations to specific examples and details are encompassed by this disclosure. It is intended that the scope of examples described herein be defined by claims and their equivalents. Furthermore, it is contemplated that a particular feature described, either individually or as part of an example, can be combined with other individually described features, or parts of other examples. Thus, absence of describing combinations should not preclude the inventor(s) from claiming rights to such combinations.

What is claimed is:

1. A computer-implemented method for managing an auction on an auction forum, the method comprising:
 - transmitting, over one or more networks, a script to a resource external to the auction forum, the script including instructions that are executable through a corresponding browser of one or more users that access the external resource in order to cause each of the corresponding browsers to directly access the auction hosted on the auction forum, and to provide an inter-

- active component embedded on the external resource that includes real-time content corresponding to the auction from the auction hosted on the auction forum; receiving, via the interactive component, one or more inputs for the auction; and updating one or more parameters of the auction based at least in part on one or more of the inputs.
2. The computer-implemented method of claim 1, further comprising:
- receiving a request from a publisher of the external resource, the request identifying the auction using an auction identifier associated with the auction;
 - retrieving, from a database, information related to the auction based on the request;
 - generating the script based on the retrieved information; and
 - wherein transmitting the script is performed in response to receiving the request from the publisher.
3. The computer-implemented method of claim 1, further comprising processing a user input received via the interactive component for the auction, wherein the user input corresponds to a bid for the auction.
4. The computer-implemented method of claim 1, further comprising issuing a reward to a publisher associated with the external resource.
5. The computer-implemented method of claim 4, wherein one or more processors are to issue the reward in response to a winning bid being submitted on the interactive component published on the external resource.
6. The computer-implemented method of claim 5, wherein the external resource is a webpage on a social media platform associated with the publisher.
7. The computer-implemented method of claim 1, wherein the real-time content includes a live feature displaying a time left and a current highest bid in the auction.
8. A system for managing an auction forum, the system comprising:
- one or more processors; and
 - a memory resource storing instructions that, when executed by the one or more processors of the system, cause the system to:
 - transmit a script to be published on a resource external to the auction forum, the script including instructions that are executable through a corresponding browser of one or more users that access the external resource in order to cause each of the corresponding browsers to directly access an auction hosted on the auction forum, and to provide an interactive component embedded on the external resource that includes real-time content corresponding to the auction from the auction hosted on the auction forum;
 - receive, via the interactive component, one or more inputs for the auction; and
 - update one or more parameters of the auction based at least in part on one or more of the inputs.
9. The system of claim 8, wherein the instructions, when executed, further cause the system to:
- receive a request from a publisher of the external resource, the request identifying the auction using an auction identifier associated with the auction;
 - retrieve, from a database, information related to the auction based on the request;
 - generate the script based on the retrieved information; and
 - wherein transmitting the script is performed in response to receiving the request from the publisher.
10. The system of claim 8, wherein the instructions, when executed, further cause the system to process a user input received via the interactive component for the auction, wherein the user input corresponds to a bid for the auction.
11. The system of claim 8, wherein the instructions, when executed further cause the system to issue a reward to a publisher of the external resource.
12. The system of claim 11, wherein one or more processors are to issue the reward in response to a winning bid being submitted on the interactive component published on the external resource.
13. The system of claim 12, wherein the external resource is a webpage on a social media platform associated with the publisher of the external resource.
14. The system of claim 8, wherein the real-time content includes a live feature displaying a time left and a current highest bid in the auction.
15. A non-transitory computer-readable medium storing instructions for managing an auction forum that, when executed by one or more processors of a system, cause the system to:
- transmit a script to be published on a resource external to the auction forum, the script including instructions that are executable through a corresponding browser of one or more users that access the external resource in order to cause each of the corresponding browsers to directly access an auction hosted on the auction forum, and to provide an interactive component embedded on the external resource that includes real-time content corresponding to the auction from the auction hosted on the auction forum;
 - receive, via the interactive component, one or more inputs for the auction; and
 - update one or more parameters of the auction based at least in part on one or more of the inputs.
16. The non-transitory computer-readable medium of claim 15, wherein the instructions, when executed, further cause the system to:
- receive a request from a publisher of the external resource, the request identifying the auction using an auction identifier associated with the auction;
 - retrieve, from a database, information related to the auction based on the request;
 - generate the script based on the retrieved information; and
 - wherein transmitting the script is performed in response to receiving the request from the publisher.
17. The non-transitory computer-readable medium of claim 15, wherein the instructions, when executed, further cause the system to process a user input received via the interactive component for the auction, wherein the user input corresponds to a bid for the auction.
18. The non-transitory computer-readable medium of claim 15, wherein the instructions, when executed further cause the system to issue a reward to a publisher of the external resource in response to a winning bid being submitted via the interactive component published on the external resource.
19. The non-transitory computer-readable medium of claim 18, wherein one or more processors are to issue the reward in response to a winning bid being submitted on the interactive component published on the external resource.

20. The non-transitory computer-readable medium of claim 15, wherein the real-time content includes a live feature displaying a time left and a current highest bid in the auction.

* * * * *