



US 20130136606A1

(19) **United States**

(12) **Patent Application Publication**  
**Smith et al.**

(10) **Pub. No.: US 2013/0136606 A1**

(43) **Pub. Date: May 30, 2013**

(54) **TURBINE BUCKET AIRFOIL PROFILE**

(52) **U.S. Cl.**

USPC ..... 416/223 A

(75) Inventors: **Paul Kendall Smith**, Simpsonville, SC (US); **Spencer Aaron Kareff**, Simpsonville, SC (US); **Srinivase Govardhan Jayana**, Bangalore (IN)

(57)

**ABSTRACT**

A turbine bucket is provided including a bucket airfoil having an airfoil shape, the bucket airfoil having a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances in inches by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil in inches, and wherein X and Y are distances in inches which, when connected by smooth continuing arcs, define airfoil profile sections at each distance Z, the airfoil profile sections at Z distances being joined smoothly with one another to form a complete airfoil shape.

(73) Assignee: **General Electric Company**

(21) Appl. No.: **13/304,725**


(22) Filed: **Nov. 28, 2011**

**Publication Classification**

(51) **Int. Cl.**

**F01D 5/14**

(2006.01)






FIG. 1




FIG. 2




FIG. 3




FIG. 4

## TURBINE BUCKET AIRFOIL PROFILE

### RELATED APPLICATIONS

**[0001]** The present application is related to the following co-pending applications having GE docket numbers 254996, 254998, 254999 and 255005, all filed concurrently herewith.

### BACKGROUND OF THE INVENTION

**[0002]** The present application and the resultant patent relate generally to a turbine bucket for a gas turbine engine and more particularly relate to a bucket airfoil profile for a turbine stage.

**[0003]** In a gas turbine, many system requirements should be met at each stage of the gas turbine so as to meet design goals. These design goals may include, but are not limited to, overall improved efficiency and airfoil loading capability. For example, a turbine bucket airfoil profile should achieve thermal and mechanical operating requirements for that particular stage. Moreover, component lifetime and cost targets also should be met.

**[0004]** There is thus a desire therefore for an improved turbine bucket airfoil profile for use in a turbine and the like. Such an improved airfoil design should achieve performance objectives and improve overall gas turbine performance in a component with a long lifetime and reasonable manufacture and operating costs.

### BRIEF DESCRIPTION OF THE INVENTION

**[0005]** An aspect of the present invention may be embodied by a turbine bucket including a bucket airfoil having an airfoil shape, the bucket airfoil having a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each distance Z, the airfoil profile sections at Z distances being joined smoothly with one another to form a complete airfoil shape.

**[0006]** An aspect of the present invention may be embodied in a turbine bucket including a bucket airfoil having a suction-side uncoated nominal airfoil profile substantially in accordance with suction-side Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each Z distance, the airfoil profile sections at the Z distances being joined smoothly with one another to form a complete suction-side airfoil shape, the X, Y and Z distances being scalable as a function of the same constant or number to provide a scaled-up or scaled-down airfoil.

**[0007]** An aspect of the present invention may be embodied in a turbine comprising a turbine wheel having a plurality of buckets, each of the buckets including an airfoil having a suction-side airfoil shape, the airfoil having a nominal profile substantially in accordance with suction-side Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimen-

sional values from 0% to 100% convertible to dimensional distances by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each Z distance, the airfoil profile sections at the Z distances being joined smoothly with one another to form a complete suction-side airfoil shape.

**[0008]** These and other features and improvements of the present application and the resultant patent should become apparent to one of ordinary skill in the art upon review of the following detailed description when taken in conjunction with the several drawings and the appended claims.

### BRIEF DESCRIPTION OF THE DRAWINGS

**[0009]** FIG. 1 is a schematic diagram of a gas turbine engine, according to an aspect of the present invention;

**[0010]** FIG. 2 is a schematic diagram of a portion of a turbine having a bucket arrangement as may be described herein, according to an aspect of the present invention;

**[0011]** FIG. 3 is a perspective view of a portion of a turbine bucket showing an airfoil as may be described herein, according to an aspect of the present invention; and

**[0012]** FIG. 4 is a cross-sectional view of the airfoil of FIG. 3, according to an aspect of the present invention.

### DETAILED DESCRIPTION OF THE INVENTION

**[0013]** Referring now to the drawings, in which like numerals refer to like elements throughout the several views, FIG. 1 shows a schematic view of gas turbine engine 10 as may be used herein. The gas turbine engine 10 may include a compressor 15. The compressor 15 compresses an incoming flow of air 20. The compressor 15 delivers the compressed flow of air 20 to a combustor 25. The combustor 25 mixes the compressed flow of air 20 with a pressurized flow of fuel 30 and ignites the mixture to create a flow of combustion gases 35. Although only a single combustor 25 is shown, the gas turbine engine 10 may include any number of combustors 25. The flow of combustion gases 35 is in turn delivered to a turbine 40. The flow of combustion gases 35 drives the turbine 40 so as to produce mechanical work. The mechanical work produced in the turbine 40 drives the compressor 15 via a shaft 45 and an external load 50 such as an electrical generator and the like.

**[0014]** The gas turbine engine 10 may use natural gas, various types of syngas, and/or other types of fuels. The gas turbine engine 10 may be any one of a number of different gas turbine engines offered by General Electric Company of Schenectady, N. Y., including, but not limited to, those such as a 7 or a 9 series heavy duty gas turbine engine and the like. The gas turbine engine 10 may have different configurations and may use other types of components. It is to be understood that other types of gas turbine engines also may be used herein. Multiple gas turbine engines, other types of turbines, and other types of power generation equipment also may be used herein together.

**[0015]** FIG. 2 shows a schematic diagram of a turbine 100 as may be described herein. The turbine 100 may include a first stage 110, a second stage 120, a third stage 130, a fourth stage 140, a fifth stage 142, a sixth stage 144, and the like. Any number of stages may be used herein. For example, the first stage 110 may include a number of circumferentially spaced nozzles 150 and buckets 160. The first stage buckets 160 are mounted on a turbine rotor 170. The nozzles 150 are circum-

ferentially spaced one from the other and fixed about an axis of the rotor. The second stage of the turbine **100** includes a number of circumferentially spaced nozzles **180** and a number of circumferentially spaced buckets **190** mounted on the rotor **170**. The third stage also includes a number of circumferentially spaced nozzles **200** and buckets **210** mounted on the rotor **170**. The fourth stage **140** includes a number of circumferentially spaced nozzles **220** and buckets **230** mounted on the rotor **170**. The fifth stage **142** includes a number of circumferentially spaced nozzles **232** and buckets **234** mounted on the rotor **170**. The sixth stage **144** includes a number of circumferentially spaced nozzles **236** and buckets **238** mounted on the rotor **170**. Again, any number of stages may be used herein. It will be appreciated that the nozzles and buckets lie in a hot gas path **240** of the turbine. Other components and other configurations may be used herein.

[0016] Referring to FIGS. **3** and **4**, it will be appreciated that each bucket **350** has a bucket airfoil **250** as illustrated. The airfoil **250** may have a pressure side **270** and a suction side **260**. The suction side **260** is shown in FIG. **3** and the pressure side **270** is located on the opposing side of the airfoil **250**. Thus, each of the buckets **350** has a bucket airfoil profile at any cross-section in the shape of the airfoil **250**. A tip **280** is at or near the top of the airfoil **250** and a base **290** is at or near the bottom of the airfoil **250**. The airfoil **250** also includes a leading edge **300** and a trailing edge **310**, and a chord length **320** extends therebetween. The base **290** corresponds to the non-dimensional Z value of Table 1 at Z equals 0. The tip **280** of the bucket airfoil **250** corresponds to the non-dimensional Z value of Table 1 at Z equals 100. The X, Y, and Z values are given in percentage values of the airfoil length. As one example only, the height of the bucket airfoil **250** may be from about 9 inches to about 32 inches, about 9 inches to about 28 inches, or about 16 inches to about 21 inches. However, it is to be understood that heights below or above this range may also be employed as desired in the specific application. The airfoil **250** may be used for any stage, including but not limited to a first stage, a second stage, a third stage, a fourth stage, a fifth stage, and the like.

[0017] The gas turbine hot gas path **240** requires airfoils **250** that meet system requirements of aerodynamic and mechanical blade loading and efficiency. The envelope/tolerance for the coordinates is about  $\pm 5\%$  in a direction normal to any airfoil surface location, and/or about  $\pm 5\%$  of the chord length **320** in a direction normal to any airfoil surface location. These unique loci of points meet the requirements for stage efficiency and are arrived at by iteration between aerodynamic and mechanical loadings enabling the turbine to run in an efficient, safe and smooth manner. These points are unique and specific to the system. The locus that defines the bucket airfoil profile includes a set of about 2,200 points with X, Y and Z dimensions relative to a reference origin coordinate system. The Cartesian coordinate system of X, Y and Z values given in Table 1 below defines the profile of the bucket airfoil at various locations along its length. Table 1 lists data for a non-coated airfoil. The envelope/tolerance for the coordinates is about  $\pm 5\%$  in a direction normal to any airfoil surface location. The point data origin is the leading edge of the base **260**. The coordinate values for the X, Y and Z coordinates are set forth in non-dimensionalized units by the blade height in Table 1 although other units of dimensions may be used when the values are appropriately converted. The X, Y, and Z values set forth in Table 1 are also expressed in non-dimensional form (X, Y, and Z) from 0% to 100% of the

blade or airfoil height. As one example only, the Cartesian coordinate values of X, Y and Z may be convertible to dimensional distances by multiplying the X, Y and Z values by a height of the airfoil at the trailing edge and multiplying by a constant number (e.g., 100). To convert the Z value to a Z coordinate value, e.g., in inches, the non-dimensional Z value given in Table 1 is multiplied by the Z length of the airfoil in inches. As described above, the Cartesian coordinate system has orthogonally-related X, Y and Z axes and the X axis lies generally parallel to the turbine rotor centerline, i.e., the rotary axis and a positive X coordinate value is axial toward the aft, i.e., exhaust end of the turbine. The positive Y coordinate value extends tangentially in the direction of rotation of the rotor and the positive Z coordinate value is radially outwardly toward the bucket tip. All the values in Table 1 are given at room temperature and are unfilleted.

[0018] By defining X and Y coordinate values at selected locations in a Z direction normal to the X, Y plane, the profile section or airfoil shape of the bucket airfoil, at each Z distance along the length of the airfoil can be ascertained. By connecting the X and Y values with smooth continuing arcs, each profile section at each distance Z is fixed. The airfoil profiles of the various surface locations between the distances Z are determined by smoothly connecting the adjacent profile sections to one another to form the airfoil profile.

[0019] The Table 1 values are generated and shown to three decimal places for determining the profile of the airfoil. As the blade heats up in surface, stress and temperature will cause a change in the X, Y and Z values. Accordingly, the values for the profile given in Table I represent ambient, non-operating or non-hot conditions (e.g., room temperature) and are for an uncoated airfoil.

[0020] There are typical manufacturing tolerances as well as coatings which must be accounted for in the actual profile of the airfoil. Each section is joined smoothly with the other sections to form the complete airfoil shape. It will therefore be appreciated that  $\pm$ -typical manufacturing tolerances, i.e.,  $\pm$ -values, including any coating thicknesses, are additive to the X and Y values given in Table 1 below. Accordingly, a distance of about  $\pm 5\%$  in a direction normal to any surface location along the airfoil profile defines an airfoil profile envelope for this particular bucket airfoil design and turbine, i.e., a range of variation between measured points on the actual airfoil surface at nominal cold or room temperature and the ideal position of those points as given in the Table below at the same temperature. The data is scalable and the geometry pertains to all aerodynamic scales, at, above and/or below 3000 RPM. The bucket airfoil design is robust to this range of variation without impairment of mechanical and aerodynamic functions.

TABLE 1

N	Location	X	Y	Z
1	Suction-Side	0.000	0.000	0
2	Suction-Side	-0.162	0.379	0
3	Suction-Side	-0.096	0.796	0
4	Suction-Side	0.065	1.188	0
5	Suction-Side	0.274	1.557	0
6	Suction-Side	0.511	1.907	0
7	Suction-Side	0.768	2.245	0
8	Suction-Side	1.040	2.569	0
9	Suction-Side	1.325	2.884	0
10	Suction-Side	1.618	3.189	0
11	Suction-Side	1.921	3.486	0

TABLE I-continued

N	Location	X	Y	Z
12	Suction-Side	2.231	3.774	0
13	Suction-Side	2.549	4.055	0
14	Suction-Side	2.873	4.328	0
15	Suction-Side	3.203	4.594	0
16	Suction-Side	3.538	4.853	0
17	Suction-Side	3.880	5.105	0
18	Suction-Side	4.226	5.349	0
19	Suction-Side	4.577	5.587	0
20	Suction-Side	4.933	5.817	0
21	Suction-Side	5.294	6.039	0
22	Suction-Side	5.659	6.254	0
23	Suction-Side	6.029	6.461	0
24	Suction-Side	6.404	6.659	0
25	Suction-Side	6.782	6.849	0
26	Suction-Side	7.165	7.030	0
27	Suction-Side	7.553	7.203	0
28	Suction-Side	7.944	7.366	0
29	Suction-Side	8.339	7.520	0
30	Suction-Side	8.738	7.663	0
31	Suction-Side	9.140	7.796	0
32	Suction-Side	9.546	7.918	0
33	Suction-Side	9.955	8.029	0
34	Suction-Side	10.367	8.127	0
35	Suction-Side	10.782	8.214	0
36	Suction-Side	11.199	8.288	0
37	Suction-Side	11.619	8.349	0
38	Suction-Side	12.040	8.397	0
39	Suction-Side	12.462	8.431	0
40	Suction-Side	12.885	8.451	0
41	Suction-Side	13.310	8.457	0
42	Suction-Side	13.733	8.448	0
43	Suction-Side	14.156	8.424	0
44	Suction-Side	14.578	8.386	0
45	Suction-Side	14.999	8.333	0
46	Suction-Side	15.417	8.266	0
47	Suction-Side	15.833	8.184	0
48	Suction-Side	16.246	8.088	0
49	Suction-Side	16.655	7.978	0
50	Suction-Side	17.060	7.854	0
51	Suction-Side	17.462	7.717	0
52	Suction-Side	17.858	7.567	0
53	Suction-Side	18.249	7.404	0
54	Suction-Side	18.635	7.230	0
55	Suction-Side	19.016	7.043	0
56	Suction-Side	19.391	6.846	0
57	Suction-Side	19.760	6.638	0
58	Suction-Side	20.124	6.421	0
59	Suction-Side	20.482	6.193	0
60	Suction-Side	20.834	5.957	0
61	Suction-Side	21.180	5.712	0
62	Suction-Side	21.520	5.459	0
63	Suction-Side	21.853	5.198	0
64	Suction-Side	22.182	4.930	0
65	Suction-Side	22.504	4.655	0
66	Suction-Side	22.822	4.374	0
67	Suction-Side	23.133	4.087	0
68	Suction-Side	23.439	3.793	0
69	Suction-Side	23.740	3.494	0
70	Suction-Side	24.035	3.190	0
71	Suction-Side	24.325	2.882	0
72	Suction-Side	24.611	2.568	0
73	Suction-Side	24.891	2.251	0
74	Suction-Side	25.167	1.929	0
75	Suction-Side	25.438	1.603	0
76	Suction-Side	25.705	1.274	0
77	Suction-Side	25.968	0.941	0
78	Suction-Side	26.226	0.606	0
79	Suction-Side	26.481	0.267	0
80	Suction-Side	26.731	-0.076	0
81	Suction-Side	26.978	-0.420	0
82	Suction-Side	27.221	-0.767	0
83	Suction-Side	27.461	-1.116	0
84	Suction-Side	27.698	-1.468	0
85	Suction-Side	27.931	-1.822	0
86	Suction-Side	28.161	-2.178	0

TABLE I-continued

N	Location	X	Y	Z
87	Suction-Side	28.389	-2.535	0
88	Suction-Side	28.613	-2.895	0
89	Suction-Side	28.835	-3.256	0
90	Suction-Side	29.054	-3.619	0
91	Suction-Side	29.271	-3.983	0
92	Suction-Side	29.486	-4.348	0
93	Suction-Side	29.699	-4.714	0
94	Suction-Side	29.909	-5.083	0
95	Suction-Side	30.117	-5.452	0
96	Suction-Side	30.322	-5.822	0
97	Suction-Side	30.526	-6.194	0
98	Suction-Side	30.728	-6.567	0
99	Suction-Side	30.928	-6.941	0
100	Suction-Side	31.061	-7.336	0
101	Pressure-Side	30.857	-7.691	0
102	Pressure-Side	30.531	-7.764	0
103	Pressure-Side	30.243	-7.594	0
104	Pressure-Side	30.027	-7.330	0
105	Pressure-Side	29.808	-7.066	0
106	Pressure-Side	29.588	-6.805	0
107	Pressure-Side	29.366	-6.545	0
108	Pressure-Side	29.142	-6.287	0
109	Pressure-Side	28.915	-6.031	0
110	Pressure-Side	28.685	-5.777	0
111	Pressure-Side	28.454	-5.526	0
112	Pressure-Side	28.219	-5.277	0
113	Pressure-Side	27.982	-5.031	0
114	Pressure-Side	27.742	-4.787	0
115	Pressure-Side	27.500	-4.546	0
116	Pressure-Side	27.254	-4.308	0
117	Pressure-Side	27.006	-4.073	0
118	Pressure-Side	26.754	-3.841	0
119	Pressure-Side	26.500	-3.613	0
120	Pressure-Side	26.242	-3.388	0
121	Pressure-Side	25.981	-3.167	0
122	Pressure-Side	25.717	-2.950	0
123	Pressure-Side	25.450	-2.737	0
124	Pressure-Side	25.179	-2.528	0
125	Pressure-Side	24.905	-2.323	0
126	Pressure-Side	24.629	-2.122	0
127	Pressure-Side	24.348	-1.926	0
128	Pressure-Side	24.065	-1.735	0
129	Pressure-Side	23.778	-1.548	0
130	Pressure-Side	23.489	-1.366	0
131	Pressure-Side	23.196	-1.189	0
132	Pressure-Side	22.900	-1.018	0
133	Pressure-Side	22.602	-0.852	0
134	Pressure-Side	22.300	-0.691	0
135	Pressure-Side	21.995	-0.536	0
136	Pressure-Side	21.688	-0.386	0
137	Pressure-Side	21.378	-0.242	0
138	Pressure-Side	21.065	-0.103	0
139	Pressure-Side	20.750	0.029	0
140	Pressure-Side	20.433	0.156	0
141	Pressure-Side	20.113	0.277	0
142	Pressure-Side	19.791	0.392	0
143	Pressure-Side	19.467	0.501	0
144	Pressure-Side	19.141	0.605	0
145	Pressure-Side	18.813	0.702	0
146	Pressure-Side	18.483	0.794	0
147	Pressure-Side	18.152	0.880	0
148	Pressure-Side	17.820	0.959	0
149	Pressure-Side	17.486	1.034	0
150	Pressure-Side	17.151	1.102	0
151	Pressure-Side	16.815	1.165	0
152	Pressure-Side	16.478	1.222	0
153	Pressure-Side	16.140	1.273	0
154	Pressure-Side	15.801	1.320	0
155	Pressure-Side	15.462	1.361	0
156	Pressure-Side	15.122	1.396	0
157	Pressure-Side	14.781	1.426	0
158	Pressure-Side	14.440	1.451	0
159	Pressure-Side	14.099	1.471	0
160	Pressure-Side	13.757	1.486	0
161	Pressure-Side	13.415	1.497	0

TABLE 1-continued

N	Location	X	Y	Z
162	Pressure-Side	13.073	1.502	0
163	Pressure-Side	12.732	1.503	0
164	Pressure-Side	12.389	1.499	0
165	Pressure-Side	12.048	1.491	0
166	Pressure-Side	11.706	1.478	0
167	Pressure-Side	11.364	1.460	0
168	Pressure-Side	11.023	1.439	0
169	Pressure-Side	10.682	1.413	0
170	Pressure-Side	10.342	1.384	0
171	Pressure-Side	10.002	1.350	0
172	Pressure-Side	9.662	1.312	0
173	Pressure-Side	9.322	1.271	0
174	Pressure-Side	8.983	1.226	0
175	Pressure-Side	8.645	1.177	0
176	Pressure-Side	8.307	1.124	0
177	Pressure-Side	7.969	1.069	0
178	Pressure-Side	7.632	1.010	0
179	Pressure-Side	7.297	0.948	0
180	Pressure-Side	6.961	0.882	0
181	Pressure-Side	6.625	0.814	0
182	Pressure-Side	6.291	0.743	0
183	Pressure-Side	5.957	0.671	0
184	Pressure-Side	5.623	0.594	0
185	Pressure-Side	5.291	0.517	0
186	Pressure-Side	4.958	0.437	0
187	Pressure-Side	4.626	0.355	0
188	Pressure-Side	4.294	0.274	0
189	Pressure-Side	3.963	0.191	0
190	Pressure-Side	3.630	0.107	0
191	Pressure-Side	3.299	0.026	0
192	Pressure-Side	2.966	-0.054	0
193	Pressure-Side	2.633	-0.130	0
194	Pressure-Side	2.298	-0.202	0
195	Pressure-Side	1.962	-0.264	0
196	Pressure-Side	1.624	-0.315	0
197	Pressure-Side	1.284	-0.346	0
198	Pressure-Side	0.942	-0.348	0
199	Pressure-Side	0.603	-0.304	0
200	Pressure-Side	0.280	-0.193	0
1	Suction-Side	1.071	0.945	10
2	Suction-Side	0.937	1.319	10
3	Suction-Side	1.007	1.723	10
4	Suction-Side	1.168	2.101	10
5	Suction-Side	1.372	2.458	10
6	Suction-Side	1.605	2.797	10
7	Suction-Side	1.857	3.122	10
8	Suction-Side	2.124	3.435	10
9	Suction-Side	2.403	3.737	10
10	Suction-Side	2.692	4.030	10
11	Suction-Side	2.990	4.314	10
12	Suction-Side	3.296	4.589	10
13	Suction-Side	3.609	4.856	10
14	Suction-Side	3.928	5.115	10
15	Suction-Side	4.254	5.366	10
16	Suction-Side	4.586	5.609	10
17	Suction-Side	4.924	5.844	10
18	Suction-Side	5.266	6.072	10
19	Suction-Side	5.615	6.290	10
20	Suction-Side	5.968	6.502	10
21	Suction-Side	6.326	6.704	10
22	Suction-Side	6.689	6.897	10
23	Suction-Side	7.057	7.083	10
24	Suction-Side	7.429	7.258	10
25	Suction-Side	7.805	7.424	10
26	Suction-Side	8.185	7.581	10
27	Suction-Side	8.570	7.727	10
28	Suction-Side	8.959	7.862	10
29	Suction-Side	9.350	7.987	10
30	Suction-Side	9.746	8.100	10
31	Suction-Side	10.145	8.202	10
32	Suction-Side	10.546	8.291	10
33	Suction-Side	10.950	8.368	10
34	Suction-Side	11.356	8.432	10
35	Suction-Side	11.765	8.483	10
36	Suction-Side	12.174	8.520	10

TABLE 1-continued

N	Location	X	Y	Z
37	Suction-Side	12.585	8.544	10
38	Suction-Side	12.997	8.553	10
39	Suction-Side	13.408	8.549	10
40	Suction-Side	13.819	8.530	10
41	Suction-Side	14.229	8.496	10
42	Suction-Side	14.637	8.449	10
43	Suction-Side	15.044	8.386	10
44	Suction-Side	15.448	8.311	10
45	Suction-Side	15.850	8.221	10
46	Suction-Side	16.248	8.117	10
47	Suction-Side	16.643	8.000	10
48	Suction-Side	17.033	7.870	10
49	Suction-Side	17.418	7.728	10
50	Suction-Side	17.800	7.573	10
51	Suction-Side	18.176	7.407	10
52	Suction-Side	18.547	7.230	10
53	Suction-Side	18.913	7.041	10
54	Suction-Side	19.274	6.843	10
55	Suction-Side	19.628	6.635	10
56	Suction-Side	19.978	6.417	10
57	Suction-Side	20.321	6.191	10
58	Suction-Side	20.659	5.957	10
59	Suction-Side	20.991	5.714	10
60	Suction-Side	21.318	5.464	10
61	Suction-Side	21.640	5.207	10
62	Suction-Side	21.955	4.944	10
63	Suction-Side	22.266	4.674	10
64	Suction-Side	22.571	4.398	10
65	Suction-Side	22.871	4.117	10
66	Suction-Side	23.166	3.830	10
67	Suction-Side	23.456	3.538	10
68	Suction-Side	23.742	3.242	10
69	Suction-Side	24.022	2.941	10
70	Suction-Side	24.298	2.636	10
71	Suction-Side	24.569	2.327	10
72	Suction-Side	24.836	2.013	10
73	Suction-Side	25.099	1.697	10
74	Suction-Side	25.357	1.377	10
75	Suction-Side	25.612	1.054	10
76	Suction-Side	25.862	0.727	10
77	Suction-Side	26.109	0.398	10
78	Suction-Side	26.352	0.067	10
79	Suction-Side	26.592	-0.268	10
80	Suction-Side	26.828	-0.605	10
81	Suction-Side	27.061	-0.944	10
82	Suction-Side	27.290	-1.286	10
83	Suction-Side	27.516	-1.629	10
84	Suction-Side	27.740	-1.975	10
85	Suction-Side	27.960	-2.322	10
86	Suction-Side	28.178	-2.671	10
87	Suction-Side	28.392	-3.022	10
88	Suction-Side	28.605	-3.374	10
89	Suction-Side	28.815	-3.728	10
90	Suction-Side	29.022	-4.084	10
91	Suction-Side	29.228	-4.440	10
92	Suction-Side	29.431	-4.797	10
93	Suction-Side	29.632	-5.156	10
94	Suction-Side	29.832	-5.516	10
95	Suction-Side	30.030	-5.877	10
96	Suction-Side	30.226	-6.239	10
97	Suction-Side	30.420	-6.601	10
98	Suction-Side	30.614	-6.964	10
99	Suction-Side	30.807	-7.327	10
100	Suction-Side	30.944	-7.709	10
101	Pressure-Side	30.750	-8.055	10
102	Pressure-Side	30.431	-8.117	10
103	Pressure-Side	30.159	-7.936	10
104	Pressure-Side	29.951	-7.675	10
105	Pressure-Side	29.741	-7.415	10
106	Pressure-Side	29.529	-7.156	10
107	Pressure-Side	29.317	-6.898	10
108	Pressure-Side	29.102	-6.642	10
109	Pressure-Side	28.886	-6.388	10
110	Pressure-Side	28.667	-6.135	10
111	Pressure-Side	28.447	-5.884	10

TABLE 1-continued

N	Location	X	Y	Z
112	Pressure-Side	28.224	-5.635	10
113	Pressure-Side	28.000	-5.388	10
114	Pressure-Side	27.772	-5.142	10
115	Pressure-Side	27.543	-4.900	10
116	Pressure-Side	27.311	-4.659	10
117	Pressure-Side	27.077	-4.421	10
118	Pressure-Side	26.840	-4.185	10
119	Pressure-Side	26.600	-3.952	10
120	Pressure-Side	26.358	-3.723	10
121	Pressure-Side	26.112	-3.495	10
122	Pressure-Side	25.864	-3.271	10
123	Pressure-Side	25.614	-3.050	10
124	Pressure-Side	25.360	-2.833	10
125	Pressure-Side	25.103	-2.619	10
126	Pressure-Side	24.844	-2.408	10
127	Pressure-Side	24.582	-2.202	10
128	Pressure-Side	24.316	-1.998	10
129	Pressure-Side	24.048	-1.799	10
130	Pressure-Side	23.777	-1.604	10
131	Pressure-Side	23.503	-1.413	10
132	Pressure-Side	23.225	-1.227	10
133	Pressure-Side	22.946	-1.044	10
134	Pressure-Side	22.662	-0.866	10
135	Pressure-Side	22.377	-0.693	10
136	Pressure-Side	22.088	-0.525	10
137	Pressure-Side	21.797	-0.361	10
138	Pressure-Side	21.503	-0.203	10
139	Pressure-Side	21.206	-0.049	10
140	Pressure-Side	20.907	0.100	10
141	Pressure-Side	20.605	0.243	10
142	Pressure-Side	20.301	0.381	10
143	Pressure-Side	19.994	0.514	10
144	Pressure-Side	19.685	0.642	10
145	Pressure-Side	19.374	0.764	10
146	Pressure-Side	19.061	0.881	10
147	Pressure-Side	18.746	0.992	10
148	Pressure-Side	18.430	1.098	10
149	Pressure-Side	18.111	1.198	10
150	Pressure-Side	17.790	1.293	10
151	Pressure-Side	17.468	1.382	10
152	Pressure-Side	17.144	1.465	10
153	Pressure-Side	16.820	1.543	10
154	Pressure-Side	16.493	1.615	10
155	Pressure-Side	16.166	1.682	10
156	Pressure-Side	15.837	1.742	10
157	Pressure-Side	15.508	1.798	10
158	Pressure-Side	15.177	1.848	10
159	Pressure-Side	14.846	1.892	10
160	Pressure-Side	14.514	1.930	10
161	Pressure-Side	14.182	1.963	10
162	Pressure-Side	13.849	1.991	10
163	Pressure-Side	13.515	2.014	10
164	Pressure-Side	13.182	2.031	10
165	Pressure-Side	12.848	2.042	10
166	Pressure-Side	12.513	2.049	10
167	Pressure-Side	12.180	2.050	10
168	Pressure-Side	11.846	2.047	10
169	Pressure-Side	11.511	2.038	10
170	Pressure-Side	11.178	2.025	10
171	Pressure-Side	10.844	2.006	10
172	Pressure-Side	10.510	1.983	10
173	Pressure-Side	10.178	1.956	10
174	Pressure-Side	9.845	1.923	10
175	Pressure-Side	9.513	1.887	10
176	Pressure-Side	9.182	1.846	10
177	Pressure-Side	8.850	1.800	10
178	Pressure-Side	8.519	1.751	10
179	Pressure-Side	8.190	1.699	10
180	Pressure-Side	7.861	1.642	10
181	Pressure-Side	7.532	1.582	10
182	Pressure-Side	7.203	1.518	10
183	Pressure-Side	6.876	1.452	10
184	Pressure-Side	6.549	1.383	10
185	Pressure-Side	6.223	1.311	10
186	Pressure-Side	5.897	1.237	10

TABLE 1-continued

N	Location	X	Y	Z
187	Pressure-Side	5.572	1.161	10
188	Pressure-Side	5.247	1.084	10
189	Pressure-Side	4.921	1.007	10
190	Pressure-Side	4.596	0.929	10
191	Pressure-Side	4.271	0.853	10
192	Pressure-Side	3.945	0.779	10
193	Pressure-Side	3.619	0.708	10
194	Pressure-Side	3.291	0.644	10
195	Pressure-Side	2.962	0.589	10
196	Pressure-Side	2.630	0.548	10
197	Pressure-Side	2.296	0.527	10
198	Pressure-Side	1.963	0.540	10
199	Pressure-Side	1.635	0.601	10
200	Pressure-Side	1.329	0.733	10
1	Suction-Side	2.156	1.964	20
2	Suction-Side	2.045	2.337	20
3	Suction-Side	2.119	2.726	20
4	Suction-Side	2.277	3.091	20
5	Suction-Side	2.478	3.433	20
6	Suction-Side	2.707	3.758	20
7	Suction-Side	2.954	4.069	20
8	Suction-Side	3.217	4.367	20
9	Suction-Side	3.492	4.654	20
10	Suction-Side	3.777	4.931	20
11	Suction-Side	4.072	5.197	20
12	Suction-Side	4.374	5.455	20
13	Suction-Side	4.685	5.703	20
14	Suction-Side	5.001	5.943	20
15	Suction-Side	5.324	6.175	20
16	Suction-Side	5.654	6.397	20
17	Suction-Side	5.989	6.611	20
18	Suction-Side	6.329	6.816	20
19	Suction-Side	6.675	7.012	20
20	Suction-Side	7.026	7.199	20
21	Suction-Side	7.381	7.376	20
22	Suction-Side	7.741	7.544	20
23	Suction-Side	8.106	7.702	20
24	Suction-Side	8.475	7.849	20
25	Suction-Side	8.848	7.987	20
26	Suction-Side	9.225	8.113	20
27	Suction-Side	9.605	8.228	20
28	Suction-Side	9.989	8.332	20
29	Suction-Side	10.375	8.424	20
30	Suction-Side	10.765	8.503	20
31	Suction-Side	11.156	8.570	20
32	Suction-Side	11.550	8.624	20
33	Suction-Side	11.946	8.664	20
34	Suction-Side	12.342	8.691	20
35	Suction-Side	12.739	8.705	20
36	Suction-Side	13.137	8.705	20
37	Suction-Side	13.534	8.690	20
38	Suction-Side	13.930	8.662	20
39	Suction-Side	14.325	8.619	20
40	Suction-Side	14.718	8.562	20
41	Suction-Side	15.109	8.492	20
42	Suction-Side	15.498	8.408	20
43	Suction-Side	15.883	8.310	20
44	Suction-Side	16.265	8.200	20
45	Suction-Side	16.643	8.077	20
46	Suction-Side	17.016	7.942	20
47	Suction-Side	17.385	7.794	20
48	Suction-Side	17.750	7.636	20
49	Suction-Side	18.109	7.466	20
50	Suction-Side	18.464	7.286	20
51	Suction-Side	18.812	7.095	20
52	Suction-Side	19.156	6.896	20
53	Suction-Side	19.494	6.688	20
54	Suction-Side	19.827	6.471	20
55	Suction-Side	20.155	6.246	20
56	Suction-Side	20.477	6.013	20
57	Suction-Side	20.794	5.773	20
58	Suction-Side	21.105	5.527	20
59	Suction-Side	21.412	5.273	20
60	Suction-Side	21.713	5.014	20
61	Suction-Side	22.009	4.750	20



TABLE I-continued

N	Location	X	Y	Z
62	Suction-Side	22.301	4.479	20
63	Suction-Side	22.587	4.204	20
64	Suction-Side	22.869	3.924	20
65	Suction-Side	23.147	3.639	20
66	Suction-Side	23.420	3.351	20
67	Suction-Side	23.688	3.057	20
68	Suction-Side	23.952	2.761	20
69	Suction-Side	24.213	2.460	20
70	Suction-Side	24.469	2.157	20
71	Suction-Side	24.721	1.850	20
72	Suction-Side	24.970	1.540	20
73	Suction-Side	25.215	1.227	20
74	Suction-Side	25.456	0.911	20
75	Suction-Side	25.694	0.592	20
76	Suction-Side	25.928	0.271	20
77	Suction-Side	26.159	-0.052	20
78	Suction-Side	26.387	-0.378	20
79	Suction-Side	26.611	-0.706	20
80	Suction-Side	26.832	-1.036	20
81	Suction-Side	27.051	-1.368	20
82	Suction-Side	27.267	-1.701	20
83	Suction-Side	27.480	-2.037	20
84	Suction-Side	27.690	-2.374	20
85	Suction-Side	27.897	-2.713	20
86	Suction-Side	28.103	-3.054	20
87	Suction-Side	28.306	-3.395	20
88	Suction-Side	28.506	-3.738	20
89	Suction-Side	28.704	-4.083	20
90	Suction-Side	28.900	-4.428	20
91	Suction-Side	29.095	-4.775	20
92	Suction-Side	29.287	-5.123	20
93	Suction-Side	29.478	-5.471	20
94	Suction-Side	29.667	-5.821	20
95	Suction-Side	29.856	-6.170	20
96	Suction-Side	30.043	-6.521	20
97	Suction-Side	30.228	-6.872	20
98	Suction-Side	30.414	-7.224	20
99	Suction-Side	30.599	-7.576	20
100	Suction-Side	30.735	-7.944	20
101	Pressure-Side	30.549	-8.277	20
102	Pressure-Side	30.236	-8.331	20
103	Pressure-Side	29.979	-8.145	20
104	Pressure-Side	29.779	-7.888	20
105	Pressure-Side	29.577	-7.632	20
106	Pressure-Side	29.376	-7.377	20
107	Pressure-Side	29.172	-7.123	20
108	Pressure-Side	28.968	-6.870	20
109	Pressure-Side	28.761	-6.618	20
110	Pressure-Side	28.553	-6.367	20
111	Pressure-Side	28.344	-6.118	20
112	Pressure-Side	28.133	-5.870	20
113	Pressure-Side	27.920	-5.624	20
114	Pressure-Side	27.705	-5.380	20
115	Pressure-Side	27.488	-5.136	20
116	Pressure-Side	27.269	-4.895	20
117	Pressure-Side	27.048	-4.656	20
118	Pressure-Side	26.825	-4.419	20
119	Pressure-Side	26.600	-4.184	20
120	Pressure-Side	26.373	-3.951	20
121	Pressure-Side	26.143	-3.720	20
122	Pressure-Side	25.910	-3.493	20
123	Pressure-Side	25.676	-3.266	20
124	Pressure-Side	25.439	-3.043	20
125	Pressure-Side	25.199	-2.823	20
126	Pressure-Side	24.957	-2.605	20
127	Pressure-Side	24.713	-2.391	20
128	Pressure-Side	24.465	-2.179	20
129	Pressure-Side	24.216	-1.970	20
130	Pressure-Side	23.963	-1.764	20
131	Pressure-Side	23.708	-1.562	20
132	Pressure-Side	23.451	-1.363	20
133	Pressure-Side	23.190	-1.168	20
134	Pressure-Side	22.927	-0.976	20
135	Pressure-Side	22.661	-0.788	20
136	Pressure-Side	22.393	-0.604	20

TABLE I-continued

N	Location	X	Y	Z
137	Pressure-Side	22.121	-0.424	20
138	Pressure-Side	21.848	-0.247	20
139	Pressure-Side	21.571	-0.076	20
140	Pressure-Side	21.292	0.092	20
141	Pressure-Side	21.011	0.255	20
142	Pressure-Side	20.726	0.415	20
143	Pressure-Side	20.440	0.569	20
144	Pressure-Side	20.151	0.718	20
145	Pressure-Side	19.859	0.863	20
146	Pressure-Side	19.565	1.004	20
147	Pressure-Side	19.269	1.139	20
148	Pressure-Side	18.971	1.269	20
149	Pressure-Side	18.670	1.394	20
150	Pressure-Side	18.367	1.513	20
151	Pressure-Side	18.062	1.628	20
152	Pressure-Side	17.756	1.737	20
153	Pressure-Side	17.447	1.841	20
154	Pressure-Side	17.137	1.939	20
155	Pressure-Side	16.825	2.031	20
156	Pressure-Side	16.511	2.118	20
157	Pressure-Side	16.195	2.199	20
158	Pressure-Side	15.879	2.275	20
159	Pressure-Side	15.561	2.345	20
160	Pressure-Side	15.242	2.409	20
161	Pressure-Side	14.921	2.467	20
162	Pressure-Side	14.600	2.519	20
163	Pressure-Side	14.278	2.565	20
164	Pressure-Side	13.955	2.605	20
165	Pressure-Side	13.631	2.640	20
166	Pressure-Side	13.306	2.669	20
167	Pressure-Side	12.982	2.692	20
168	Pressure-Side	12.657	2.709	20
169	Pressure-Side	12.331	2.720	20
170	Pressure-Side	12.006	2.726	20
171	Pressure-Side	11.681	2.726	20
172	Pressure-Side	11.355	2.720	20
173	Pressure-Side	11.029	2.709	20
174	Pressure-Side	10.704	2.693	20
175	Pressure-Side	10.379	2.672	20
176	Pressure-Side	10.055	2.645	20
177	Pressure-Side	9.731	2.614	20
178	Pressure-Side	9.407	2.578	20
179	Pressure-Side	9.085	2.537	20
180	Pressure-Side	8.762	2.492	20
181	Pressure-Side	8.440	2.442	20
182	Pressure-Side	8.119	2.388	20
183	Pressure-Side	7.798	2.331	20
184	Pressure-Side	7.479	2.271	20
185	Pressure-Side	7.159	2.207	20
186	Pressure-Side	6.840	2.141	20
187	Pressure-Side	6.522	2.072	20
188	Pressure-Side	6.205	2.003	20
189	Pressure-Side	5.887	1.931	20
190	Pressure-Side	5.569	1.860	20
191	Pressure-Side	5.251	1.790	20
192	Pressure-Side	4.933	1.722	20
193	Pressure-Side	4.614	1.658	20
194	Pressure-Side	4.294	1.599	20
195	Pressure-Side	3.972	1.551	20
196	Pressure-Side	3.648	1.516	20
197	Pressure-Side	3.322	1.503	20
198	Pressure-Side	2.998	1.524	20
199	Pressure-Side	2.681	1.595	20
200	Pressure-Side	2.391	1.741	20
1	Suction-Side	3.351	3.090	30
2	Suction-Side	3.252	3.452	30
3	Suction-Side	3.318	3.825	30
4	Suction-Side	3.464	4.176	30
5	Suction-Side	3.655	4.506	30
6	Suction-Side	3.874	4.817	30
7	Suction-Side	4.115	5.112	30
8	Suction-Side	4.371	5.394	30
9	Suction-Side	4.641	5.662	30
10	Suction-Side	4.921	5.919	30
11	Suction-Side	5.212	6.166	30

TABLE I-continued

N	Location	X	Y	Z
12	Suction-Side	5.511	6.402	30
13	Suction-Side	5.817	6.628	30
14	Suction-Side	6.131	6.844	30
15	Suction-Side	6.450	7.050	30
16	Suction-Side	6.777	7.247	30
17	Suction-Side	7.109	7.433	30
18	Suction-Side	7.446	7.609	30
19	Suction-Side	7.789	7.776	30
20	Suction-Side	8.136	7.932	30
21	Suction-Side	8.488	8.077	30
22	Suction-Side	8.844	8.212	30
23	Suction-Side	9.204	8.336	30
24	Suction-Side	9.567	8.450	30
25	Suction-Side	9.935	8.551	30
26	Suction-Side	10.304	8.641	30
27	Suction-Side	10.677	8.719	30
28	Suction-Side	11.052	8.785	30
29	Suction-Side	11.429	8.838	30
30	Suction-Side	11.808	8.879	30
31	Suction-Side	12.188	8.906	30
32	Suction-Side	12.568	8.921	30
33	Suction-Side	12.949	8.922	30
34	Suction-Side	13.329	8.910	30
35	Suction-Side	13.709	8.885	30
36	Suction-Side	14.088	8.846	30
37	Suction-Side	14.465	8.794	30
38	Suction-Side	14.841	8.728	30
39	Suction-Side	15.213	8.650	30
40	Suction-Side	15.582	8.558	30
41	Suction-Side	15.949	8.455	30
42	Suction-Side	16.311	8.339	30
43	Suction-Side	16.670	8.210	30
44	Suction-Side	17.025	8.071	30
45	Suction-Side	17.374	7.920	30
46	Suction-Side	17.719	7.759	30
47	Suction-Side	18.059	7.588	30
48	Suction-Side	18.394	7.407	30
49	Suction-Side	18.724	7.217	30
50	Suction-Side	19.049	7.018	30
51	Suction-Side	19.368	6.811	30
52	Suction-Side	19.683	6.596	30
53	Suction-Side	19.992	6.373	30
54	Suction-Side	20.296	6.144	30
55	Suction-Side	20.595	5.908	30
56	Suction-Side	20.889	5.666	30
57	Suction-Side	21.178	5.419	30
58	Suction-Side	21.462	5.165	30
59	Suction-Side	21.742	4.907	30
60	Suction-Side	22.016	4.643	30
61	Suction-Side	22.287	4.375	30
62	Suction-Side	22.553	4.103	30
63	Suction-Side	22.816	3.827	30
64	Suction-Side	23.073	3.546	30
65	Suction-Side	23.327	3.263	30
66	Suction-Side	23.577	2.976	30
67	Suction-Side	23.824	2.685	30
68	Suction-Side	24.066	2.392	30
69	Suction-Side	24.305	2.096	30
70	Suction-Side	24.541	1.797	30
71	Suction-Side	24.774	1.495	30
72	Suction-Side	25.002	1.190	30
73	Suction-Side	25.229	0.884	30
74	Suction-Side	25.451	0.575	30
75	Suction-Side	25.671	0.264	30
76	Suction-Side	25.888	-0.048	30
77	Suction-Side	26.102	-0.363	30
78	Suction-Side	26.314	-0.680	30
79	Suction-Side	26.523	-0.998	30
80	Suction-Side	26.729	-1.319	30
81	Suction-Side	26.933	-1.640	30
82	Suction-Side	27.134	-1.963	30
83	Suction-Side	27.333	-2.288	30
84	Suction-Side	27.530	-2.614	30
85	Suction-Side	27.724	-2.941	30
86	Suction-Side	27.917	-3.270	30

TABLE I-continued

N	Location	X	Y	Z
87	Suction-Side	28.108	-3.600	30
88	Suction-Side	28.296	-3.930	30
89	Suction-Side	28.483	-4.262	30
90	Suction-Side	28.668	-4.595	30
91	Suction-Side	28.852	-4.928	30
92	Suction-Side	29.035	-5.263	30
93	Suction-Side	29.216	-5.597	30
94	Suction-Side	29.395	-5.933	30
95	Suction-Side	29.574	-6.269	30
96	Suction-Side	29.752	-6.606	30
97	Suction-Side	29.929	-6.943	30
98	Suction-Side	30.106	-7.280	30
99	Suction-Side	30.283	-7.617	30
100	Suction-Side	30.409	-7.971	30
101	Pressure-Side	30.226	-8.287	30
102	Pressure-Side	29.923	-8.337	30
103	Pressure-Side	29.674	-8.156	30
104	Pressure-Side	29.484	-7.904	30
105	Pressure-Side	29.293	-7.654	30
106	Pressure-Side	29.101	-7.404	30
107	Pressure-Side	28.908	-7.154	30
108	Pressure-Side	28.714	-6.906	30
109	Pressure-Side	28.518	-6.659	30
110	Pressure-Side	28.321	-6.413	30
111	Pressure-Side	28.123	-6.168	30
112	Pressure-Side	27.923	-5.924	30
113	Pressure-Side	27.723	-5.681	30
114	Pressure-Side	27.520	-5.440	30
115	Pressure-Side	27.316	-5.199	30
116	Pressure-Side	27.110	-4.960	30
117	Pressure-Side	26.903	-4.723	30
118	Pressure-Side	26.694	-4.487	30
119	Pressure-Side	26.483	-4.253	30
120	Pressure-Side	26.271	-4.019	30
121	Pressure-Side	26.057	-3.789	30
122	Pressure-Side	25.841	-3.559	30
123	Pressure-Side	25.623	-3.331	30
124	Pressure-Side	25.403	-3.106	30
125	Pressure-Side	25.181	-2.882	30
126	Pressure-Side	24.958	-2.660	30
127	Pressure-Side	24.731	-2.440	30
128	Pressure-Side	24.504	-2.222	30
129	Pressure-Side	24.273	-2.007	30
130	Pressure-Side	24.041	-1.793	30
131	Pressure-Side	23.807	-1.583	30
132	Pressure-Side	23.570	-1.375	30
133	Pressure-Side	23.331	-1.169	30
134	Pressure-Side	23.090	-0.966	30
135	Pressure-Side	22.847	-0.766	30
136	Pressure-Side	22.601	-0.568	30
137	Pressure-Side	22.353	-0.374	30
138	Pressure-Side	22.103	-0.183	30
139	Pressure-Side	21.850	0.006	30
140	Pressure-Side	21.595	0.191	30
141	Pressure-Side	21.337	0.373	30
142	Pressure-Side	21.077	0.550	30
143	Pressure-Side	20.814	0.725	30
144	Pressure-Side	20.549	0.896	30
145	Pressure-Side	20.282	1.062	30
146	Pressure-Side	20.012	1.225	30
147	Pressure-Side	19.740	1.384	30
148	Pressure-Side	19.465	1.538	30
149	Pressure-Side	19.188	1.688	30
150	Pressure-Side	18.908	1.834	30
151	Pressure-Side	18.626	1.975	30
152	Pressure-Side	18.342	2.111	30
153	Pressure-Side	18.055	2.242	30
154	Pressure-Side	17.766	2.368	30
155	Pressure-Side	17.475	2.489	30
156	Pressure-Side	17.183	2.605	30
157	Pressure-Side	16.887	2.715	30
158	Pressure-Side	16.590	2.820	30
159	Pressure-Side	16.291	2.919	30
160	Pressure-Side	15.990	3.012	30
161	Pressure-Side	15.687	3.099	30

TABLE I-continued

N	Location	X	Y	Z
162	Pressure-Side	15.382	3.180	30
163	Pressure-Side	15.076	3.255	30
164	Pressure-Side	14.768	3.324	30
165	Pressure-Side	14.460	3.387	30
166	Pressure-Side	14.149	3.443	30
167	Pressure-Side	13.838	3.493	30
168	Pressure-Side	13.526	3.536	30
169	Pressure-Side	13.213	3.572	30
170	Pressure-Side	12.899	3.603	30
171	Pressure-Side	12.585	3.627	30
172	Pressure-Side	12.270	3.644	30
173	Pressure-Side	11.955	3.654	30
174	Pressure-Side	11.640	3.659	30
175	Pressure-Side	11.325	3.657	30
176	Pressure-Side	11.010	3.649	30
177	Pressure-Side	10.694	3.635	30
178	Pressure-Side	10.380	3.615	30
179	Pressure-Side	10.066	3.589	30
180	Pressure-Side	9.753	3.558	30
181	Pressure-Side	9.439	3.522	30
182	Pressure-Side	9.127	3.480	30
183	Pressure-Side	8.815	3.435	30
184	Pressure-Side	8.504	3.384	30
185	Pressure-Side	8.193	3.329	30
186	Pressure-Side	7.884	3.271	30
187	Pressure-Side	7.574	3.210	30
188	Pressure-Side	7.266	3.147	30
189	Pressure-Side	6.958	3.081	30
190	Pressure-Side	6.649	3.014	30
191	Pressure-Side	6.341	2.948	30
192	Pressure-Side	6.033	2.882	30
193	Pressure-Side	5.724	2.819	30
194	Pressure-Side	5.414	2.761	30
195	Pressure-Side	5.103	2.711	30
196	Pressure-Side	4.790	2.673	30
197	Pressure-Side	4.476	2.654	30
198	Pressure-Side	4.161	2.667	30
199	Pressure-Side	3.852	2.729	30
200	Pressure-Side	3.570	2.866	30
1	Suction-Side	4.596	4.292	40
2	Suction-Side	4.505	4.639	40
3	Suction-Side	4.556	4.996	40
4	Suction-Side	4.687	5.333	40
5	Suction-Side	4.866	5.648	40
6	Suction-Side	5.076	5.942	40
7	Suction-Side	5.309	6.220	40
8	Suction-Side	5.560	6.481	40
9	Suction-Side	5.824	6.729	40
10	Suction-Side	6.100	6.963	40
11	Suction-Side	6.386	7.185	40
12	Suction-Side	6.681	7.395	40
13	Suction-Side	6.984	7.593	40
14	Suction-Side	7.294	7.780	40
15	Suction-Side	7.611	7.955	40
16	Suction-Side	7.934	8.120	40
17	Suction-Side	8.261	8.273	40
18	Suction-Side	8.595	8.415	40
19	Suction-Side	8.932	8.546	40
20	Suction-Side	9.274	8.665	40
21	Suction-Side	9.620	8.773	40
22	Suction-Side	9.969	8.869	40
23	Suction-Side	10.321	8.954	40
24	Suction-Side	10.676	9.027	40
25	Suction-Side	11.033	9.087	40
26	Suction-Side	11.392	9.136	40
27	Suction-Side	11.752	9.172	40
28	Suction-Side	12.113	9.195	40
29	Suction-Side	12.475	9.207	40
30	Suction-Side	12.837	9.205	40
31	Suction-Side	13.199	9.192	40
32	Suction-Side	13.560	9.165	40
33	Suction-Side	13.920	9.126	40
34	Suction-Side	14.279	9.075	40
35	Suction-Side	14.635	9.011	40
36	Suction-Side	14.989	8.935	40

TABLE I-continued

N	Location	X	Y	Z
37	Suction-Side	15.340	8.848	40
38	Suction-Side	15.688	8.748	40
39	Suction-Side	16.033	8.638	40
40	Suction-Side	16.374	8.516	40
41	Suction-Side	16.711	8.383	40
42	Suction-Side	17.044	8.240	40
43	Suction-Side	17.372	8.087	40
44	Suction-Side	17.696	7.925	40
45	Suction-Side	18.014	7.753	40
46	Suction-Side	18.328	7.572	40
47	Suction-Side	18.638	7.383	40
48	Suction-Side	18.941	7.187	40
49	Suction-Side	19.241	6.983	40
50	Suction-Side	19.535	6.771	40
51	Suction-Side	19.824	6.554	40
52	Suction-Side	20.108	6.329	40
53	Suction-Side	20.388	6.099	40
54	Suction-Side	20.663	5.863	40
55	Suction-Side	20.933	5.622	40
56	Suction-Side	21.198	5.376	40
57	Suction-Side	21.460	5.126	40
58	Suction-Side	21.717	4.870	40
59	Suction-Side	21.970	4.611	40
60	Suction-Side	22.218	4.348	40
61	Suction-Side	22.463	4.081	40
62	Suction-Side	22.704	3.811	40
63	Suction-Side	22.941	3.537	40
64	Suction-Side	23.175	3.261	40
65	Suction-Side	23.405	2.982	40
66	Suction-Side	23.633	2.700	40
67	Suction-Side	23.857	2.415	40
68	Suction-Side	24.077	2.128	40
69	Suction-Side	24.295	1.838	40
70	Suction-Side	24.510	1.547	40
71	Suction-Side	24.721	1.253	40
72	Suction-Side	24.930	0.958	40
73	Suction-Side	25.138	0.660	40
74	Suction-Side	25.341	0.361	40
75	Suction-Side	25.543	0.061	40
76	Suction-Side	25.743	-0.242	40
77	Suction-Side	25.939	-0.545	40
78	Suction-Side	26.134	-0.851	40
79	Suction-Side	26.327	-1.157	40
80	Suction-Side	26.518	-1.465	40
81	Suction-Side	26.707	-1.774	40
82	Suction-Side	26.894	-2.084	40
83	Suction-Side	27.079	-2.395	40
84	Suction-Side	27.262	-2.708	40
85	Suction-Side	27.444	-3.021	40
86	Suction-Side	27.625	-3.335	40
87	Suction-Side	27.803	-3.650	40
88	Suction-Side	27.981	-3.965	40
89	Suction-Side	28.156	-4.282	40
90	Suction-Side	28.332	-4.599	40
91	Suction-Side	28.505	-4.917	40
92	Suction-Side	28.677	-5.235	40
93	Suction-Side	28.849	-5.554	40
94	Suction-Side	29.020	-5.874	40
95	Suction-Side	29.189	-6.193	40
96	Suction-Side	29.359	-6.513	40
97	Suction-Side	29.528	-6.834	40
98	Suction-Side	29.697	-7.154	40
99	Suction-Side	29.866	-7.474	40
100	Suction-Side	29.973	-7.813	40
101	Pressure-Side	29.789	-8.110	40
102	Pressure-Side	29.497	-8.159	40
103	Pressure-Side	29.253	-7.989	40
104	Pressure-Side	29.074	-7.744	40
105	Pressure-Side	28.894	-7.499	40
106	Pressure-Side	28.712	-7.255	40
107	Pressure-Side	28.530	-7.012	40
108	Pressure-Side	28.345	-6.770	40
109	Pressure-Side	28.161	-6.529	40
110	Pressure-Side	27.974	-6.289	40
111	Pressure-Side	27.787	-6.049	40

TABLE I-continued

N	Location	X	Y	Z
112	Pressure-Side	27.599	-5.811	40
113	Pressure-Side	27.409	-5.573	40
114	Pressure-Side	27.218	-5.336	40
115	Pressure-Side	27.026	-5.100	40
116	Pressure-Side	26.833	-4.866	40
117	Pressure-Side	26.639	-4.632	40
118	Pressure-Side	26.443	-4.399	40
119	Pressure-Side	26.247	-4.168	40
120	Pressure-Side	26.049	-3.937	40
121	Pressure-Side	25.849	-3.708	40
122	Pressure-Side	25.648	-3.479	40
123	Pressure-Side	25.446	-3.252	40
124	Pressure-Side	25.243	-3.026	40
125	Pressure-Side	25.039	-2.801	40
126	Pressure-Side	24.833	-2.578	40
127	Pressure-Side	24.625	-2.355	40
128	Pressure-Side	24.416	-2.135	40
129	Pressure-Side	24.206	-1.915	40
130	Pressure-Side	23.994	-1.697	40
131	Pressure-Side	23.780	-1.480	40
132	Pressure-Side	23.565	-1.266	40
133	Pressure-Side	23.349	-1.053	40
134	Pressure-Side	23.130	-0.841	40
135	Pressure-Side	22.910	-0.631	40
136	Pressure-Side	22.688	-0.424	40
137	Pressure-Side	22.465	-0.218	40
138	Pressure-Side	22.239	-0.014	40
139	Pressure-Side	22.012	0.188	40
140	Pressure-Side	21.783	0.387	40
141	Pressure-Side	21.551	0.585	40
142	Pressure-Side	21.318	0.780	40
143	Pressure-Side	21.082	0.972	40
144	Pressure-Side	20.845	1.161	40
145	Pressure-Side	20.604	1.347	40
146	Pressure-Side	20.362	1.531	40
147	Pressure-Side	20.118	1.711	40
148	Pressure-Side	19.871	1.889	40
149	Pressure-Side	19.621	2.063	40
150	Pressure-Side	19.369	2.233	40
151	Pressure-Side	19.115	2.399	40
152	Pressure-Side	18.858	2.562	40
153	Pressure-Side	18.599	2.720	40
154	Pressure-Side	18.336	2.874	40
155	Pressure-Side	18.072	3.024	40
156	Pressure-Side	17.805	3.169	40
157	Pressure-Side	17.535	3.308	40
158	Pressure-Side	17.262	3.443	40
159	Pressure-Side	16.987	3.573	40
160	Pressure-Side	16.710	3.697	40
161	Pressure-Side	16.430	3.815	40
162	Pressure-Side	16.147	3.927	40
163	Pressure-Side	15.862	4.034	40
164	Pressure-Side	15.575	4.133	40
165	Pressure-Side	15.286	4.226	40
166	Pressure-Side	14.994	4.313	40
167	Pressure-Side	14.701	4.392	40
168	Pressure-Side	14.406	4.465	40
169	Pressure-Side	14.109	4.530	40
170	Pressure-Side	13.810	4.588	40
171	Pressure-Side	13.511	4.638	40
172	Pressure-Side	13.209	4.681	40
173	Pressure-Side	12.908	4.716	40
174	Pressure-Side	12.605	4.744	40
175	Pressure-Side	12.302	4.765	40
176	Pressure-Side	11.998	4.778	40
177	Pressure-Side	11.694	4.784	40
178	Pressure-Side	11.390	4.782	40
179	Pressure-Side	11.086	4.774	40
180	Pressure-Side	10.783	4.759	40
181	Pressure-Side	10.479	4.737	40
182	Pressure-Side	10.177	4.710	40
183	Pressure-Side	9.874	4.676	40
184	Pressure-Side	9.573	4.637	40
185	Pressure-Side	9.273	4.592	40
186	Pressure-Side	8.972	4.543	40

TABLE I-continued

N	Location	X	Y	Z
187	Pressure-Side	8.673	4.490	40
188	Pressure-Side	8.375	4.433	40
189	Pressure-Side	8.077	4.373	40
190	Pressure-Side	7.779	4.310	40
191	Pressure-Side	7.482	4.246	40
192	Pressure-Side	7.185	4.182	40
193	Pressure-Side	6.887	4.118	40
194	Pressure-Side	6.590	4.058	40
195	Pressure-Side	6.291	4.002	40
196	Pressure-Side	5.990	3.956	40
197	Pressure-Side	5.688	3.926	40
198	Pressure-Side	5.384	3.920	40
199	Pressure-Side	5.083	3.959	40
200	Pressure-Side	4.803	4.074	40
1	Suction-Side	5.748	5.503	50
2	Suction-Side	5.671	5.835	50
3	Suction-Side	5.717	6.175	50
4	Suction-Side	5.843	6.494	50
5	Suction-Side	6.018	6.790	50
6	Suction-Side	6.225	7.063	50
7	Suction-Side	6.456	7.318	50
8	Suction-Side	6.706	7.555	50
9	Suction-Side	6.969	7.775	50
10	Suction-Side	7.245	7.981	50
11	Suction-Side	7.531	8.172	50
12	Suction-Side	7.824	8.350	50
13	Suction-Side	8.126	8.515	50
14	Suction-Side	8.434	8.667	50
15	Suction-Side	8.749	8.807	50
16	Suction-Side	9.068	8.935	50
17	Suction-Side	9.392	9.050	50
18	Suction-Side	9.720	9.152	50
19	Suction-Side	10.052	9.243	50
20	Suction-Side	10.386	9.322	50
21	Suction-Side	10.724	9.389	50
22	Suction-Side	11.063	9.443	50
23	Suction-Side	11.404	9.485	50
24	Suction-Side	11.747	9.515	50
25	Suction-Side	12.090	9.532	50
26	Suction-Side	12.434	9.538	50
27	Suction-Side	12.777	9.531	50
28	Suction-Side	13.121	9.513	50
29	Suction-Side	13.463	9.482	50
30	Suction-Side	13.804	9.440	50
31	Suction-Side	14.144	9.386	50
32	Suction-Side	14.481	9.321	50
33	Suction-Side	14.817	9.244	50
34	Suction-Side	15.149	9.156	50
35	Suction-Side	15.479	9.058	50
36	Suction-Side	15.804	8.949	50
37	Suction-Side	16.127	8.830	50
38	Suction-Side	16.446	8.701	50
39	Suction-Side	16.760	8.562	50
40	Suction-Side	17.071	8.415	50
41	Suction-Side	17.377	8.258	50
42	Suction-Side	17.679	8.093	50
43	Suction-Side	17.976	7.920	50
44	Suction-Side	18.268	7.739	50
45	Suction-Side	18.556	7.551	50
46	Suction-Side	18.839	7.356	50
47	Suction-Side	19.118	7.154	50
48	Suction-Side	19.391	6.947	50
49	Suction-Side	19.660	6.733	50
50	Suction-Side	19.925	6.514	50
51	Suction-Side	20.185	6.289	50
52	Suction-Side	20.441	6.059	50
53	Suction-Side	20.693	5.825	50
54	Suction-Side	20.940	5.586	50
55	Suction-Side	21.183	5.343	50
56	Suction-Side	21.422	5.096	50
57	Suction-Side	21.658	4.845	50
58	Suction-Side	21.890	4.592	50
59	Suction-Side	22.117	4.334	50
60	Suction-Side	22.342	4.074	50
61	Suction-Side	22.563	3.810	50

TABLE I-continued

N	Location	X	Y	Z
62	Suction-Side	22.781	3.544	50
63	Suction-Side	22.996	3.275	50
64	Suction-Side	23.207	3.005	50
65	Suction-Side	23.416	2.732	50
66	Suction-Side	23.622	2.456	50
67	Suction-Side	23.825	2.179	50
68	Suction-Side	24.025	1.900	50
69	Suction-Side	24.224	1.619	50
70	Suction-Side	24.419	1.336	50
71	Suction-Side	24.613	1.052	50
72	Suction-Side	24.804	0.766	50
73	Suction-Side	24.993	0.479	50
74	Suction-Side	25.180	0.191	50
75	Suction-Side	25.365	-0.099	50
76	Suction-Side	25.549	-0.390	50
77	Suction-Side	25.730	-0.682	50
78	Suction-Side	25.910	-0.975	50
79	Suction-Side	26.088	-1.269	50
80	Suction-Side	26.265	-1.564	50
81	Suction-Side	26.441	-1.859	50
82	Suction-Side	26.615	-2.156	50
83	Suction-Side	26.787	-2.453	50
84	Suction-Side	26.959	-2.751	50
85	Suction-Side	27.129	-3.050	50
86	Suction-Side	27.298	-3.349	50
87	Suction-Side	27.466	-3.650	50
88	Suction-Side	27.633	-3.950	50
89	Suction-Side	27.798	-4.251	50
90	Suction-Side	27.964	-4.553	50
91	Suction-Side	28.128	-4.855	50
92	Suction-Side	28.292	-5.157	50
93	Suction-Side	28.455	-5.460	50
94	Suction-Side	28.617	-5.763	50
95	Suction-Side	28.779	-6.067	50
96	Suction-Side	28.940	-6.370	50
97	Suction-Side	29.101	-6.674	50
98	Suction-Side	29.262	-6.978	50
99	Suction-Side	29.423	-7.282	50
100	Suction-Side	29.509	-7.607	50
101	Pressure-Side	29.326	-7.885	50
102	Pressure-Side	29.044	-7.933	50
103	Pressure-Side	28.803	-7.777	50
104	Pressure-Side	28.633	-7.537	50
105	Pressure-Side	28.462	-7.298	50
106	Pressure-Side	28.291	-7.060	50
107	Pressure-Side	28.117	-6.822	50
108	Pressure-Side	27.943	-6.586	50
109	Pressure-Side	27.767	-6.351	50
110	Pressure-Side	27.590	-6.116	50
111	Pressure-Side	27.413	-5.883	50
112	Pressure-Side	27.234	-5.649	50
113	Pressure-Side	27.054	-5.417	50
114	Pressure-Side	26.873	-5.186	50
115	Pressure-Side	26.691	-4.955	50
116	Pressure-Side	26.508	-4.725	50
117	Pressure-Side	26.325	-4.496	50
118	Pressure-Side	26.141	-4.267	50
119	Pressure-Side	25.955	-4.039	50
120	Pressure-Side	25.769	-3.812	50
121	Pressure-Side	25.582	-3.585	50
122	Pressure-Side	25.395	-3.359	50
123	Pressure-Side	25.206	-3.134	50
124	Pressure-Side	25.017	-2.909	50
125	Pressure-Side	24.827	-2.685	50
126	Pressure-Side	24.636	-2.462	50
127	Pressure-Side	24.445	-2.239	50
128	Pressure-Side	24.252	-2.017	50
129	Pressure-Side	24.059	-1.797	50
130	Pressure-Side	23.865	-1.576	50
131	Pressure-Side	23.669	-1.356	50
132	Pressure-Side	23.473	-1.138	50
133	Pressure-Side	23.277	-0.920	50
134	Pressure-Side	23.078	-0.703	50
135	Pressure-Side	22.879	-0.487	50
136	Pressure-Side	22.679	-0.272	50

TABLE I-continued

N	Location	X	Y	Z
137	Pressure-Side	22.477	-0.059	50
138	Pressure-Side	22.274	0.154	50
139	Pressure-Side	22.071	0.365	50
140	Pressure-Side	21.865	0.575	50
141	Pressure-Side	21.658	0.783	50
142	Pressure-Side	21.449	0.990	50
143	Pressure-Side	21.239	1.195	50
144	Pressure-Side	21.027	1.399	50
145	Pressure-Side	20.813	1.600	50
146	Pressure-Side	20.597	1.799	50
147	Pressure-Side	20.379	1.996	50
148	Pressure-Side	20.160	2.191	50
149	Pressure-Side	19.938	2.383	50
150	Pressure-Side	19.713	2.573	50
151	Pressure-Side	19.486	2.759	50
152	Pressure-Side	19.257	2.943	50
153	Pressure-Side	19.025	3.123	50
154	Pressure-Side	18.790	3.300	50
155	Pressure-Side	18.554	3.473	50
156	Pressure-Side	18.313	3.642	50
157	Pressure-Side	18.070	3.807	50
158	Pressure-Side	17.824	3.968	50
159	Pressure-Side	17.575	4.124	50
160	Pressure-Side	17.323	4.275	50
161	Pressure-Side	17.068	4.420	50
162	Pressure-Side	16.810	4.561	50
163	Pressure-Side	16.549	4.695	50
164	Pressure-Side	16.285	4.823	50
165	Pressure-Side	16.017	4.944	50
166	Pressure-Side	15.747	5.059	50
167	Pressure-Side	15.474	5.167	50
168	Pressure-Side	15.198	5.268	50
169	Pressure-Side	14.919	5.362	50
170	Pressure-Side	14.638	5.447	50
171	Pressure-Side	14.355	5.524	50
172	Pressure-Side	14.070	5.594	50
173	Pressure-Side	13.783	5.656	50
174	Pressure-Side	13.494	5.709	50
175	Pressure-Side	13.204	5.754	50
176	Pressure-Side	12.912	5.791	50
177	Pressure-Side	12.620	5.819	50
178	Pressure-Side	12.327	5.839	50
179	Pressure-Side	12.033	5.852	50
180	Pressure-Side	11.740	5.857	50
181	Pressure-Side	11.446	5.853	50
182	Pressure-Side	11.152	5.843	50
183	Pressure-Side	10.859	5.826	50
184	Pressure-Side	10.566	5.803	50
185	Pressure-Side	10.274	5.772	50
186	Pressure-Side	9.982	5.737	50
187	Pressure-Side	9.692	5.696	50
188	Pressure-Side	9.402	5.650	50
189	Pressure-Side	9.112	5.600	50
190	Pressure-Side	8.823	5.547	50
191	Pressure-Side	8.535	5.490	50
192	Pressure-Side	8.247	5.432	50
193	Pressure-Side	7.959	5.374	50
194	Pressure-Side	7.671	5.317	50
195	Pressure-Side	7.383	5.263	50
196	Pressure-Side	7.093	5.215	50
197	Pressure-Side	6.801	5.179	50
198	Pressure-Side	6.508	5.163	50
199	Pressure-Side	6.216	5.186	50
200	Pressure-Side	5.942	5.287	50
1	Suction-Side	6.698	6.698	60
2	Suction-Side	6.647	7.019	60
3	Suction-Side	6.707	7.339	60
4	Suction-Side	6.844	7.636	60
5	Suction-Side	7.030	7.905	60
6	Suction-Side	7.247	8.149	60
7	Suction-Side	7.487	8.370	60
8	Suction-Side	7.744	8.573	60
9	Suction-Side	8.013	8.757	60
10	Suction-Side	8.294	8.926	60
11	Suction-Side	8.583	9.079	60

TABLE 1-continued

N	Location	X	Y	Z
12	Suction-Side	8.879	9.218	60
13	Suction-Side	9.181	9.342	60
14	Suction-Side	9.489	9.453	60
15	Suction-Side	9.800	9.552	60
16	Suction-Side	10.116	9.637	60
17	Suction-Side	10.434	9.710	60
18	Suction-Side	10.756	9.771	60
19	Suction-Side	11.079	9.819	60
20	Suction-Side	11.404	9.855	60
21	Suction-Side	11.730	9.879	60
22	Suction-Side	12.057	9.891	60
23	Suction-Side	12.384	9.891	60
24	Suction-Side	12.710	9.879	60
25	Suction-Side	13.037	9.856	60
26	Suction-Side	13.362	9.821	60
27	Suction-Side	13.685	9.775	60
28	Suction-Side	14.007	9.718	60
29	Suction-Side	14.327	9.651	60
30	Suction-Side	14.645	9.573	60
31	Suction-Side	14.959	9.484	60
32	Suction-Side	15.271	9.385	60
33	Suction-Side	15.579	9.276	60
34	Suction-Side	15.884	9.158	60
35	Suction-Side	16.185	9.031	60
36	Suction-Side	16.483	8.895	60
37	Suction-Side	16.776	8.750	60
38	Suction-Side	17.066	8.598	60
39	Suction-Side	17.350	8.438	60
40	Suction-Side	17.631	8.270	60
41	Suction-Side	17.907	8.095	60
42	Suction-Side	18.179	7.914	60
43	Suction-Side	18.447	7.727	60
44	Suction-Side	18.711	7.532	60
45	Suction-Side	18.969	7.333	60
46	Suction-Side	19.224	7.128	60
47	Suction-Side	19.474	6.918	60
48	Suction-Side	19.721	6.703	60
49	Suction-Side	19.963	6.483	60
50	Suction-Side	20.201	6.259	60
51	Suction-Side	20.435	6.031	60
52	Suction-Side	20.665	5.799	60
53	Suction-Side	20.892	5.563	60
54	Suction-Side	21.114	5.323	60
55	Suction-Side	21.334	5.081	60
56	Suction-Side	21.550	4.835	60
57	Suction-Side	21.762	4.587	60
58	Suction-Side	21.972	4.336	60
59	Suction-Side	22.178	4.082	60
60	Suction-Side	22.381	3.826	60
61	Suction-Side	22.582	3.568	60
62	Suction-Side	22.780	3.308	60
63	Suction-Side	22.975	3.046	60
64	Suction-Side	23.167	2.781	60
65	Suction-Side	23.358	2.515	60
66	Suction-Side	23.546	2.247	60
67	Suction-Side	23.731	1.979	60
68	Suction-Side	23.915	1.708	60
69	Suction-Side	24.096	1.436	60
70	Suction-Side	24.275	1.162	60
71	Suction-Side	24.453	0.888	60
72	Suction-Side	24.629	0.613	60
73	Suction-Side	24.803	0.336	60
74	Suction-Side	24.976	0.058	60
75	Suction-Side	25.148	-0.220	60
76	Suction-Side	25.317	-0.500	60
77	Suction-Side	25.486	-0.780	60
78	Suction-Side	25.653	-1.061	60
79	Suction-Side	25.819	-1.343	60
80	Suction-Side	25.984	-1.625	60
81	Suction-Side	26.148	-1.908	60
82	Suction-Side	26.310	-2.191	60
83	Suction-Side	26.472	-2.476	60
84	Suction-Side	26.633	-2.760	60
85	Suction-Side	26.793	-3.045	60
86	Suction-Side	26.953	-3.331	60

TABLE 1-continued

N	Location	X	Y	Z
87	Suction-Side	27.111	-3.617	60
88	Suction-Side	27.269	-3.903	60
89	Suction-Side	27.426	-4.190	60
90	Suction-Side	27.583	-4.477	60
91	Suction-Side	27.739	-4.764	60
92	Suction-Side	27.895	-5.051	60
93	Suction-Side	28.050	-5.339	60
94	Suction-Side	28.205	-5.627	60
95	Suction-Side	28.360	-5.915	60
96	Suction-Side	28.514	-6.203	60
97	Suction-Side	28.667	-6.492	60
98	Suction-Side	28.821	-6.780	60
99	Suction-Side	28.974	-7.069	60
100	Suction-Side	29.041	-7.382	60
101	Pressure-Side	28.860	-7.642	60
102	Pressure-Side	28.585	-7.692	60
103	Pressure-Side	28.348	-7.548	60
104	Pressure-Side	28.185	-7.313	60
105	Pressure-Side	28.022	-7.079	60
106	Pressure-Side	27.858	-6.846	60
107	Pressure-Side	27.693	-6.614	60
108	Pressure-Side	27.526	-6.383	60
109	Pressure-Side	27.358	-6.153	60
110	Pressure-Side	27.189	-5.924	60
111	Pressure-Side	27.019	-5.695	60
112	Pressure-Side	26.848	-5.467	60
113	Pressure-Side	26.675	-5.240	60
114	Pressure-Side	26.502	-5.014	60
115	Pressure-Side	26.328	-4.788	60
116	Pressure-Side	26.153	-4.563	60
117	Pressure-Side	25.978	-4.339	60
118	Pressure-Side	25.802	-4.115	60
119	Pressure-Side	25.625	-3.891	60
120	Pressure-Side	25.448	-3.668	60
121	Pressure-Side	25.271	-3.445	60
122	Pressure-Side	25.092	-3.223	60
123	Pressure-Side	24.914	-3.000	60
124	Pressure-Side	24.736	-2.778	60
125	Pressure-Side	24.556	-2.557	60
126	Pressure-Side	24.378	-2.335	60
127	Pressure-Side	24.198	-2.114	60
128	Pressure-Side	24.018	-1.892	60
129	Pressure-Side	23.838	-1.672	60
130	Pressure-Side	23.658	-1.451	60
131	Pressure-Side	23.477	-1.230	60
132	Pressure-Side	23.296	-1.011	60
133	Pressure-Side	23.115	-0.791	60
134	Pressure-Side	22.933	-0.571	60
135	Pressure-Side	22.751	-0.352	60
136	Pressure-Side	22.568	-0.134	60
137	Pressure-Side	22.385	0.085	60
138	Pressure-Side	22.200	0.302	60
139	Pressure-Side	22.016	0.519	60
140	Pressure-Side	21.830	0.735	60
141	Pressure-Side	21.643	0.950	60
142	Pressure-Side	21.455	1.165	60
143	Pressure-Side	21.267	1.378	60
144	Pressure-Side	21.077	1.590	60
145	Pressure-Side	20.885	1.801	60
146	Pressure-Side	20.692	2.011	60
147	Pressure-Side	20.497	2.219	60
148	Pressure-Side	20.301	2.425	60
149	Pressure-Side	20.102	2.629	60
150	Pressure-Side	19.902	2.832	60
151	Pressure-Side	19.699	3.032	60
152	Pressure-Side	19.494	3.230	60
153	Pressure-Side	19.287	3.426	60
154	Pressure-Side	19.077	3.619	60
155	Pressure-Side	18.864	3.808	60
156	Pressure-Side	18.649	3.995	60
157	Pressure-Side	18.431	4.178	60
158	Pressure-Side	18.209	4.357	60
159	Pressure-Side	17.984	4.532	60
160	Pressure-Side	17.756	4.703	60
161	Pressure-Side	17.525	4.869	60

TABLE I-continued

N	Location	X	Y	Z
162	Pressure-Side	17.290	5.031	60
163	Pressure-Side	17.051	5.187	60
164	Pressure-Side	16.809	5.337	60
165	Pressure-Side	16.564	5.481	60
166	Pressure-Side	16.314	5.619	60
167	Pressure-Side	16.061	5.751	60
168	Pressure-Side	15.805	5.875	60
169	Pressure-Side	15.545	5.992	60
170	Pressure-Side	15.282	6.101	60
171	Pressure-Side	15.016	6.203	60
172	Pressure-Side	14.746	6.296	60
173	Pressure-Side	14.474	6.381	60
174	Pressure-Side	14.200	6.458	60
175	Pressure-Side	13.924	6.526	60
176	Pressure-Side	13.645	6.586	60
177	Pressure-Side	13.364	6.637	60
178	Pressure-Side	13.083	6.679	60
179	Pressure-Side	12.800	6.713	60
180	Pressure-Side	12.516	6.738	60
181	Pressure-Side	12.231	6.756	60
182	Pressure-Side	11.947	6.766	60
183	Pressure-Side	11.662	6.769	60
184	Pressure-Side	11.377	6.764	60
185	Pressure-Side	11.092	6.753	60
186	Pressure-Side	10.808	6.735	60
187	Pressure-Side	10.524	6.712	60
188	Pressure-Side	10.241	6.684	60
189	Pressure-Side	9.957	6.651	60
190	Pressure-Side	9.675	6.613	60
191	Pressure-Side	9.393	6.573	60
192	Pressure-Side	9.111	6.531	60
193	Pressure-Side	8.829	6.488	60
194	Pressure-Side	8.547	6.445	60
195	Pressure-Side	8.265	6.405	60
196	Pressure-Side	7.983	6.370	60
197	Pressure-Side	7.699	6.345	60
198	Pressure-Side	7.414	6.339	60
199	Pressure-Side	7.131	6.368	60
200	Pressure-Side	6.869	6.475	60
1	Suction-Side	7.459	7.850	70
2	Suction-Side	7.448	8.161	70
3	Suction-Side	7.539	8.459	70
4	Suction-Side	7.703	8.726	70
5	Suction-Side	7.910	8.960	70
6	Suction-Side	8.146	9.165	70
7	Suction-Side	8.402	9.346	70
8	Suction-Side	8.671	9.505	70
9	Suction-Side	8.951	9.646	70
10	Suction-Side	9.239	9.768	70
11	Suction-Side	9.533	9.876	70
12	Suction-Side	9.832	9.969	70
13	Suction-Side	10.135	10.047	70
14	Suction-Side	10.441	10.112	70
15	Suction-Side	10.750	10.164	70
16	Suction-Side	11.061	10.204	70
17	Suction-Side	11.372	10.231	70
18	Suction-Side	11.685	10.246	70
19	Suction-Side	11.998	10.251	70
20	Suction-Side	12.311	10.243	70
21	Suction-Side	12.624	10.224	70
22	Suction-Side	12.935	10.195	70
23	Suction-Side	13.246	10.154	70
24	Suction-Side	13.554	10.103	70
25	Suction-Side	13.861	10.041	70
26	Suction-Side	14.166	9.969	70
27	Suction-Side	14.468	9.888	70
28	Suction-Side	14.768	9.796	70
29	Suction-Side	15.064	9.696	70
30	Suction-Side	15.357	9.586	70
31	Suction-Side	15.647	9.467	70
32	Suction-Side	15.933	9.340	70
33	Suction-Side	16.215	9.204	70
34	Suction-Side	16.493	9.061	70
35	Suction-Side	16.768	8.911	70
36	Suction-Side	17.038	8.753	70

TABLE I-continued

N	Location	X	Y	Z
37	Suction-Side	17.305	8.588	70
38	Suction-Side	17.567	8.417	70
39	Suction-Side	17.824	8.240	70
40	Suction-Side	18.078	8.056	70
41	Suction-Side	18.328	7.867	70
42	Suction-Side	18.573	7.672	70
43	Suction-Side	18.814	7.473	70
44	Suction-Side	19.052	7.269	70
45	Suction-Side	19.285	7.060	70
46	Suction-Side	19.515	6.847	70
47	Suction-Side	19.740	6.630	70
48	Suction-Side	19.963	6.409	70
49	Suction-Side	20.181	6.185	70
50	Suction-Side	20.396	5.958	70
51	Suction-Side	20.608	5.727	70
52	Suction-Side	20.816	5.494	70
53	Suction-Side	21.022	5.257	70
54	Suction-Side	21.224	5.018	70
55	Suction-Side	21.423	4.777	70
56	Suction-Side	21.620	4.533	70
57	Suction-Side	21.814	4.287	70
58	Suction-Side	22.005	4.039	70
59	Suction-Side	22.193	3.790	70
60	Suction-Side	22.380	3.538	70
61	Suction-Side	22.563	3.285	70
62	Suction-Side	22.745	3.030	70
63	Suction-Side	22.925	2.773	70
64	Suction-Side	23.102	2.516	70
65	Suction-Side	23.279	2.256	70
66	Suction-Side	23.452	1.996	70
67	Suction-Side	23.625	1.734	70
68	Suction-Side	23.795	1.472	70
69	Suction-Side	23.964	1.209	70
70	Suction-Side	24.131	0.944	70
71	Suction-Side	24.297	0.679	70
72	Suction-Side	24.462	0.412	70
73	Suction-Side	24.625	0.145	70
74	Suction-Side	24.787	-0.123	70
75	Suction-Side	24.948	-0.391	70
76	Suction-Side	25.108	-0.660	70
77	Suction-Side	25.267	-0.930	70
78	Suction-Side	25.425	-1.201	70
79	Suction-Side	25.581	-1.472	70
80	Suction-Side	25.737	-1.743	70
81	Suction-Side	25.893	-2.015	70
82	Suction-Side	26.047	-2.288	70
83	Suction-Side	26.200	-2.560	70
84	Suction-Side	26.354	-2.834	70
85	Suction-Side	26.506	-3.107	70
86	Suction-Side	26.657	-3.381	70
87	Suction-Side	26.809	-3.655	70
88	Suction-Side	26.959	-3.930	70
89	Suction-Side	27.109	-4.205	70
90	Suction-Side	27.258	-4.480	70
91	Suction-Side	27.407	-4.755	70
92	Suction-Side	27.556	-5.031	70
93	Suction-Side	27.705	-5.306	70
94	Suction-Side	27.853	-5.582	70
95	Suction-Side	28.001	-5.858	70
96	Suction-Side	28.148	-6.134	70
97	Suction-Side	28.295	-6.411	70
98	Suction-Side	28.442	-6.687	70
99	Suction-Side	28.590	-6.963	70
100	Suction-Side	28.642	-7.264	70
101	Pressure-Side	28.465	-7.512	70
102	Pressure-Side	28.198	-7.562	70
103	Pressure-Side	27.964	-7.423	70
104	Pressure-Side	27.807	-7.193	70
105	Pressure-Side	27.650	-6.964	70
106	Pressure-Side	27.491	-6.735	70
107	Pressure-Side	27.332	-6.508	70
108	Pressure-Side	27.171	-6.281	70
109	Pressure-Side	27.009	-6.055	70
110	Pressure-Side	26.845	-5.830	70
111	Pressure-Side	26.681	-5.606	70

TABLE I-continued

N	Location	X	Y	Z
112	Pressure-Side	26.515	-5.382	70
113	Pressure-Side	26.348	-5.160	70
114	Pressure-Side	26.181	-4.938	70
115	Pressure-Side	26.012	-4.717	70
116	Pressure-Side	25.842	-4.497	70
117	Pressure-Side	25.672	-4.277	70
118	Pressure-Side	25.501	-4.058	70
119	Pressure-Side	25.330	-3.839	70
120	Pressure-Side	25.158	-3.619	70
121	Pressure-Side	24.987	-3.401	70
122	Pressure-Side	24.815	-3.182	70
123	Pressure-Side	24.643	-2.964	70
124	Pressure-Side	24.471	-2.745	70
125	Pressure-Side	24.299	-2.526	70
126	Pressure-Side	24.127	-2.307	70
127	Pressure-Side	23.956	-2.089	70
128	Pressure-Side	23.784	-1.870	70
129	Pressure-Side	23.613	-1.651	70
130	Pressure-Side	23.441	-1.432	70
131	Pressure-Side	23.271	-1.213	70
132	Pressure-Side	23.100	-0.994	70
133	Pressure-Side	22.928	-0.774	70
134	Pressure-Side	22.758	-0.555	70
135	Pressure-Side	22.587	-0.335	70
136	Pressure-Side	22.416	-0.116	70
137	Pressure-Side	22.245	0.103	70
138	Pressure-Side	22.073	0.322	70
139	Pressure-Side	21.901	0.541	70
140	Pressure-Side	21.729	0.759	70
141	Pressure-Side	21.557	0.977	70
142	Pressure-Side	21.383	1.194	70
143	Pressure-Side	21.209	1.411	70
144	Pressure-Side	21.034	1.627	70
145	Pressure-Side	20.858	1.842	70
146	Pressure-Side	20.681	2.057	70
147	Pressure-Side	20.502	2.270	70
148	Pressure-Side	20.323	2.483	70
149	Pressure-Side	20.142	2.693	70
150	Pressure-Side	19.958	2.902	70
151	Pressure-Side	19.774	3.111	70
152	Pressure-Side	19.587	3.316	70
153	Pressure-Side	19.399	3.521	70
154	Pressure-Side	19.208	3.723	70
155	Pressure-Side	19.014	3.923	70
156	Pressure-Side	18.818	4.120	70
157	Pressure-Side	18.619	4.314	70
158	Pressure-Side	18.417	4.505	70
159	Pressure-Side	18.212	4.693	70
160	Pressure-Side	18.004	4.878	70
161	Pressure-Side	17.793	5.058	70
162	Pressure-Side	17.578	5.235	70
163	Pressure-Side	17.359	5.407	70
164	Pressure-Side	17.137	5.574	70
165	Pressure-Side	16.911	5.736	70
166	Pressure-Side	16.681	5.893	70
167	Pressure-Side	16.448	6.043	70
168	Pressure-Side	16.210	6.188	70
169	Pressure-Side	15.969	6.326	70
170	Pressure-Side	15.724	6.457	70
171	Pressure-Side	15.475	6.581	70
172	Pressure-Side	15.223	6.698	70
173	Pressure-Side	14.967	6.807	70
174	Pressure-Side	14.708	6.908	70
175	Pressure-Side	14.446	7.001	70
176	Pressure-Side	14.181	7.085	70
177	Pressure-Side	13.914	7.162	70
178	Pressure-Side	13.644	7.230	70
179	Pressure-Side	13.372	7.290	70
180	Pressure-Side	13.099	7.341	70
181	Pressure-Side	12.824	7.384	70
182	Pressure-Side	12.549	7.421	70
183	Pressure-Side	12.272	7.449	70
184	Pressure-Side	11.995	7.470	70
185	Pressure-Side	11.717	7.485	70
186	Pressure-Side	11.439	7.493	70

TABLE I-continued

N	Location	X	Y	Z
187	Pressure-Side	11.161	7.496	70
188	Pressure-Side	10.883	7.493	70
189	Pressure-Side	10.605	7.487	70
190	Pressure-Side	10.327	7.475	70
191	Pressure-Side	10.049	7.462	70
192	Pressure-Side	9.772	7.446	70
193	Pressure-Side	9.494	7.429	70
194	Pressure-Side	9.217	7.413	70
195	Pressure-Side	8.939	7.400	70
196	Pressure-Side	8.661	7.392	70
197	Pressure-Side	8.383	7.396	70
198	Pressure-Side	8.105	7.418	70
199	Pressure-Side	7.835	7.477	70
200	Pressure-Side	7.594	7.612	70
1	Suction-Side	8.080	8.973	80
2	Suction-Side	8.117	9.271	80
3	Suction-Side	8.249	9.541	80
4	Suction-Side	8.443	9.770	80
5	Suction-Side	8.676	9.960	80
6	Suction-Side	8.932	10.119	80
7	Suction-Side	9.203	10.251	80
8	Suction-Side	9.483	10.361	80
9	Suction-Side	9.771	10.451	80
10	Suction-Side	10.063	10.523	80
11	Suction-Side	10.359	10.580	80
12	Suction-Side	10.657	10.622	80
13	Suction-Side	10.957	10.651	80
14	Suction-Side	11.258	10.667	80
15	Suction-Side	11.559	10.672	80
16	Suction-Side	11.860	10.664	80
17	Suction-Side	12.161	10.645	80
18	Suction-Side	12.461	10.616	80
19	Suction-Side	12.760	10.577	80
20	Suction-Side	13.057	10.527	80
21	Suction-Side	13.352	10.468	80
22	Suction-Side	13.645	10.399	80
23	Suction-Side	13.936	10.321	80
24	Suction-Side	14.225	10.234	80
25	Suction-Side	14.511	10.138	80
26	Suction-Side	14.793	10.034	80
27	Suction-Side	15.073	9.921	80
28	Suction-Side	15.349	9.800	80
29	Suction-Side	15.621	9.672	80
30	Suction-Side	15.891	9.536	80
31	Suction-Side	16.156	9.393	80
32	Suction-Side	16.417	9.244	80
33	Suction-Side	16.674	9.087	80
34	Suction-Side	16.928	8.924	80
35	Suction-Side	17.177	8.756	80
36	Suction-Side	17.423	8.581	80
37	Suction-Side	17.664	8.401	80
38	Suction-Side	17.902	8.216	80
39	Suction-Side	18.136	8.026	80
40	Suction-Side	18.366	7.830	80
41	Suction-Side	18.591	7.631	80
42	Suction-Side	18.814	7.428	80
43	Suction-Side	19.032	7.220	80
44	Suction-Side	19.247	7.009	80
45	Suction-Side	19.459	6.795	80
46	Suction-Side	19.667	6.577	80
47	Suction-Side	19.872	6.356	80
48	Suction-Side	20.073	6.132	80
49	Suction-Side	20.272	5.906	80
50	Suction-Side	20.468	5.677	80
51	Suction-Side	20.661	5.446	80
52	Suction-Side	20.851	5.212	80
53	Suction-Side	21.039	4.977	80
54	Suction-Side	21.225	4.739	80
55	Suction-Side	21.408	4.500	80
56	Suction-Side	21.588	4.259	80
57	Suction-Side	21.767	4.016	80
58	Suction-Side	21.944	3.772	80
59	Suction-Side	22.119	3.527	80
60	Suction-Side	22.291	3.280	80
61	Suction-Side	22.462	3.032	80



TABLE I-continued

N	Location	X	Y	Z
62	Suction-Side	22.632	2.783	80
63	Suction-Side	22.800	2.533	80
64	Suction-Side	22.966	2.281	80
65	Suction-Side	23.131	2.029	80
66	Suction-Side	23.295	1.776	80
67	Suction-Side	23.456	1.522	80
68	Suction-Side	23.617	1.267	80
69	Suction-Side	23.777	1.012	80
70	Suction-Side	23.935	0.756	80
71	Suction-Side	24.093	0.499	80
72	Suction-Side	24.249	0.241	80
73	Suction-Side	24.405	-0.017	80
74	Suction-Side	24.559	-0.276	80
75	Suction-Side	24.712	-0.535	80
76	Suction-Side	24.865	-0.795	80
77	Suction-Side	25.017	-1.055	80
78	Suction-Side	25.168	-1.316	80
79	Suction-Side	25.318	-1.577	80
80	Suction-Side	25.467	-1.839	80
81	Suction-Side	25.616	-2.101	80
82	Suction-Side	25.764	-2.363	80
83	Suction-Side	25.911	-2.626	80
84	Suction-Side	26.058	-2.889	80
85	Suction-Side	26.204	-3.153	80
86	Suction-Side	26.349	-3.417	80
87	Suction-Side	26.495	-3.680	80
88	Suction-Side	26.639	-3.945	80
89	Suction-Side	26.783	-4.209	80
90	Suction-Side	26.927	-4.474	80
91	Suction-Side	27.070	-4.739	80
92	Suction-Side	27.213	-5.005	80
93	Suction-Side	27.356	-5.270	80
94	Suction-Side	27.498	-5.536	80
95	Suction-Side	27.640	-5.801	80
96	Suction-Side	27.782	-6.067	80
97	Suction-Side	27.923	-6.333	80
98	Suction-Side	28.065	-6.599	80
99	Suction-Side	28.206	-6.865	80
100	Suction-Side	28.248	-7.156	80
101	Pressure-Side	28.076	-7.394	80
102	Pressure-Side	27.814	-7.443	80
103	Pressure-Side	27.584	-7.309	80
104	Pressure-Side	27.431	-7.084	80
105	Pressure-Side	27.278	-6.858	80
106	Pressure-Side	27.124	-6.633	80
107	Pressure-Side	26.969	-6.409	80
108	Pressure-Side	26.812	-6.186	80
109	Pressure-Side	26.654	-5.965	80
110	Pressure-Side	26.495	-5.743	80
111	Pressure-Side	26.335	-5.523	80
112	Pressure-Side	26.173	-5.304	80
113	Pressure-Side	26.010	-5.085	80
114	Pressure-Side	25.845	-4.868	80
115	Pressure-Side	25.679	-4.652	80
116	Pressure-Side	25.513	-4.437	80
117	Pressure-Side	25.346	-4.222	80
118	Pressure-Side	25.178	-4.007	80
119	Pressure-Side	25.010	-3.792	80
120	Pressure-Side	24.841	-3.578	80
121	Pressure-Side	24.672	-3.364	80
122	Pressure-Side	24.504	-3.150	80
123	Pressure-Side	24.336	-2.936	80
124	Pressure-Side	24.167	-2.722	80
125	Pressure-Side	23.999	-2.507	80
126	Pressure-Side	23.832	-2.293	80
127	Pressure-Side	23.664	-2.077	80
128	Pressure-Side	23.498	-1.862	80
129	Pressure-Side	23.331	-1.646	80
130	Pressure-Side	23.166	-1.430	80
131	Pressure-Side	23.000	-1.213	80
132	Pressure-Side	22.835	-0.997	80
133	Pressure-Side	22.671	-0.779	80
134	Pressure-Side	22.506	-0.562	80
135	Pressure-Side	22.343	-0.344	80
136	Pressure-Side	22.179	-0.127	80

TABLE I-continued

N	Location	X	Y	Z
137	Pressure-Side	22.015	0.092	80
138	Pressure-Side	21.852	0.310	80
139	Pressure-Side	21.689	0.528	80
140	Pressure-Side	21.525	0.746	80
141	Pressure-Side	21.362	0.964	80
142	Pressure-Side	21.198	1.181	80
143	Pressure-Side	21.034	1.399	80
144	Pressure-Side	20.869	1.616	80
145	Pressure-Side	20.704	1.832	80
146	Pressure-Side	20.538	2.048	80
147	Pressure-Side	20.371	2.264	80
148	Pressure-Side	20.203	2.478	80
149	Pressure-Side	20.034	2.692	80
150	Pressure-Side	19.864	2.905	80
151	Pressure-Side	19.692	3.116	80
152	Pressure-Side	19.518	3.327	80
153	Pressure-Side	19.343	3.535	80
154	Pressure-Side	19.167	3.742	80
155	Pressure-Side	18.987	3.948	80
156	Pressure-Side	18.806	4.151	80
157	Pressure-Side	18.622	4.352	80
158	Pressure-Side	18.436	4.551	80
159	Pressure-Side	18.247	4.747	80
160	Pressure-Side	18.055	4.941	80
161	Pressure-Side	17.861	5.131	80
162	Pressure-Side	17.663	5.318	80
163	Pressure-Side	17.461	5.502	80
164	Pressure-Side	17.256	5.681	80
165	Pressure-Side	17.047	5.857	80
166	Pressure-Side	16.835	6.027	80
167	Pressure-Side	16.619	6.193	80
168	Pressure-Side	16.399	6.354	80
169	Pressure-Side	16.175	6.509	80
170	Pressure-Side	15.947	6.658	80
171	Pressure-Side	15.715	6.802	80
172	Pressure-Side	15.480	6.938	80
173	Pressure-Side	15.240	7.068	80
174	Pressure-Side	14.997	7.191	80
175	Pressure-Side	14.751	7.307	80
176	Pressure-Side	14.501	7.415	80
177	Pressure-Side	14.247	7.516	80
178	Pressure-Side	13.991	7.609	80
179	Pressure-Side	13.733	7.695	80
180	Pressure-Side	13.472	7.774	80
181	Pressure-Side	13.209	7.845	80
182	Pressure-Side	12.944	7.909	80
183	Pressure-Side	12.677	7.965	80
184	Pressure-Side	12.410	8.016	80
185	Pressure-Side	12.141	8.060	80
186	Pressure-Side	11.871	8.099	80
187	Pressure-Side	11.601	8.132	80
188	Pressure-Side	11.330	8.160	80
189	Pressure-Side	11.058	8.185	80
190	Pressure-Side	10.787	8.206	80
191	Pressure-Side	10.515	8.225	80
192	Pressure-Side	10.243	8.243	80
193	Pressure-Side	9.971	8.260	80
194	Pressure-Side	9.699	8.279	80
195	Pressure-Side	9.428	8.302	80
196	Pressure-Side	9.157	8.333	80
197	Pressure-Side	8.888	8.375	80
198	Pressure-Side	8.623	8.440	80
199	Pressure-Side	8.372	8.543	80
200	Pressure-Side	8.167	8.720	80
1	Suction-Side	8.875	9.928	90
2	Suction-Side	8.950	10.205	90
3	Suction-Side	9.112	10.445	90
4	Suction-Side	9.327	10.639	90
5	Suction-Side	9.572	10.794	90
6	Suction-Side	9.835	10.915	90
7	Suction-Side	10.109	11.009	90
8	Suction-Side	10.391	11.078	90
9	Suction-Side	10.676	11.127	90
10	Suction-Side	10.965	11.157	90
11	Suction-Side	11.254	11.171	90

TABLE I-continued

N	Location	X	Y	Z
12	Suction-Side	11.544	11.170	90
13	Suction-Side	11.834	11.154	90
14	Suction-Side	12.122	11.126	90
15	Suction-Side	12.410	11.085	90
16	Suction-Side	12.695	11.033	90
17	Suction-Side	12.978	10.971	90
18	Suction-Side	13.258	10.898	90
19	Suction-Side	13.537	10.816	90
20	Suction-Side	13.812	10.724	90
21	Suction-Side	14.084	10.625	90
22	Suction-Side	14.353	10.517	90
23	Suction-Side	14.619	10.401	90
24	Suction-Side	14.882	10.278	90
25	Suction-Side	15.141	10.147	90
26	Suction-Side	15.396	10.011	90
27	Suction-Side	15.648	9.867	90
28	Suction-Side	15.896	9.717	90
29	Suction-Side	16.141	9.562	90
30	Suction-Side	16.382	9.401	90
31	Suction-Side	16.620	9.234	90
32	Suction-Side	16.854	9.063	90
33	Suction-Side	17.084	8.886	90
34	Suction-Side	17.310	8.705	90
35	Suction-Side	17.533	8.520	90
36	Suction-Side	17.753	8.331	90
37	Suction-Side	17.969	8.137	90
38	Suction-Side	18.182	7.940	90
39	Suction-Side	18.391	7.739	90
40	Suction-Side	18.597	7.536	90
41	Suction-Side	18.800	7.328	90
42	Suction-Side	19.000	7.118	90
43	Suction-Side	19.197	6.905	90
44	Suction-Side	19.391	6.690	90
45	Suction-Side	19.582	6.472	90
46	Suction-Side	19.771	6.252	90
47	Suction-Side	19.957	6.029	90
48	Suction-Side	20.140	5.805	90
49	Suction-Side	20.322	5.579	90
50	Suction-Side	20.501	5.351	90
51	Suction-Side	20.678	5.121	90
52	Suction-Side	20.852	4.890	90
53	Suction-Side	21.025	4.657	90
54	Suction-Side	21.196	4.423	90
55	Suction-Side	21.365	4.187	90
56	Suction-Side	21.533	3.950	90
57	Suction-Side	21.699	3.713	90
58	Suction-Side	21.864	3.474	90
59	Suction-Side	22.026	3.234	90
60	Suction-Side	22.188	2.993	90
61	Suction-Side	22.348	2.752	90
62	Suction-Side	22.508	2.509	90
63	Suction-Side	22.666	2.266	90
64	Suction-Side	22.822	2.022	90
65	Suction-Side	22.978	1.777	90
66	Suction-Side	23.133	1.532	90
67	Suction-Side	23.286	1.286	90
68	Suction-Side	23.439	1.040	90
69	Suction-Side	23.591	0.793	90
70	Suction-Side	23.742	0.545	90
71	Suction-Side	23.892	0.297	90
72	Suction-Side	24.041	0.048	90
73	Suction-Side	24.190	-0.201	90
74	Suction-Side	24.338	-0.450	90
75	Suction-Side	24.485	-0.700	90
76	Suction-Side	24.631	-0.950	90
77	Suction-Side	24.776	-1.201	90
78	Suction-Side	24.921	-1.452	90
79	Suction-Side	25.065	-1.704	90
80	Suction-Side	25.209	-1.956	90
81	Suction-Side	25.351	-2.208	90
82	Suction-Side	25.494	-2.461	90
83	Suction-Side	25.636	-2.714	90
84	Suction-Side	25.777	-2.967	90
85	Suction-Side	25.917	-3.221	90
86	Suction-Side	26.057	-3.475	90

TABLE I-continued

N	Location	X	Y	Z
87	Suction-Side	26.196	-3.729	90
88	Suction-Side	26.335	-3.984	90
89	Suction-Side	26.473	-4.239	90
90	Suction-Side	26.611	-4.494	90
91	Suction-Side	26.748	-4.750	90
92	Suction-Side	26.885	-5.005	90
93	Suction-Side	27.021	-5.261	90
94	Suction-Side	27.158	-5.517	90
95	Suction-Side	27.293	-5.773	90
96	Suction-Side	27.429	-6.029	90
97	Suction-Side	27.565	-6.286	90
98	Suction-Side	27.700	-6.542	90
99	Suction-Side	27.835	-6.799	90
100	Suction-Side	27.866	-7.081	90
101	Pressure-Side	27.698	-7.308	90
102	Pressure-Side	27.442	-7.358	90
103	Pressure-Side	27.216	-7.228	90
104	Pressure-Side	27.066	-7.008	90
105	Pressure-Side	26.918	-6.787	90
106	Pressure-Side	26.768	-6.566	90
107	Pressure-Side	26.617	-6.347	90
108	Pressure-Side	26.466	-6.128	90
109	Pressure-Side	26.314	-5.910	90
110	Pressure-Side	26.160	-5.692	90
111	Pressure-Side	26.006	-5.475	90
112	Pressure-Side	25.851	-5.259	90
113	Pressure-Side	25.694	-5.044	90
114	Pressure-Side	25.536	-4.829	90
115	Pressure-Side	25.377	-4.616	90
116	Pressure-Side	25.217	-4.403	90
117	Pressure-Side	25.057	-4.190	90
118	Pressure-Side	24.896	-3.978	90
119	Pressure-Side	24.735	-3.766	90
120	Pressure-Side	24.574	-3.554	90
121	Pressure-Side	24.412	-3.343	90
122	Pressure-Side	24.251	-3.131	90
123	Pressure-Side	24.090	-2.919	90
124	Pressure-Side	23.928	-2.707	90
125	Pressure-Side	23.767	-2.495	90
126	Pressure-Side	23.606	-2.282	90
127	Pressure-Side	23.446	-2.070	90
128	Pressure-Side	23.286	-1.857	90
129	Pressure-Side	23.126	-1.644	90
130	Pressure-Side	22.967	-1.431	90
131	Pressure-Side	22.809	-1.217	90
132	Pressure-Side	22.650	-1.003	90
133	Pressure-Side	22.492	-0.789	90
134	Pressure-Side	22.334	-0.575	90
135	Pressure-Side	22.177	-0.360	90
136	Pressure-Side	22.019	-0.145	90
137	Pressure-Side	21.862	0.070	90
138	Pressure-Side	21.705	0.285	90
139	Pressure-Side	21.548	0.500	90
140	Pressure-Side	21.391	0.715	90
141	Pressure-Side	21.234	0.930	90
142	Pressure-Side	21.077	1.144	90
143	Pressure-Side	20.919	1.359	90
144	Pressure-Side	20.761	1.574	90
145	Pressure-Side	20.603	1.788	90
146	Pressure-Side	20.444	2.001	90
147	Pressure-Side	20.285	2.215	90
148	Pressure-Side	20.125	2.427	90
149	Pressure-Side	19.964	2.640	90
150	Pressure-Side	19.803	2.851	90
151	Pressure-Side	19.640	3.062	90
152	Pressure-Side	19.476	3.272	90
153	Pressure-Side	19.311	3.480	90
154	Pressure-Side	19.144	3.688	90
155	Pressure-Side	18.977	3.895	90
156	Pressure-Side	18.807	4.100	90
157	Pressure-Side	18.636	4.304	90
158	Pressure-Side	18.463	4.506	90
159	Pressure-Side	18.287	4.707	90
160	Pressure-Side	18.110	4.906	90
161	Pressure-Side	17.931	5.102	90

TABLE I-continued

N	Location	X	Y	Z
162	Pressure-Side	17.749	5.297	90
163	Pressure-Side	17.565	5.489	90
164	Pressure-Side	17.377	5.678	90
165	Pressure-Side	17.187	5.865	90
166	Pressure-Side	16.995	6.049	90
167	Pressure-Side	16.799	6.228	90
168	Pressure-Side	16.600	6.405	90
169	Pressure-Side	16.397	6.578	90
170	Pressure-Side	16.192	6.747	90
171	Pressure-Side	15.983	6.912	90
172	Pressure-Side	15.770	7.073	90
173	Pressure-Side	15.554	7.228	90
174	Pressure-Side	15.334	7.379	90
175	Pressure-Side	15.111	7.523	90
176	Pressure-Side	14.884	7.663	90
177	Pressure-Side	14.654	7.797	90
178	Pressure-Side	14.420	7.925	90
179	Pressure-Side	14.183	8.046	90
180	Pressure-Side	13.943	8.161	90
181	Pressure-Side	13.701	8.270	90
182	Pressure-Side	13.454	8.372	90
183	Pressure-Side	13.206	8.467	90
184	Pressure-Side	12.955	8.555	90
185	Pressure-Side	12.701	8.637	90
186	Pressure-Side	12.446	8.712	90
187	Pressure-Side	12.189	8.780	90
188	Pressure-Side	11.930	8.843	90
189	Pressure-Side	11.669	8.898	90
190	Pressure-Side	11.408	8.949	90
191	Pressure-Side	11.146	8.995	90
192	Pressure-Side	10.883	9.037	90
193	Pressure-Side	10.619	9.077	90
194	Pressure-Side	10.356	9.116	90
195	Pressure-Side	10.093	9.156	90
196	Pressure-Side	9.831	9.201	90
197	Pressure-Side	9.571	9.258	90
198	Pressure-Side	9.317	9.338	90
199	Pressure-Side	9.083	9.464	90
200	Pressure-Side	8.915	9.667	90
1	Suction-Side	9.567	10.778	100
2	Suction-Side	9.681	11.033	100
3	Suction-Side	9.871	11.237	100
4	Suction-Side	10.103	11.396	100
5	Suction-Side	10.357	11.513	100
6	Suction-Side	10.624	11.600	100
7	Suction-Side	10.899	11.658	100
8	Suction-Side	11.177	11.691	100
9	Suction-Side	11.458	11.701	100
10	Suction-Side	11.738	11.691	100
11	Suction-Side	12.017	11.665	100
12	Suction-Side	12.295	11.621	100
13	Suction-Side	12.569	11.563	100
14	Suction-Side	12.841	11.493	100
15	Suction-Side	13.109	11.410	100
16	Suction-Side	13.374	11.316	100
17	Suction-Side	13.634	11.211	100
18	Suction-Side	13.891	11.098	100
19	Suction-Side	14.143	10.975	100
20	Suction-Side	14.392	10.846	100
21	Suction-Side	14.637	10.708	100
22	Suction-Side	14.878	10.564	100
23	Suction-Side	15.115	10.413	100
24	Suction-Side	15.348	10.257	100
25	Suction-Side	15.578	10.096	100
26	Suction-Side	15.803	9.929	100
27	Suction-Side	16.026	9.758	100
28	Suction-Side	16.246	9.583	100
29	Suction-Side	16.461	9.404	100
30	Suction-Side	16.674	9.220	100
31	Suction-Side	16.883	9.034	100
32	Suction-Side	17.090	8.844	100
33	Suction-Side	17.293	8.650	100
34	Suction-Side	17.494	8.455	100
35	Suction-Side	17.692	8.256	100
36	Suction-Side	17.888	8.054	100

TABLE I-continued

N	Location	X	Y	Z
37	Suction-Side	18.081	7.851	100
38	Suction-Side	18.271	7.644	100
39	Suction-Side	18.459	7.436	100
40	Suction-Side	18.645	7.226	100
41	Suction-Side	18.829	7.013	100
42	Suction-Side	19.010	6.799	100
43	Suction-Side	19.189	6.583	100
44	Suction-Side	19.367	6.365	100
45	Suction-Side	19.542	6.146	100
46	Suction-Side	19.716	5.926	100
47	Suction-Side	19.887	5.704	100
48	Suction-Side	20.057	5.480	100
49	Suction-Side	20.226	5.256	100
50	Suction-Side	20.393	5.030	100
51	Suction-Side	20.558	4.803	100
52	Suction-Side	20.722	4.576	100
53	Suction-Side	20.884	4.346	100
54	Suction-Side	21.045	4.117	100
55	Suction-Side	21.205	3.886	100
56	Suction-Side	21.364	3.654	100
57	Suction-Side	21.521	3.422	100
58	Suction-Side	21.678	3.189	100
59	Suction-Side	21.833	2.955	100
60	Suction-Side	21.988	2.721	100
61	Suction-Side	22.141	2.486	100
62	Suction-Side	22.294	2.250	100
63	Suction-Side	22.445	2.014	100
64	Suction-Side	22.596	1.777	100
65	Suction-Side	22.746	1.540	100
66	Suction-Side	22.895	1.302	100
67	Suction-Side	23.043	1.064	100
68	Suction-Side	23.191	0.825	100
69	Suction-Side	23.338	0.586	100
70	Suction-Side	23.484	0.346	100
71	Suction-Side	23.630	0.106	100
72	Suction-Side	23.775	-0.134	100
73	Suction-Side	23.919	-0.375	100
74	Suction-Side	24.063	-0.616	100
75	Suction-Side	24.205	-0.857	100
76	Suction-Side	24.347	-1.099	100
77	Suction-Side	24.489	-1.342	100
78	Suction-Side	24.630	-1.585	100
79	Suction-Side	24.770	-1.828	100
80	Suction-Side	24.910	-2.071	100
81	Suction-Side	25.049	-2.315	100
82	Suction-Side	25.187	-2.559	100
83	Suction-Side	25.324	-2.804	100
84	Suction-Side	25.462	-3.049	100
85	Suction-Side	25.598	-3.295	100
86	Suction-Side	25.734	-3.540	100
87	Suction-Side	25.868	-3.786	100
88	Suction-Side	26.003	-4.033	100
89	Suction-Side	26.136	-4.280	100
90	Suction-Side	26.269	-4.527	100
91	Suction-Side	26.402	-4.774	100
92	Suction-Side	26.533	-5.022	100
93	Suction-Side	26.665	-5.270	100
94	Suction-Side	26.795	-5.519	100
95	Suction-Side	26.926	-5.767	100
96	Suction-Side	27.055	-6.016	100
97	Suction-Side	27.185	-6.265	100
98	Suction-Side	27.314	-6.515	100
99	Suction-Side	27.442	-6.764	100
100	Suction-Side	27.464	-7.038	100
101	Pressure-Side	27.297	-7.256	100
102	Pressure-Side	27.045	-7.305	100
103	Pressure-Side	26.822	-7.179	100
104	Pressure-Side	26.674	-6.963	100
105	Pressure-Side	26.529	-6.746	100
106	Pressure-Side	26.382	-6.529	100
107	Pressure-Side	26.236	-6.312	100
108	Pressure-Side	26.090	-6.095	100
109	Pressure-Side	25.942	-5.879	100
110	Pressure-Side	25.795	-5.663	100
111	Pressure-Side	25.647	-5.447	100

TABLE 1-continued

N	Location	X	Y	Z
112	Pressure-Side	25.498	-5.231	100
113	Pressure-Side	25.349	-5.016	100
114	Pressure-Side	25.199	-4.802	100
115	Pressure-Side	25.049	-4.587	100
116	Pressure-Side	24.899	-4.373	100
117	Pressure-Side	24.748	-4.159	100
118	Pressure-Side	24.597	-3.946	100
119	Pressure-Side	24.445	-3.733	100
120	Pressure-Side	24.293	-3.520	100
121	Pressure-Side	24.141	-3.307	100
122	Pressure-Side	23.989	-3.094	100
123	Pressure-Side	23.836	-2.881	100
124	Pressure-Side	23.683	-2.669	100
125	Pressure-Side	23.530	-2.457	100
126	Pressure-Side	23.377	-2.245	100
127	Pressure-Side	23.223	-2.033	100
128	Pressure-Side	23.070	-1.821	100
129	Pressure-Side	22.916	-1.609	100
130	Pressure-Side	22.762	-1.397	100
131	Pressure-Side	22.608	-1.186	100
132	Pressure-Side	22.454	-0.974	100
133	Pressure-Side	22.299	-0.763	100
134	Pressure-Side	22.145	-0.552	100
135	Pressure-Side	21.990	-0.341	100
136	Pressure-Side	21.835	-0.130	100
137	Pressure-Side	21.680	0.081	100
138	Pressure-Side	21.525	0.292	100
139	Pressure-Side	21.369	0.502	100
140	Pressure-Side	21.213	0.713	100
141	Pressure-Side	21.057	0.922	100
142	Pressure-Side	20.901	1.132	100
143	Pressure-Side	20.744	1.342	100
144	Pressure-Side	20.587	1.551	100
145	Pressure-Side	20.429	1.760	100
146	Pressure-Side	20.271	1.968	100
147	Pressure-Side	20.113	2.177	100
148	Pressure-Side	19.954	2.385	100
149	Pressure-Side	19.794	2.592	100
150	Pressure-Side	19.634	2.799	100
151	Pressure-Side	19.473	3.005	100
152	Pressure-Side	19.312	3.211	100
153	Pressure-Side	19.150	3.417	100
154	Pressure-Side	18.987	3.621	100
155	Pressure-Side	18.823	3.826	100
156	Pressure-Side	18.659	4.029	100
157	Pressure-Side	18.493	4.232	100
158	Pressure-Side	18.327	4.434	100
159	Pressure-Side	18.160	4.635	100
160	Pressure-Side	17.992	4.836	100
161	Pressure-Side	17.822	5.035	100
162	Pressure-Side	17.651	5.233	100
163	Pressure-Side	17.479	5.431	100
164	Pressure-Side	17.306	5.627	100
165	Pressure-Side	17.132	5.822	100
166	Pressure-Side	16.955	6.015	100
167	Pressure-Side	16.777	6.207	100
168	Pressure-Side	16.598	6.398	100
169	Pressure-Side	16.416	6.586	100
170	Pressure-Side	16.233	6.773	100
171	Pressure-Side	16.048	6.958	100
172	Pressure-Side	15.860	7.140	100
173	Pressure-Side	15.670	7.319	100
174	Pressure-Side	15.477	7.497	100
175	Pressure-Side	15.282	7.671	100
176	Pressure-Side	15.084	7.842	100
177	Pressure-Side	14.883	8.009	100
178	Pressure-Side	14.678	8.172	100
179	Pressure-Side	14.470	8.331	100
180	Pressure-Side	14.258	8.484	100
181	Pressure-Side	14.042	8.633	100
182	Pressure-Side	13.823	8.775	100
183	Pressure-Side	13.599	8.911	100
184	Pressure-Side	13.371	9.040	100
185	Pressure-Side	13.140	9.161	100
186	Pressure-Side	12.903	9.275	100

TABLE 1-continued

N	Location	X	Y	Z
187	Pressure-Side	12.664	9.380	100
188	Pressure-Side	12.421	9.477	100
189	Pressure-Side	12.174	9.565	100
190	Pressure-Side	11.925	9.645	100
191	Pressure-Side	11.674	9.716	100
192	Pressure-Side	11.420	9.781	100
193	Pressure-Side	11.165	9.838	100
194	Pressure-Side	10.908	9.890	100
195	Pressure-Side	10.651	9.941	100
196	Pressure-Side	10.395	9.995	100
197	Pressure-Side	10.142	10.059	100
198	Pressure-Side	9.896	10.146	100
199	Pressure-Side	9.679	10.291	100
200	Pressure-Side	9.558	10.518	100

[0021] It will also be appreciated that the airfoil 250 disclosed in the above Table 1 may be scaled up or down geometrically for use in other similar turbine designs. Consequently, the coordinate values set forth in Table 1 may be scaled upwardly or downwardly such that the airfoil profile shape remains unchanged. A scaled version of the coordinates in Table 1 would be represented by X, Y and Z coordinate values of Table 1, with the X, Y and Z non-dimensional coordinate values converted to inches, multiplied or divided by a constant number.

[0022] An important term in this disclosure is profile. The profile is the range of the variation between measured points on an airfoil surface and the ideal position listed in Table 1. The actual profile on a manufactured blade will be different than those in Table 1 and the design is robust to this variation meaning that mechanical and aerodynamic function are not impaired. As noted above, an approximately + or -5% profile tolerance is used herein. The X, Y and Z values are all non-dimensionalized relative to the airfoil height.

[0023] The disclosed airfoil shape optimizes and is specific to the machine conditions and specifications. The airfoil shape provides a unique profile to achieve (1) interaction between other stages in the high pressure turbine; (2) aerodynamic efficiency; and (3) normalized aerodynamic and mechanical blade loadings. The disclosed loci of points allow the gas turbine or any other suitable turbine to run in an efficient, safe and smooth manner. As also noted, any scale of the disclosed airfoil may be adopted as long as (1) interaction between other stages in the high pressure turbine; (2) aerodynamic efficiency; and (3) normalized aerodynamic and mechanical blade loadings are maintained in the scaled turbine.

[0024] The airfoil 250 described herein thus improves overall gas turbine 100 efficiency. Specifically, the airfoil 250 provides the desired turbine efficiency lapse rate (ISO, hot, cold, part load, etc.). The airfoil 250 also meets all aeromechanics and stress requirements.

[0025] It should be apparent that the foregoing relates only to certain embodiments of the present application and the resultant patent. Numerous changes and modifications may be made herein by one of ordinary skill in the art without departing from the general spirit and scope of the invention as defined by the following claims and the equivalents thereof.

1. A turbine bucket including a bucket airfoil having an airfoil shape, the bucket airfoil having a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from

0% to 100% convertible to dimensional distances by multiplying the Cartesian coordinate values of X, Y and Z by a height of the bucket airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each distance Z, the airfoil profile sections at Z distances being joined smoothly with one another to form a complete airfoil shape.

2. The turbine bucket according to claim 1, forming part of a stage of a turbine.

3. The turbine bucket according to claim 1, wherein the airfoil shape lies in an envelope within at least one of,  $\pm 5\%$  and  $\pm 5\%$  of a chord length in a direction normal to any airfoil surface location.

4. The turbine bucket according to claim 1, wherein a height of the turbine bucket is about 9 inches to about 32 inches.

5. A turbine bucket including a bucket airfoil having a suction-side uncoated nominal airfoil profile substantially in accordance with suction-side Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances by multiplying the Cartesian coordinate values of X, Y and Z by a height of the bucket airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each Z distance, the airfoil profile sections at the Z distances being joined smoothly with one another to form a complete suction-side airfoil shape, the X, Y and Z distances being scalable as a function of the same constant or number to provide a scaled-up or scaled-down airfoil.

6. The turbine bucket according to claim 5, forming part of a stage of a turbine.

7. The turbine bucket according to claim 5, wherein the suction-side airfoil shape lies in an envelope within at least one of,  $\pm 5\%$  and  $\pm 5\%$  of a chord length in a direction normal to any airfoil surface location.

8. The turbine bucket according to claim 5, wherein a height of the turbine bucket is about 9 inches to about 32 inches.

9. A turbine comprising a plurality of buckets, each of the buckets including an airfoil having a suction-side airfoil shape, the airfoil having a nominal profile substantially in accordance with suction-side Cartesian coordinate values of

X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances in inches by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil in inches, and wherein X and Y are distances in inches which, when connected by smooth continuing arcs, define airfoil profile sections at each Z distance, the airfoil profile sections at the Z distances being joined smoothly with one another to form a complete suction-side airfoil shape.

10. The turbine according to claim 9, wherein the plurality of buckets comprise a stage of the turbine.

11. The turbine according to claim 9, wherein X represents a distance parallel to the turbine axis of rotation.

12. The turbine according to claim 9, wherein the suction-side airfoil shape lies in an envelope within at least one of,  $\pm 5\%$  and  $\pm 5\%$  of a chord length in a direction normal to any airfoil surface location.

13. The turbine according to claim 9, wherein a height of the bucket is about 9 inches to about 32 inches.

14. The turbine according to claim 9, wherein each of the buckets includes an airfoil having a pressure-side airfoil shape, the airfoil having a nominal profile substantially in accordance with pressure-side Cartesian coordinate values of X, Y and Z set forth in Table 1 wherein the Cartesian coordinate values of X, Y and Z are non-dimensional values from 0% to 100% convertible to dimensional distances in inches by multiplying the Cartesian coordinate values of X, Y and Z by a height of the airfoil, and wherein X and Y are distances which, when connected by smooth continuing arcs, define airfoil profile sections at each Z distance, the airfoil profile sections at Z distances being joined smoothly with one another to form a complete airfoil shape.

15. The turbine according to claim 14, wherein the plurality of buckets comprise a stage of the turbine.

16. The turbine according to claim 14, wherein X represents a distance parallel to the turbine axis of rotation.

17. The turbine according to claim 14, wherein the pressure-side airfoil shape lies in an envelope within at least one of,  $\pm 5\%$  and  $\pm 5\%$  of a chord length in a direction normal to any airfoil surface location.

18. A turbine according to claim 14, wherein a height of the bucket is about 9 inches to about 32 inches.

\* \* \* \* \*