



US009517406B2

(12) **United States Patent**
Shum et al.

(10) **Patent No.:** **US 9,517,406 B2**
(45) **Date of Patent:** ***Dec. 13, 2016**

(54) **INTERACTIVE GAMING APPAREL FOR INTERACTIVE GAMING**

2300/6027;A63F 2300/609; A63F 2300/65; A63F 13/06; A63F 13/10; A63F 13/213; A63F 13/42; A63F 2300/1012

(75) Inventors: **Albert Shum**, Portland, OR (US);
Thomas Foxen, Portland, OR (US);
James Meschter, Portland, OR (US)

(56) **References Cited**

(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

1,963,110 A 6/1934 Assael
3,797,010 A 3/1974 Adler et al.
(Continued)

This patent is subject to a terminal disclaimer.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **13/428,903**

DE 3447171 A1 9/1985
EP 0908701 4/1999
(Continued)

(22) Filed: **Mar. 23, 2012**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

US 2012/0184371 A1 Jul. 19, 2012

European Search Report in related European Application No. 10179570.6; dated Jul. 24, 2012.

(Continued)

Related U.S. Application Data

Primary Examiner — Jasson Yoo

(63) Continuation of application No. 10/286,396, filed on Oct. 30, 2002, now Pat. No. 8,206,219.

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(51) **Int. Cl.**
A63F 13/213 (2014.01)
A63F 13/42 (2014.01)

(57) **ABSTRACT**

(Continued)



Apparel is disclosed that can be worn to assist an interactive game in tracking the movement of the wearer. More particularly, the apparel may include one or more tracking marks formed of designs, patterns, or reflective materials that can be easily tracked by an interactive game employing one or more cameras or other detectors for detecting a change in position of an object. The apparel may take the form of, for example, hats, shirts, jackets, pants, gloves, and shoes. The apparel may use reflective materials, and the interactive game can employ a camera and a light source configuration where the camera is located within the observation angle of a player employing retroreflective materials reflecting light from the light source.

(52) **U.S. Cl.**
CPC *A63F 13/213* (2014.09); *A63F 13/06* (2013.01); *A63F 13/10* (2013.01); *A63F 13/42* (2014.09);

(Continued)

(58) **Field of Classification Search**
CPC A63F 2300/1006; A63F 2300/1087; A63F 2300/1093; A63F 2300/60; A63F

18 Claims, 4 Drawing Sheets



- (51) **Int. Cl.** 6,405,381 B1 6/2002 Bowman, Jr.
A63F 13/20 (2014.01) 6,475,115 B1 11/2002 Candito et al.
A63F 13/40 (2014.01) 6,539,336 B1 3/2003 Vock et al.
 6,545,705 B1 4/2003 Sigel et al.
- (52) **U.S. Cl.** 6,572,511 B1 6/2003 Volpe
 CPC *A63F 2300/1012* (2013.01); *A63F 2300/1093* 6,585,622 B1 7/2003 Shum et al.
 (2013.01); *A63F 2300/609* (2013.01) 6,595,858 B1 7/2003 Tajiri et al.
 6,605,038 B1 8/2003 Teller et al.
- (58) **Field of Classification Search** 6,669,600 B2 12/2003 Warner
 USPC 463/1, 36, 37, 43 6,720,949 B1* 4/2004 Pryor A63F 13/02
 See application file for complete search history. 345/156

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,934,065 A 1/1976 Tung
 4,104,102 A 8/1978 Eagon et al.
 4,510,704 A 4/1985 Johnson
 4,517,685 A 5/1985 Lesley
 4,542,897 A 9/1985 Melton et al.
 4,651,446 A 3/1987 Yukawa et al.
 4,716,458 A 12/1987 Heitzman et al.
 4,743,971 A 5/1988 Hugli
 4,752,764 A 6/1988 Peterson et al.
 4,769,265 A 9/1988 Coburn, Jr.
 4,771,394 A 9/1988 Cavanagh
 4,808,471 A* 2/1989 Grunzinger 428/325
 4,828,257 A 5/1989 Dyer et al.
 4,856,787 A 8/1989 Itkis
 4,919,418 A 4/1990 Miller
 4,925,189 A 5/1990 Braeunig
 5,017,770 A 5/1991 Sigalov
 5,089,960 A 2/1992 Sweeney, Jr.
 5,203,848 A 4/1993 Wang
 5,210,604 A 5/1993 Carpenter
 5,213,555 A 5/1993 Hood et al.
 5,235,416 A 8/1993 Stanhope
 5,423,554 A 6/1995 Davis
 5,456,648 A 10/1995 Edinburg et al.
 5,466,200 A 11/1995 Ulrich et al.
 5,524,637 A 6/1996 Erickson
 5,547,439 A 8/1996 Rawls et al.
 5,575,717 A 11/1996 Houriet, Jr. et al.
 5,594,469 A* 1/1997 Freeman et al. 345/158
 5,616,078 A 4/1997 Oh
 5,626,537 A 5/1997 Danyo et al.
 5,655,997 A 8/1997 Greenberg et al.
 5,675,828 A 10/1997 Stoel et al.
 5,720,200 A 2/1998 Anderson et al.
 5,768,382 A 6/1998 Schneier et al.
 5,785,632 A 7/1998 Greenberg et al.
 5,794,267 A 8/1998 Wallace
 5,864,333 A 1/1999 O'Heir et al.
 5,890,995 A 4/1999 Bobick et al.
 5,890,997 A 4/1999 Roth
 5,899,963 A 5/1999 Hutchings
 5,916,063 A 6/1999 Alessandri
 5,921,891 A 7/1999 Browne
 5,941,797 A 8/1999 Kashiwaguchi
 5,974,262 A 10/1999 Fuller et al.
 5,982,352 A* 11/1999 Pryor 345/156
 5,989,157 A 11/1999 Walton
 6,013,007 A 1/2000 Root et al.
 6,018,705 A 1/2000 Gaudet et al.
 6,024,675 A 2/2000 Kashiwaguchi
 6,050,924 A 4/2000 Shea
 6,066,075 A 5/2000 Poulton
 6,077,193 A 6/2000 Buhler et al.
 6,122,340 A 9/2000 Darley et al.
 6,122,960 A 9/2000 Hutchings et al.
 6,128,783 A 10/2000 Blauer et al.
 6,175,960 B1 1/2001 Knittel
 6,191,773 B1 2/2001 Maruno et al.
 6,213,872 B1 4/2001 Harada et al.
 6,222,859 B1 4/2001 Yoshikawa
 6,231,527 B1 5/2001 Sol
 6,298,218 B1 10/2001 Lowe et al.
 6,298,314 B1 10/2001 Blackadar et al.

7,106,360 B1 9/2006 Frederick
 2002/0019258 A1 2/2002 Kim et al.
 2002/0019296 A1 2/2002 Freeman et al.
 2002/0036617 A1 3/2002 Pryor
 2002/0077219 A1 6/2002 Cohen et al.
 2002/0083507 A1 7/2002 Mullis
 2002/0097247 A1 7/2002 Ohba
 2002/0160883 A1 10/2002 Dugan
 2002/0176575 A1 11/2002 Qawami et al.
 2003/0008714 A1 1/2003 Tajiri et al.
 2003/0016368 A1 1/2003 Aman et al.
 2003/0031062 A1* 2/2003 Tsurugai A63F 13/10
 365/200
 2003/0050537 A1 3/2003 Wessel
 2003/0063115 A1* 4/2003 Kaku et al. 345/711
 2004/0017473 A1 1/2004 Marks
 2004/0127334 A1 7/2004 Heppert
 2004/0127336 A1 7/2004 Lapcevic

FOREIGN PATENT DOCUMENTS

JP 63186711 11/1988
 JP 04-127674 4/1992
 JP 05-161724 6/1993
 JP 07-185131 7/1995
 JP H08131654 A 5/1996
 JP H09248282 A 9/1997
 JP 2000-033184 2/2000
 JP 2001155121 A 6/2001
 JP 2002500768 A 1/2002
 JP 2002519754 A 7/2002
 JP 2002-530970 9/2002
 JP 2003-221712 8/2003
 JP 2003316905 A 11/2003
 JP 2003333578 A 11/2003
 JP 2004264244 A 9/2004
 JP 2004313407 A 11/2004
 JP 2006077382 A 3/2006
 WO 9967702 A1 12/1999
 WO 0031560 6/2000
 WO 0171397 9/2001
 WO 2005002436 1/2005

OTHER PUBLICATIONS

Extended European Search Report in related European Application No. 10178921.2; dated May 27, 2011.
 Extended European Search Report in related European Application No. 10150066.8; dated May 31, 2011.
 Guskov, I., "Efficient Tracking of Regular Patterns on Non-rigid Geometry", University of Michigan, 2002: 1057-1060.
 Extended European Search Report in related European Application No. 09150346.6; dated Jan. 2, 2012.
 International Search Report in related International PCT Application No. PCT/US05/012954; dated Aug. 26, 2005.
 International Search Report in related International PCT Application No. PCT/US03/34286; dated Jun. 2, 2004.
 U.S. Office Action from U.S. Appl. No. 12/626,120; dated Dec. 18, 2012.
 Japanese Office Action from Japanese Patent Application No. 2011-048017; dispatch date Jun. 6, 2013.
 Printout of Web page (Netpulse Frequent Fitness Program), dated Dec. 3, 1999, 3 pgs.
 Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach Standard), dated Nov. 30, 1999, 3 pgs.

(56)

References Cited

OTHER PUBLICATIONS

Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach Multi-Sport Training Software Products Catalog), dated Sep. 1999, 12 pgs.

Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach VR: How it Works?), dated Nov. 30, 1999, 2 pgs.

Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach VR Features), dated Nov. 30, 1999, 3 pgs.

Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach Fit Software Comparisons), dated Nov. 30, 1999, 2 pgs.

Printout of Web page from Interactive Fitness Technologies, Inc. (UltraCoach Home Page), dated Nov. 30, 1999, 2 pgs.

Health Care. High-Tech Style. by Bernard Wyskocki, Jr., The Well Street Journal, Apr. 17, 2001, 2 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIGURE 3






FIG. 4



INTERACTIVE GAMING APPAREL FOR INTERACTIVE GAMING

This application is a continuation of application Ser. No. 10/286,396, filed Oct. 30, 2002, which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

Aspects of the present invention relate to apparel for the type of interactive game employing one or more cameras or detectors to track the movement of a player. Other aspects of the present invention relate to an apparatus for implementing an interactive game employing one or more cameras or detectors to track the movement of a player.

BACKGROUND OF THE INVENTION

As computer games become more and more sophisticated, some players have sought to play computer games that are more interactive. That is, some players have sought to play computer games that do not respond to simple manipulation of controls on a control console, but instead respond directly to a user's movements, such as the position of the user's body or extremities. These games employ detectors, such as cameras, infrared receivers, ultrasound receivers and the like, to detect the position of the players or, in some cases, a player's extremities. The interactive computer game then provides the appropriate feedback in response to a player's movement. For example, the interactive computer game may simulate the position of a goalie in a soccer game. If the player moves quickly from left to right, then the interactive computer game may determine that the player has "blocked" a goal, and award the player points for blocking the goal. Thus, this type of interactive computer game allows a user to control the operation of the game by changing his or her position, making gestures, or otherwise moving his or her hands, arms, or legs.

This type of interactive game may employ a variety of different techniques to track a player's movements. As noted above, some games may use infrared or ultrasonic detectors to track the motion of the player. With these embodiments, the gaming device will have a sensor that transmits infrared or ultrasonic waves, and a receiver that receives the infrared or ultrasonic waves reflected from an object. The player will then typically don a reflective device that reflects the infrared or ultrasonic waves emitted by the gaming device back to its receiver.

With these types of interactive games, the player must put on a special device to assist the interactive game in tracking the player's movements. These devices may be cumbersome, and interfere with the natural feel of the game. Moreover, while some interactive games may allow multiple players to play simultaneously, in actuality the number of players may be limited by the number of tracking devices available.

SUMMARY OF THE INVENTION

Various embodiments of the present invention relate to apparel that can be worn to assist an interactive game in tracking the movement of the wearer. More particularly, some embodiments of the invention relate to apparel that includes one or more tracking marks formed of designs, patterns, or reflective materials that can be easily tracked by an interactive game employing one or more cameras or detectors for detecting a change in position of an object. The

apparel according to various embodiments of the invention may take the form of, for example, hats, shirts, jackets, pants, gloves, and shoes. By providing tracking marks on apparel, rather than using a special-purpose device that must be separately worn by user, a player may enjoy a more natural feel when playing the interactive game. Further, the player need not don any special equipment to play the game. Instead, a user can wear the apparel for everyday purposes, and then simply begin playing the game wearing the apparel without having to put on any additional equipment.

Some embodiments of the invention also relate to the use of reflective materials and camera configurations that may be used by an interactive game in tracking the movement of a user. More particularly, some embodiments of the invention use one or more tracking markers formed with retro-reflective material. Further, some of these embodiments of the invention use a camera and a light source configuration where the camera is located within the observation angle of a player employing retroreflective materials reflecting light from the light source.

These and other features and aspects of the invention will be apparent upon consideration of the following detailed description of the preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing summary of the invention, as well as the following detailed description of preferred embodiments, is better understood when read in conjunction with the accompanying drawings, which are included by way of example, and not by way of limitation with regard to the claimed invention.

FIG. 1 illustrates apparel employing tracking marks according to one embodiment of the invention.

FIG. 2 illustrates the use of the apparel illustrated in FIG. 1 with an interactive computer game.

FIG. 3 is a graphic illustration of the operation of retro-reflectivity.

FIG. 4 illustrates a camera for use with an interactive computer game according to embodiments of the invention.

FIG. 5 illustrates one example of retroreflective material that may be used with embodiments of the invention.

FIG. 6 illustrates another camera for use with an interactive computer game according to embodiments of the invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Apparel Bearing Tracking Marks

FIG. 1 illustrates one example of a piece of apparel employing tracking marks according to an embodiment of the invention. As seen in this figure, a shirt 101 includes a chest tracking mark 103, a left cuff tracking mark 105, and a right cuff tracking mark 107. Each of these tracking marks 103-107 has the appearance of a lightly-colored cross shape. Moreover, each tracking mark 103-107 faces toward the front of the shirt 101 (that is, toward the front of a user wearing the shirt 101), so that the tracking marks 103-107 will appear in images taken by one or more cameras of an interactive game played by the wearer.

In the illustrated embodiment, the remainder of the shirt 101 other than the tracking marks 103-107 is relatively dark, providing for good contrast between the tracking marks 103-107 and the shirt 101 itself. For example, the tracking marks 103-107 may be bright white, while the remainder of

the shirt 101 may be a dark blue, brown, or black. This high contrast between the tracking marks 103-107 and the background of the shirt 101 will assist an interactive game employing a camera to distinguish the tracking marks 103-107 from the background of the shirt 101. Moreover, the distinctive cross shape of the tracking marks 103-107 may assist a suitably-programmed interactive game to identify and distinguish these marks 103-107 from the background provided by the shirt 101. For example, the cross-shaped tracking marks 103-107 be useful with the interactive game is programmed to distinguish a cross shape from other shapes imaged by a camera or cameras.

As will be appreciated by those of ordinary skill in the art, the tracking marks 103-107 can be applied to the shirt 101 using a variety of techniques. For example, the tracking marks 103-107 may be stitched to the shirt 101, adhered to the shirt 101 using any suitable adhesive, or woven or knitted into the material of the shirt 101. Further, the tracking marks 103-107 can be printed onto the shirt 101 using a pad printing technique. The tracking marks 103-107 also can be heat transferred onto the shirt 101, dye-sublimated onto the shirt 101, or simply dyed into the material of the shirt 101. In addition, the tracking marks 103-107 can be glued onto the shirt 101, impregnated into the shirt 101 using, for example, thermoforming, or etched into the material of the shirt 101. Still further, the tracking marks 103-107 can be permanently mechanically attached to the shirt 101 using any suitable fastening mechanism, such as pins or staples. It should also be appreciated that, where desired, each tracking mark 103-107 can be applied to the shirt 101 using a different technique. For example, the chest tracking mark 103 may be stitched to the shirt 101, while the left cuff and right cuff tracking marks 105 and 107 may be silk screened onto the sleeves of the shirt 101.

The use of the shirt 101 according to one embodiment of the invention is shown in FIG. 2. As seen in this figure, a player 201 dons the shirt 101, and stands before an interactive game 203. More particularly, the player 201 stands within the playing area defined for the interactive computer game 203. The interactive computer game 203 includes a pair of video cameras 205 and a display monitor 207. The interactive computer game 203 also includes a processing unit 209. The processing unit 209 has a tracking mark recognition module 211, and a game response module 213. The tracking mark recognition module 211 receives images from the cameras 205. From these images, the tracking mark recognition module 211 recognizes one or more tracking marks in the visual fields of the cameras 205, and determines the movement, if any, of the recognized tracking marks.

For example, the tracking mark recognition module 211 may employ an algorithm to recognize a tracking mark by distinguishing pixels having a particular color in an image obtained by a camera 205 from pixels in that image of other colors. Alternately, the tracking mark recognition module 211 may recognize a tracking mark by distinguishing the brightness of pixels of the tracking mark from the other pixels in an image obtained by the camera 205. Still further, the recognition module 211 may recognize a tracking mark by distinguishing pixels of a relatively uniform brightness, shade, or color that are arranged in a particular shape.

Once the tracking mark recognition module 211 recognizes one or more tracking marks, it then determines the movement of the recognized tracking marks. Algorithms for determining the movement of recognized images are well known in the art, and will not be discussed here in detail. For example, the tracking mark recognition module 211 may use the "city block" method of determining the three-dimen-

sional position of an imaged tracking mark by comparing the position of a specific location on the mark in the image from one camera 205 with the position of the same location on the tracking mark in a simultaneous image from another camera 205, for the entire area of the tracking mark.

With some embodiments of the invention, the tracking mark recognition module 211 may additionally determine movement of the user's extremities from the detected movement of the tracking marks. For example, using inverse kinematics, the tracking mark recognition module 211 may determine that a user has moved his or her right forearm based upon the detected rotation of one tracking mark (located at the user's wrist) about another stationary tracking mark (located at the user's elbow). The use of reverse kinematics is also well known in the art, and thus will not be described here in detail.

Based upon the detected movement of the tracking marks, the game response module 213 then provides a corresponding response on the monitor 207. For example, if the objective of the game is for the player to position himself or herself so as to block a virtual soccer ball from entering a virtual goal, then the game response module 213 will determine if the movement of any of the tracking marks 103-107 will place that tracking mark between the virtual soccer ball and the virtual goal. If the game response module 213 determines that one of the tracking marks 103-107 has moved to a virtual location between the virtual soccer ball and the virtual goal, then the game response module 213 may display a soccer ball moving away from the player 201, indicating that the player has successfully blocked the ball. On the other hand, if the game response module 213 determines that the movement of the tracking marks 103-107 does not place a tracking mark between the virtual soccer ball and the virtual goal, then the game response module 213 may display a scoring indicator indicating that the player 201 has given up a point in a virtual soccer game.

It should be noted that, with various embodiments of the invention, the tracking mark recognition module 211 may additionally or alternately recognize qualitative information from one or more of the tracking marks. Thus, a user may wear apparel that displays a special tracking mark, such as a specific number or pattern. Upon recognizing this number or pattern, the tracking mark recognition module 211 may then provide the game with one or more special features of functions.

For example, if the interactive game 203 is a virtual soccer goal-blocking game, the user may wear a shirt bearing the number of a soccer player that is particularly good at blocking high shots on the goal. When the tracking mark recognition module 211 recognizes the number, the game 203 may then relax the user's requirements for successfully blocking a "high" virtual shot on the virtual goal. Alternately, if the interactive game 203 provides a training program to assist a user in exercising with handheld or strapped-on weight, the tracking mark recognition module 211 may recognize the mass of the weight from its color, and the game 203 will then adjust the training program accordingly. With some of these embodiments, the interactive game 203 may use the tracking marks only to obtain qualitative information. The game 203 may then determine the user's position or movements using techniques other than with the tracking marks, such as by conventional infrared, visible light or sonic positioning and motion detection.

In addition to passively providing qualitative information, the tracking marks may also provide qualitative information when moved. For example, the tracking mark recognition

5

module **211** may recognize particular movements or motions of one or more tracking marks as character information or instructional information. Thus, with some embodiments of the invention, a user may make a particular motion with one or more tracking marks, and the tracking mark recognition module will recognize these motions to be an instruction to, e.g., turn off the game, change the type or characteristics of the game, input alphanumeric information, or provide other qualitative information.

The method of manufacturing apparel bearing tracking marks, such as the shirt **101**, according to various embodiments of the invention is illustrated in FIG. 3. As seen in this figure, in step **301**, the apparel manufacturer analyzes the interactive game **203** with which the apparel bearing the tracking marks will be employed. More particularly, the apparel manufacturer determines the type of tracking mark or marks that the apparel should have in order to allow the interactive game **203** to properly track the user's movements. This information regarding the types of suitable tracking marks may be obtained directly from the manufacture of the interactive game **203**, or it may be obtained by studying the components of the interactive game **203**, such as the software code of the interactive game **203** (for example, the software code of the tracking mark recognition module **211**).

For example, as illustrated in FIG. 1, the shirt **101** bears specific shapes (that is, cross shapes) that the interactive game **203** can easily identify as tracking marks. With alternate embodiments of the invention, however, the interactive game may distinguish tracking marks of specific colors rather than specific shapes. For example, with some embodiments of the invention, the interactive game may more easily identify a tracking mark having the color red from a blue background of the apparel than a tracking mark having a particular shape. Alternately, or additionally, some interactive games may better distinguish reflective tracking marks than tracking marks that simply have a high contrast with respect to the apparel on which they are placed. For example, with some embodiments of the invention, the interactive game may employ an electromagnetic wave transmitter, such as an infrared, visible light or sonic transmitter, together with one or more detectors for detecting the reflection of these electromagnetic waves. The tracking marks can then be formed of a material that is particularly reflective of the appropriate type of electromagnetic wave.

Further, some interactive games may track only the player's position. With these games, the piece of apparel might require only a single tracking mark located in a central position on the apparel. Moreover, the interactive game may actually track the movement of each of the player's extremities. With this type of interactive game, the apparel might require multiple tracking marks, such as one on each sleeve of a shirt, or on each leg of a pair of pants.

After the manufacturer has determined the appropriate tracking mark or marks to be applied to the apparel, the manufacturer manufactures the apparel with those tracking marks in step **303**. As discussed in detail above, the manufacturer can manufacture the apparel to inherently include the tracking marks, or the manufacturer may apply the tracking marks to the apparel after the apparel is created. Next, in step **305**, the manufacturer makes the apparel available to a wearer who intends to play the interactive game studied by the manufacturer. Then, in step **307**, the player **201** obtains the apparel bearing the tracking marks from the manufacturer. In step **309**, the player **201** begins wearing the apparel bearing the tracking marks, and, in step

6

311, begins playing the interactive game studied by the manufacturer while wearing the apparel with the tracking marks.

As discussed above, the apparel employing the tracking marks may be of any desired type. For example, with some embodiments of the invention, the apparel can include shirts, such as long sleeve shirts and sleeve shirts, jackets, pants, shorts, socks, and hat. The apparel can also include footwear. Still further, the apparel may be a hand-held object, such as a weight or piece of sports equipment, a band, such as a band that may be worn around the player's wrist, chest or ankles, or a sticker that may be applied to apparel that the player already possesses.

Retroreflective Tracking Marks

FIG. 4 illustrates yet another embodiment of the invention, which employs one or more retroreflective tracking marks to assist an interactive game in tracking the movements of a player. As seen in this figure, the player **401** is wearing a shirt **403** that bears a chest tracking mark **405**. The tracking mark **405** is formed of retroreflective material. As is known in the art, retroreflective material is a material that reflects light back in the direction of its source.

More particularly, the operation of retroreflectivity will be discussed briefly with reference to FIG. 5. As will be appreciated by those of ordinary skill in the art, materials typically will reflect in one of two ways. First, a surface may diffusely reflect incident light. That is, if incident light strikes a diffusive surface at a particular angle, the surface will reflect that incident light in multiple directions, and not produce a clear reflection of the incident light. Second a surface may provide a specular or mirror reflection. With this type of surface, if incident light strikes the surface at a particular angle, the surface will reflect the incident light at the opposite angle. With retroreflective surfaces, however, the incident light is reflected in generally the same direction from which it originated.

As known in the art, a retroreflective surface includes a mirrored layer **503** and a retroreflective sheeting layer over the mirrored player **503**. The retroreflective sheeting layer may be formed of tiny cube or prism elements, or it may be formed of transparent beads, such as the sphere **505** shown in FIG. 5. As seen in this figure, when an incident light ray **507** strikes the bead **505**, it is reflected toward the center axis (perpendicular to the mirrored layer **503**) of the bead **505**. When the incident light ray **507** is then reflected from the mirrored surface **503**, it exits the bead **505** in a direction generally parallel to that of the incident light ray **507**. Thus, retroreflective surfaces will reflect incident light in generally the same direction from which it originated. Of course, there will be some deviation between the direction of the incident light ray and its corresponding reflected light ray. This deviation is referred to as the observation angle.

Returning now to FIG. 4, the interactive game being used by the player **401** employs a camera **407** to take advantage of the retroreflectivity of the tracking mark **405**. The camera **407** includes a stand **409** having a light source **411** mounted thereon. When a beam of incident light **413** is directed from the light source **411**, the tracking mark **405** reflects the incident light **413** in a beam of reflected light **415**. The direction of the reflected light beam **415** is back toward the light source **411**. Because the camera lens **417** is relatively close to the light source **411**, it is within the observation angle for light reflected from the light source **411**.

Thus, the camera lens **417** will image the light from the light source **411** reflected by the retroreflective tracking

mark **405**. As will be appreciated by those of ordinary skill in the art, however, other observers standing outside of the observation angle will not view the reflected light **415** from the retroreflective tracking mark **405**. Instead, to these observers, the tracking mark **405** will simply appear as a somewhat shiny mark. Moreover, because of the high reflectivity of the retroreflective tracking mark **405**, the image of the tracking mark **405** will be strongly distinguished from its surrounding background, such as the background provided by the shirt **403**. This will assist the interactive computer game in recognizing the tracking mark **405** from its background.

Of course, it will be appreciated that the light source **411** need not be mounted on the stand **409** of the camera **407** in order for the camera **407** to be within the observation angle for light reflected from the light source **411**. Instead, as will be apparent to those of ordinary skill in the art, the area encompassed by the observation angle for light reflected from the retroreflective tracking mark **405** will depend upon the distance from the light source **411** to the tracking mark **405**. Whether or not the camera **407** will be within the area encompassed by the observation angle will also depend upon the distance of the camera **407** to the retroreflective tracking mark **405**.

FIG. 6 illustrates one embodiment of a camera **601** that typically ensures that the images obtained by the camera **601** will include light from within the observation angle of light reflected from a retroreflective tracking mark. The camera **601** includes a camera lens **603** and a light source **605**. As seen in FIG. 6, the light source **605** encircles the lens **603**. Thus, any light from the light source **605** will be retroreflected back to the camera lens **603**. That is, in almost all situations, the camera lens **603** will be within the observation angle of light reflected from the light source **605**. Of course, as will be appreciated by those of ordinary skill in the art, the radial distance between the lens **603** and the light source **605** can be modified based upon the expected distance to the retroreflective tracking mark. In most situations, the interactive computer game will typically specify a depth of a playing area. Thus, the intended depth of the playing area can be taken into account when spacing the light source **605** from the lens **603**.

It should be noted that, in addition to the light source/lens configurations shown in FIGS. 4 and 6, a variety of other configurations are also possible. For example, the light source **605** may only partially encircle the camera lens **603**. Alternately, the light source **605** may be mounted with a different support than the mount for the camera. A wide variety of positioning and mounting options are separately available for the light source **605** and the camera lens **603** that will still maintain the camera lens **603** within the observation angle for light reflected by a retroreflective target from the light source **605**.

CONCLUSION

Although the invention has been defined using the appended claims, these claims are exemplary in that the invention may be intended to include the elements and steps described herein in any combination or sub combination. Accordingly, there are any number of alternative combinations for defining the invention, which incorporate one or more elements from the specification, including the description, claims, and drawings, in various combinations or sub combinations. It will be apparent to those skilled in the relevant technology, in light of the present specification, that alternate combinations of aspects of the invention, either

alone or in combination with one or more elements or steps defined herein, may be utilized as modifications or alterations of the invention or as part of the invention. It may be intended that the written description of the invention contained herein covers all such modifications and alterations. For instance, in various embodiments, a certain order to the data has been shown. However, any reordering of the data is encompassed by the present invention. Also, where certain units of properties such as size (e.g., in bytes or bits) are used, any other units are also envisioned.

We claim:

1. A non-transitory computer-readable medium comprising computer-executable instructions that when executed by a processor causes at least:

detecting the presence of a first tracking mark displayed by an article of wear, wherein the first tracking mark comprises a retroreflective material having a first pattern and a first shape;

based upon detecting the presence of the first tracking mark, recognizing at least one of the first pattern or the first shape of the retroreflective material; and

based upon recognizing at least one of the first pattern or the first shape of the retroreflective material, providing an interactive computer game with one or more special features or functions that result in changing an interactive response requirement of the game.

2. The non-transitory computer readable medium recited in claim 1, wherein the computer-readable medium further comprises computer-executable instructions, that when executed by the processor perform at least:

recognizing at least one of a second pattern or a second shape of retroreflective material on a second tracking mark; and

determining movement of the second tracking mark by recognizing a change in position of the recognized at least one of the second pattern or second shape of the second tracking mark along an axis.

3. The non-transitory computer-readable medium recited in claim 2, wherein upon recognition of the change in position of the second tracking mark, an interactive game is configured to respond to the motion of the tracking mark.

4. The non-transitory computer-readable medium recited in claim 1, wherein detecting the presence of a first tracking mark detects a tracking mark that is woven or knitted into the article of wear.

5. The non-transitory computer-readable medium recited in claim 1, wherein detecting the presence of a first tracking mark detects a tracking mark that is permanently attached to the article of wear.

6. The non-transitory computer-readable medium recited in claim 1, wherein detecting the presence of a first tracking mark detects a tracking mark that is applied to the manufactured article of wear by a technique from the group consisting of: silk screening, pad printing, heat transfer, dye sublimation, dying, stitching, adhering with an adhesive, impregnation, etching, etching, stapling and riveting.

7. The non-transitory computer-readable medium recited in claim 1, wherein detecting the presence of a first tracking mark detects a tracking mark that is displayed by an article of wear from the group consisting of: footwear, a shirt, pants, a jacket, shorts, socks, a hat, and a band.

8. A system, comprising:

an article of wear, comprising;

a plurality of tracking marks comprising a first tracking mark including a retroreflective material having a first pattern and a first shape and a second tracking mark

9

including a retroreflective material having a second pattern and a second shape; and
 a non-transitory computer-readable medium comprising computer-executable instructions that when executed by a processor causes at least:
 detecting the presence of the first tracking mark displayed by the article of wear when worn by a user, and as a result, recognizing at least one of the first pattern or the first shape of the retroreflective material;
 based upon recognizing at least one of the first pattern or the first shape of the retroreflective material of the first tracking mark, providing an interactive game with one or more special features or functions that result in changing an interactive response requirement of the game; and
 based upon recognizing at least one of the pattern or shape of the retroreflective material of the second tracking mark, providing the interactive game with one or more special features or functions that result in changing an interactive response requirement of the game.

9. The system recited in claim 8, wherein the first tracking mark is woven or knitted into the article of wear.

10. The system recited in claim 8, wherein the first tracking mark is permanently attached to the article of wear.

11. The system recited in claim 10, wherein the first tracking mark is applied to the article of wear by a technique selected from the group consisting of: silk screening, pad printing, heat transfer, dye sublimation, dying, stitching, adhering with an adhesive, impregnation, etching, stapling and riveting.

12. The system recited in claim 8, wherein the article of wear is selected from the group consisting of: footwear, a shirt, pants, a jacket, shorts, socks, a hat, and a band.

10

13. The system recited in claim 8, wherein the article of wear is a shirt; and the plurality of tracking marks includes
 a first tracking mark located proximal to a first cuff of the shirt, and
 a second tracking mark located proximal to a second cuff of the shirt.

14. The system recited in claim 13, wherein the at least one tracking mark includes a third tracking mark located in a chest region of the shirt.

15. The system recited in claim 8, wherein the first pattern and the second pattern are the same with respect to the detection.

16. The system recited in claim 8, wherein the first shape and the second shape are the same with respect to the detection.

17. A non-transitory computer-readable medium comprising computer-executable instructions that when executed by a processor causes at least:

detecting the presence of a first tracking mark displayed by an article of wear, wherein the tracking mark comprises a retroreflective material having a physical design;

based upon the presence of the tracking mark, recognizing the first tracking mark's retroreflective material's physical design; and

based upon recognizing the physical design, providing an interactive game with one or more special features or functions that result in changing an interactive response requirement of the game.

18. The non-transitory computer-readable medium recited in claim 17, wherein recognizing the retroreflective material's physical design recognizes a color of the tracking mark.

* * * * *