US 20130023415A1

(19) **United States**

(12) **Patent Application Publication**

Witschel et al.

(10) **Pub. No.: US 2013/0023415 A1**

(43) **Pub. Date: Jan. 24, 2013**

(54) **SUBSTITUTED PYRIDINES HAVING HERBICIDAL ACTION**

(75) Inventors: **Matthias Witschel**, Bad Duerkheim (DE); **William Karl Moberg**, Neustadt (DE); **Liliana Parra Rapado**, Offenburg (DE); **Tao Qu**, Ludwigshafen (DE); **Frank Stelzer**, Mannheim (DE); **Andree Van Der Kloet**, Heidelberg (DE); **Thomas Seitz**, Viernheim (DE); **Thomas Ehrhardt**, Speyer (DE); **Klaus Kreuz**, Denzlingen (DE); **Klaus Grossmann**, Neuhofen (DE); **Anna Aleksandra Michrowska-Pianowska**, Mannheim (DE); **Anja Simon**, Weinheim (DE); **Ruediger Reingruber**, Ludwigshafen (DE); **Helmut Kraus**, Wissembourg (FR); **Dschun Song**, Mannheim (DE); **Julia Major**, Freinsheim (DE); **Johannes Hutzler**, Waldsee (DE); **Trevor William Newton**, Neustadt (DE); **Hans Wolfgang Hoeffken**, Ludwigshafen (DE); **Thomas Mietzner**, Annweiler (DE)

(73) Assignee: **BASF SE**, Ludwigshafen (DE)

(21) Appl. No.: **13/636,430**

(22) PCT Filed: **Mar. 21, 2011**

(86) PCT No.: **PCT/EP2011/054258**

§ 371 (c)(1),
(2), (4) Date: **Sep. 21, 2012**

Related U.S. Application Data

(60) Provisional application No. 61/316,400, filed on Mar. 23, 2010.

(30) **Foreign Application Priority Data**

Mar. 23, 2010 (EP) 10157312.9

Publication Classification

(51) **Int. Cl.**

A01N 43/90	(2006.01)
A01P 13/00	(2006.01)
C07D 491/052	(2006.01)

(52) **U.S. Cl.** **504/225**; 544/127; 546/116; 546/15; 544/215; 544/333; 504/246; 504/230; 504/242

(57) **ABSTRACT**

Substituted pyridines of the formula (I) in which the variables are defined according to the description, processes and intermediates for preparing the compounds of the formula (I) and their N-oxides, their agriculturally suitable salts, compositions comprising them and their use as herbicides, and also methods for controlling unwanted vegetation.

(I)



SUBSTITUTED PYRIDINES HAVING HERBICIDAL ACTION

[0001] The present invention relates to substituted pyridines of the formula I



I

in which the variables have the following meaning:

[0002] R is O—R^A, $S(O)_n$—R^A or O—$S(O)_n$—R^A;

[0003] R^A is hydrogen, C_1-C_4-alkyl, Z—C_3-C_6-cycloalkyl, C_1-C_4-haloalkyl, C_2-C_6-alkenyl, Z—C_3-C_6-cycloalkenyl, C_2-C_6-alkynyl, Z-(tri-C_1-C_4-alkyl)silyl, Z—C(=O)—R^a, Z—NR^i—C(O)—NR^iR^{ii}, Z—P(=O)$(R^a)_2$, NR^iR^{ii}, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^a and/or R^b,

[0004] R^a is hydrogen, OH, C_1-C_8-alkyl, C_1-C_4-haloalkyl, Z—C_3-C_6-cycloalkyl, C_2-C_8-alkenyl, Z—C_5-C_6-cycloalkenyl, C_2-C_8-alkynyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-haloalkoxy, Z—C_3-C_8-alkenyloxy, Z—C_3-C_8-alkynyloxy, NR^iR^{ii}, C_1-C_6-alkylsulfonyl, Z-(tri-C_1-C_4-alkyl)silyl, Z-phenyl, Z-phenoxy, Z-phenylamino or a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where the cyclic groups are unsubstituted or substituted by 1, 2, 3 or 4 groups R^b;

[0005] R^i, R^{ii} independently of one another are hydrogen, C_1-C_8-alkyl, C_1-C_4-haloalkyl, C_3-C_8-alkenyl, C_3-C_8-alkynyl, Z—C_3-C_6-cycloalkyl, Z—C_1-C_8-alkoxy, Z—C_1-C_8-haloalkoxy, Z—C(=O)—R^a, Z-phenyl, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which is attached via Z;

[0006] R^i and R^{ii} together with the nitrogen atom to which they are attached may also form a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S;

[0007] Z is a covalent bond or C_1-C_4-alkylene;

[0008] n is 0, 1 or 2;

[0009] R^1 is cyano, halogen, nitro, C_1-C_6-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_1-C_6-haloalkyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-alkoxy-C_1-C_4-alkoxy, Z—C_1-C_4-alkylthio, Z—C_1-C_4-alkylthio-C_1-C_4-alkylthio, C_2-C_6-alkenyloxy, C_2-C_6-alkynyloxy, C_1-C_6-haloalkoxy, C_1-C_4-haloalkoxy-C_1-C_4-alkoxy, $S(O)_nR^{bb}$, Z-phenoxy, Z-heterocyclyloxy, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b; R^{bb} is C_1-C_8-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_2-C_6-haloalkenyl, C_2-C_6-haloalkynyl or C_1-C_6-haloalkyl and n is 0, 1 or 2;

[0010] A is N or C—R^2;

[0011] R^2 is Z^1-phenyl, phenoxy or Z^1-heterocyclyl, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b; C_1-C_8-alkyl, C_2-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_2-C_8-alkenyl, C_2-C_8-alkynyl, C_2-C_8-haloalkenyl, C_2-C_8-haloalkynyl, C_2-C_6-alkoxy, Z—C_1-C_4-alkoxy-C_1-C_4-alkoxy, Z—C_1-C_4-haloalkoxy-C_1-C_4-alkoxy, C_2-C_6-haloalkoxy, C_3-C_6-alkenyloxy, C_3-C_6-alkynyloxy, C_2-C_6-alkylthio, C_2-C_6-haloalkylthio, Z—C(=O)—R^a, $S(O)_{1-2}R^{bb}$;

[0012] Z^1 is a covalent bond, C_1-C_4-alkyleneoxy, C_1-C_4-oxyalkylene or C_1-C_4-alkyleneoxy-C_1-C_4-alkylene;

[0013] R^b independently of one another are Z—CN, Z—OH, Z—NO_2, Z-halogen, oxo (=O), =N—R^a, C_1-C_8-alkyl, C_1-C_4-haloalkyl, C_2-C_8-alkenyl, C_2-C_8-alkynyl, Z—C_1-C_8-alkoxy, Z—C_1-C_8-haloalkoxy, Z—C_3-C_{10}-cycloalkyl, O—Z—C_3-C_{10}-cycloalkyl, Z—C(=O)—R^a, NR^iR^{ii}, Z-(tri-C_1-C_4-alkyl)silyl, Z-phenyl and $S(O)_nR^{bb}$, two groups R^b may together form a ring which has three to six ring members and, in addition to carbon atoms, may also contain heteroatoms from the group consisting of O, N and S and may be unsubstituted or substituted by further groups R^b;

[0014] R^2 together with the group attached to the adjacent carbon atom may also form a five- to ten-membered saturated or partially or fully unsaturated mono- or bicyclic ring which, in addition to carbon atoms, may contain 1, 2 or 3 heteroatoms selected from the group consisting of O, N and S and may be substituted by further groups R^b;

[0015] R^3 is hydrogen, halogen, cyano, nitro, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_2-C_4-alkenyl, C_2-C_4-alkynyl, C_2-C_4-alkenyloxy, C_2-C_4-alkynyloxy, $S(O)_nR^{bb}$;

[0016] R^4 is hydrogen, halogen or C_1-C_4-haloalkyl;

[0017] R^5 is hydrogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkoxy, C_1-C_4-haloalkylthio;

[0018] R^6,R^7 independently of one another are hydrogen, halogen or C_1-C_4-alkyl;

[0019] Y is O or S;

[0020] X is O, S or N—R^x;

[0021] R^x is hydrogen, C_1-C_6-alkyl, C_1-C_4-haloalkyl, C_2-C_6-alkenyl, C_3-C_6-alkynyl, Z—C_3-C_{10}-cycloalkyl, C_1-C_6-alkoxy-C_1-C_6-alkyl, C_1-C_6-cyanoalkyl, Z-phenyl, Z—C(=O)—R^{a2} or tri-C_1-C_4-alkylsilyl;

[0022] R^{a2} is C_1-C_6-alkyl, C_1-C_4-haloalkyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-haloalkoxy or NR^iR^{ii};

[0023] where in the groups R^A and their subsubstituents, the carbon chains and/or the cyclic groups may be partially or fully substituted by groups R^b,

[0024] or an N-oxide or an agriculturally suitable salt thereof.

[0025] Moreover, the invention relates to processes and intermediates for preparing the pyridines of the formula I and the N-oxides thereof, the agriculturally usable salts thereof, and also to active compound combinations comprising them, to compositions comprising them and to their use as herbicides, i.e. for controlling harmful plants, and also to a method for controlling unwanted vegetation which comprises allowing a herbicidally effective amount of at least one pyridine compound of the formula I or of an agriculturally suitable salt of I to act on plants, their seed and/or their habitat.

[0026] Further embodiments of the present invention can be found in the claims, the description and the examples. It is to be understood that the features mentioned above and those still to be illustrated below of the subject matter of the invention can be applied not only in the respective given combination but also in other combinations without leaving the scope of the invention.

[0027] WO 2008/009908, WO 2008/071918, WO 2009/090401, WO 2009/090402 and WO 2010/029311 describe herbicidal pyridopyrazines; however, their herbicidal action at low application rates and/or their compatibility with crop plants leave scope for improvement.

[0028] It is an object of the present invention to provide compounds having herbicidal action. To be provided are in particular active compounds having strong herbicidal action, in particular even at low application rates, whose compatibility with crop plants is sufficient for commercial application.

[0029] These and further objects are achieved by the compounds of the formula I defined at the outset and by their N-oxides and also their agriculturally suitable salts.

[0030] The compounds according to the invention can be prepared analogously to the synthesis routes described in the abovementioned documents according to standard processes of organic chemistry, for example according to the following synthesis route:

[0031] Pyridinecarboxylic acids of the formula II can be reacted with carbonyl compounds of the formula III to give compounds of the formula IV. In the formulae II and III, the variables have the meaning given for formula I. The group Hal is a halogen atom or another suitable nucleophilic leaving group, such as alkoxy or phenoxy.



II

-continued



III



IV

[0032] This reaction is usually carried out at temperatures of from −78° C. to 120° C., preferably from −20° C. to 50° C., in an inert organic solvent in the presence of a base, such as, for example, triethylamine (cf. J. Agric. and Food Chem. 1994, 42(4), 1019-1025), a catalyst, such as, for example, dicyclohexylcarbodiimide (cf. Egyptian Journal of Chemistry 1994, 37(3), 273-282) or other known coupling agents.

[0033] Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran, nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide and dimethylacetamide, particularly preferably halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene. It is also possible to use mixtures of the solvents mentioned.

[0034] Suitable bases are, in general, inorganic compounds, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate, and also alkali metal bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyllithium, butyllithium and phenyllithium, alkylmagnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methylpiperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethylaminopyridine, and also bicyclic amines. Particular preference is given to tertiary amines such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate. The

bases are generally employed in equimolar amounts; however, they can also be used in catalytic amounts, in excess or, if appropriate, as solvents.

[0035] The starting materials are generally reacted with one another in equimolar amounts.

[0036] The compounds of the formula IV are activated by introducing a leaving group L^1. Suitable leaving groups L^1 are, in general, groups which increase the electrophilicity of the carbonyl group, for example O-alkyl, O-aryl, halides, activated esters or aldehydes (such as, for example, Weinreb amide), in particular pentafluorophenoxy.



IV



V

[0037] This reaction is usually carried out at temperatures of from −78° C. to 120° C., preferably from −20° C. to 50° C., in an inert organic solvent in the presence of a base, such as, for example, triethylamine (cf. J. Agric. and Food Chem. 1994, 42(4), 1019-1025), a catalyst, such as, for example, dicyclohexylcarbodiimide (cf. Egyptian Journal of Chemistry 1994, 37(3), 273-282) or other known coupling agents.

[0038] Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran, nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide and dimethylacetamide, particularly preferably methylene chloride and toluene. It is also possible to use mixtures of the solvents mentioned.

[0039] Suitable bases are, in general, inorganic compounds, such as alkali metal and alkaline earth metal oxides, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate, and also alkali metal bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyllithium, butyllithium and phenyllithium, alkylmagnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methylpiperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethylaminopyridine, and also bicyclic amines. Particular preference is given to alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate, calcium carbonate, cesium carbonate and rubidium carbonate. The bases are generally employed in catalytic amounts; however, they can also be used in equimolar amounts, in excess or, if appropriate, as solvents.

[0040] The starting materials are generally reacted with one another in equimolar amounts.

[0041] Suitable agents H-L^1 are alcohols, optionally subst. phenols, N,O-dialkylhydroxylamine, in particular pentafluorophenol or N,O-dimethylhydroxylamine.

[0042] The compounds of the formula V are cyclized to give the compounds of the formula I.



V



I

[0043] This reaction is usually carried out at temperatures of from −78° C. to 120° C., preferably from −20° C. to 50° C., in an inert organic solvent in the presence of a base or a Lewis acid or a catalyst [cf. Silverman, Richard B. J. Am. Chem. Soc. 1981, 103(13), 3910].

[0044] Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran, nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide and dimethylacetamide, particularly preferably acetonitrile and dimethylformamide. It is also possible to use mixtures of the solvents mentioned.

[0045] Suitable bases are, in general, inorganic compounds, such as alkali metal and alkaline earth metal oxides, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate,

calcium carbonate, cesium carbonate and rubidium carbonate, and also alkali metal bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyllithium, butyllithium and phenyllithium, alkyl-magnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methylpiperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethylaminopyridine, and also bicyclic amines. Particular preference is given to alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate, calcium carbonate, cesium carbonate and rubidium carbonate.

[0046] The bases are generally employed in catalytic amounts; however, they can also be used in equimolar amounts, in excess or, if appropriate, as solvents.

[0047] The starting materials are generally reacted with one another in equimolar amounts.

[0048] Alternatively, the compounds of the formula I can also be obtained via a reverse reaction sequence, i.e. the reaction of the compounds of the formula II with compounds H-L^1 gives the activated derivatives of the formula VI.



II VI

[0049] Per se, this reaction is carried out under the conditions mentioned for the reaction of the formula IV with H-L^1.

[0050] The compounds of the formula VI can then be reacted with compounds III to give the derivatives of the formula V.



VI III

-continued



V

[0051] Per se, this reaction is carried out under the conditions mentioned for the reaction of the formula II with III.

[0052] The phenylacetic acid derivatives of the formula III are known or can be prepared from correspondingly substituted benzoic acids or halobenzenes on the basis of syntheses known in the literature [cf. Journal of Medicinal Chemistry 49(12), 3563-3580 (2006); Journal of Medicinal Chemistry 28(10), 1533-6 (1985); US 2004/077901; US 2004/068141; Chemistry-A European Journal 14(26), 7969-7977 (2008); Journal of Enzyme Inhibition and Medicinal Chemistry 17(3), 187-196 (2002)]. Suitably substituted benzoic acids and halobenzenes are known, for example from: WO 2002/006211, WO 2009/058237, WO 98/52926, WO 96/26193, EP-A 352 543, WO 98/52926, WO 97/30986, WO 98/12180.

[0053] The reaction mixtures are worked up in a customary manner, for example by mixing with water, separating the phases and, if appropriate, chromatographic purification of the crude products. Some of the intermediates and end products are obtained in the form of colorless or slightly brownish viscous oils which are purified or freed from volatile components under reduced pressure and at moderately elevated temperature. If the intermediates and end products are obtained as solids, the purification can also be carried out by recrystallization or digestion.

[0054] If individual compounds I cannot be obtained by the routes described above, they can be prepared by derivatization of other compounds I.

[0055] If the synthesis yields mixtures of isomers, a separation is generally however not necessarily required since in some cases the individual isomers can be interconverted during work-up for use or during application (for example under the action of light, acids or bases). Such conversions may also take place after application, for example in the case of the treatment of plants in the treated plant or in the harmful plant to be controlled.

[0056] The organic moieties mentioned for the substituents of the compounds according to the invention are collective terms for individual enumerations of the individual group members. All hydrocarbon chains, such as alkyl, haloalkyl, alkenyl, alkynyl, and the alkyl moieties and alkenyl moieties in alkoxy, haloalkoxy, alkylamino, dialkylamino, N-alkylsulfonylamino, alkenyloxy, alkynyloxy, alkoxyamino, alkylaminosulfonylamino, dialkylaminosulfonylamino, alkenylamino, alkynylamino, N-(alkenyl)-N-(alkyl)amino, N-(alkynyl)-N-(alkyl)amino, N-(alkoxy)-N-(alkyl)amino, N-(alkenyl)-N-(alkoxy)amino or N-(alkynyl)-N-(alkoxy) amino can be straight-chain or branched.

[0057] The prefix C_n-C_m— indicates the respective number of carbons of the hydrocarbon unit. Unless indicated otherwise, halogenated substituents preferably carry one to five identical or different halogen atoms, in particular fluorine atoms or chlorine atoms.

[0058] The meaning halogen denotes in each case fluorine, chlorine, bromine or iodine.

[0059] Examples of other meanings are:

[0060] alkyl and the alkyl moieties for example in alkoxy, alkylamino, dialkylamino: saturated straight-chain or branched hydrocarbon radicals having one or more carbon atoms, for example 1 or 2, 1 to 4 or 1 to 6 carbon atoms, for example C_1-C_6-alkyl, such as methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, 1,1-dimethylethyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl, 1-ethylpropyl, hexyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl, 1-ethyl-2-methylpropyl. In one embodiment according to the invention, alkyl denotes small alkyl groups, such as C_1-C_4-alkyl. In another embodiment according to the invention, alkyl denotes relatively large alkyl groups, such as C_5-C_6-alkyl.

[0061] Haloalkyl: an alkyl radical as mentioned above, some or all of whose hydrogen atoms are substituted by halogen atoms, such as fluorine, chlorine, bromine and/or iodine, for example chloromethyl, dichloromethyl, trichloromethyl, fluoromethyl, difluoromethyl, trifluoromethyl, chlorofluoromethyl, dichlorofluoromethyl, chlorodifluoromethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, 2-iodoethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 2-chloro-2-fluoroethyl, 2-chloro-2,2-difluoroethyl, 2,2-dichloro-2-fluoroethyl, 2,2,2-trichloroethyl, pentafluoroethyl, 2-fluoropropyl, 3-fluoropropyl, 2,2-difluoropropyl, 2,3-difluoropropyl, 2-chloropropyl, 3-chloropropyl, 2,3-dichloropropyl, 2-bromopropyl, 3-bromopropyl, 3,3,3-trifluoropropyl, 3,3,3-trichloropropyl, 2,2,3,3,3-pentafluoropropyl, heptafluoropropyl, 1-(fluoromethyl)-2-fluoroethyl, 1-(chloromethyl)-2-chloroethyl, 1-(bromomethyl)-2-bromoethyl, 4-fluorobutyl, 4-chlorobutyl, 4-bromobutyl and nonafluorobutyl.

[0062] Cycloalkyl and the cycloalkyl moieties for example in cycloalkoxy or cycloalkylcarbonyl: monocyclic saturated hydrocarbon groups having three or more carbon atoms, for example 3 to 6 carbon ring members, such as cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl.

[0063] Alkenyl and the alkenyl moieties for example in alkenyloxy: monounsaturated straight-chain or branched hydrocarbon radicals having two or more carbon atoms, for example 2 to 4, 2 to 6 or 3 to 6 carbon atoms, and a double bond in any position, for example C_2-C_6-alkenyl, such as ethenyl, 1-propenyl, 2-propenyl, 1-methylethenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-1-propenyl, 2-methyl-1-propenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 1-methyl-1-butenyl, 2-methyl-1-butenyl, 3-methyl-1-butenyl, 1-methyl-2-butenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 1-methyl-3-butenyl, 2-methyl-3-butenyl, 3-methyl-3-butenyl, 1,1-dimethyl-2-propenyl, 1,2-dimethyl-1-propenyl, 1,2-dimethyl-2-propenyl, 1-ethyl-1-propenyl, 1-ethyl-2-propenyl, 1-hexenyl, 2-hexenyl, 3-hexenyl, 4-hexenyl, 5-hexenyl, 1-methyl-1-pentenyl, 2-methyl-1-pentenyl, 3-methyl-1-pentenyl, 4-methyl-1-pentenyl, 1-methyl-2-pentenyl, 2-methyl-2-pentenyl, 3-methyl-2-pentenyl, 4-methyl-2-pentenyl, 1-methyl-3-pentenyl, 2-methyl-3-pentenyl, 3-methyl-3-pentenyl, 4-methyl-3-pentenyl, 1-methyl-4-pentenyl, 2-methyl-4-pentenyl, 3-methyl-4-pentenyl, 4-methyl-4-pentenyl, 1,1-dimethyl-2-butenyl, 1,1-dimethyl-3-butenyl, 1,2-dimethyl-1-butenyl, 1,2-dimethyl-2-butenyl, 1,2-dimethyl-3-butenyl, 1,3-dimethyl-1-butenyl, 1,3-dimethyl-2-butenyl, 1,3-dimethyl-3-butenyl, 2,2-dimethyl-3-butenyl, 2,3-dimethyl-1-butenyl, 2,3-dimethyl-2-butenyl, 2,3-dimethyl-3-butenyl, 3,3-dimethyl-1-butenyl, 3,3-dimethyl-2-butenyl, 1-ethyl-1-butenyl, 1-ethyl-2-butenyl, 1-ethyl-3-butenyl, 2-ethyl-1-butenyl, 2-ethyl-2-butenyl, 2-ethyl-3-butenyl, 1,1,2-trimethyl-2-propenyl, 1-ethyl-1-methyl-2-propenyl, 1-ethyl-2-methyl-1-propenyl, 1-ethyl-2-methyl-2-propenyl.

[0064] Cycloalkenyl: monocyclic monounsaturated hydrocarbon groups having 3 to 6, preferably 5 or 6, carbon ring members, such as cyclopenten-1-yl, cyclopenten-3-yl, cyclohexen-1-yl, cyclohexen-3-yl, cyclohexen-4-yl.

[0065] Alkynyl and the alkynyl moieties for example in alkynyloxy, alkynylamino: straight-chain or branched hydrocarbon groups having two or more carbon atoms, for example 2 to 4, 2 to 6 or 3 to 6 carbon atoms, and a triple bond in any position, for example C_2-C_6-alkynyl, such as ethynyl, 1-propynyl, 2-propynyl, 1-butynyl, 2-butynyl, 3-butynyl, 1-methyl-2-propynyl, 1-pentynyl, 2-pentynyl, 3-pentynyl, 4-pentynyl, 1-methyl-2-butynyl, 1-methyl-3-butynyl, 2-methyl-3-butynyl, 3-methyl-1-butynyl, 1,1-dimethyl-2-propynyl, 1-ethyl-2-propynyl, 1-hexynyl, 2-hexynyl, 3-hexynyl, 4-hexynyl, 5-hexynyl, 1-methyl-2-pentynyl, 1-methyl-3-pentynyl, 1-methyl-4-pentynyl, 2-methyl-3-pentynyl, 2-methyl-4-pentynyl, 3-methyl-1-pentynyl, 3-methyl-4-pentynyl, 4-methyl-1-pentynyl, 4-methyl-2-pentynyl, 1,1-d imethyl-2-butynyl, 1,1-d imethyl-3-butynyl, 1,2-d imethyl-3-butynyl, 2,2-dimethyl-3-butynyl, 3,3-dimethyl-1-butynyl, 1-ethyl-2-butynyl, 1-ethyl-3-butynyl, 2-ethyl-3-butynyl, 1-ethyl-1-methyl-2-propynyl.

[0066] Alkoxy: alkyl as defined above which is attached via an oxygen atom, for example methoxy, ethoxy, n-propoxy, 1-methylethoxy, butoxy, 1-methylpropoxy, 2-methylpropoxy or 1,1-dimethylethoxy, pentoxy, 1-methylbutoxy, 2-methylbutoxy, 3-methylbutoxy, 1,1-dimethylpropoxy, 1,2-dimethylpropoxy, 2,2-dimethylpropoxy, 1-ethylpropoxy, hexoxy, 1-methylpentoxy, 2-methylpentoxy, 3-methylpentoxy, 4-methylpentoxy, 1,1-dimethylbutoxy, 1,2-dimethylbutoxy, 1,3-dimethylbutoxy, 2,2-dimethylbutoxy, 2,3-dimethylbutoxy, 3,3-dimethylbutoxy, 1-ethylbutoxy, 2-ethylbutoxy, 1,1,2-trimethylpropoxy, 1,2,2-trimethylpropoxy, 1-ethyl-1-methylpropoxy or 1-ethyl-2-methylpropoxy.

[0067] 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and may be attached via carbon or nitrogen. From among these, preference is given to 5- or 6-membered heterocycles.

[0068] Saturated or unsaturated heterocyclic groups which are attached via nitrogen or carbon, such as: pyridazin-3-yl, pyridazin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyrazin-2-yl, isoxazolin-3-yl, isoxazolin-4-yl, isoxazolin-5-yl, isothiazol-3-yl, isothiazol-4-yl, isothiazol-5-yl, imidazol-1-yl, imidazol-2-yl, imidazol-4-yl, oxazol-2-yl, oxazolin-2-yl, thiazolin-2-yl and morpholinyl.

[0069] Heteroaromatic groups which are attached via nitrogen or carbon, such as: pyrazol-3-yl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, isoxazol-3-yl, isoxazol-4-yl, isoxazol-5-yl, imidazol-5-yl, oxazol-2-yl, oxazol-4-yl, oxazol-5-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyridazin-4-yl, pyrazin-2-yl, [1N-tetrazol-5-yl and [2N-tetrazol-5-yl.

[0070] The compounds of the formula I may, depending on the substitution pattern, contain one or more further centers of chirality. Accordingly, the compounds according to the invention can be present as pure enantiomers or diastereomers or as enantiomer or diastereomer mixtures. The invention provides both the pure enantiomers or diastereomers and their mixtures.

[0071] The compounds of the formula I may also be present in the form of the N-oxides and/or of their agriculturally useful salts, the type of salt generally not being important. Suitable salts are generally the salts of those cations or the acid addition salts of those acids whose cations and anions, respectively, have no adverse effect on the herbicidal activity of the compounds I.

[0072] Suitable cations are in particular ions of the alkali metals, preferably lithium, sodium or potassium, of the alkaline earth metals, preferably calcium or magnesium, and of the transition metals, preferably manganese, copper, zinc or iron. Another cation that may be used is ammonium, where, if desired, one to four hydrogen atoms may be replaced by C_1-C_4-alkyl, hydroxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, hydroxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, phenyl or benzyl, preferably ammonium, dimethylammonium, diisopropylammonium, tetramethylammonium, tetrabutylammonium, 2-(2-hydroxyeth-1-oxy)eth-1-ylammonium, di(2-hydroxyeth-1-yl)ammonium, trimethylbenzylammonium. Another suitable ammonium cation is the pyridine nitrogen atom of the formula I quaternized by alkylation or arylation. Also suitable are phosphonium ions, sulfonium ions, preferably tri(C_1-C_4-alkyl)sulfonium, or sulfoxonium ions, preferably tri(C_1-C_4-alkyl)sulfoxonium.

[0073] Anions of suitable acid addition salts are primarily chloride, bromide, fluoride, hydrogensulfate, sulfate, dihydrogenphosphate, hydrogenphosphate, nitrate, bicarbonate, carbonate, hexafluorosilicate, hexafluorophosphate, benzoate and also the anions of C_1-C_4-alkanoic acids, preferably formate, acetate, propionate, butyrate or trifluoroacetate.

[0074] With respect to the variables, the particularly preferred embodiments of the intermediates correspond to those of the groups of the formula I.

[0075] In a particular embodiment, the variables of the compounds of the formula I have the following meanings, these meanings, both on their own and in combination with one another, being particular embodiments of the compounds of the formula I:

[0076] In one preferred embodiment of the compounds of the formula I, R is O—R^A, in which R^A is H, C_3-C_8-alkenyl, C_3-C_8-haloalkenyl, C_3-C_8-alkynyl, C_3-C_8-haloalkynyl, C_1-C_6-alkylcarbonyl, such as C(O)CH_3, C(O)CH_2CH_3, C(O)$CH(CH_3)_2$ or C(O)$C(CH_3)_3$; C_1-C_6-cycloalkylcarbonyl, such as cyclopropylcarbonyl, cyclopentylcarbonyl or cyclohexylcarbonyl; C_2-C_6-alkenylcarbonyl, such as C(O)CH═CH_2 or C(O)CH_2CH═CH_2, optionally subst. benzoyl, such as C(O)C_6H_5, C(O)[2-CH_3—C_6H_4], C(O)[4-CH_3-C_6H_4], C(O)[2-F—C_6H_4], C(O)[4-F—C_6H_4], or optionally subst. heteroaryl, such as pyridyl, which is attached via a carbonyl group. Particularly preferably, R^A is H, C_3-C_4-alkenyl, C_3-C_4-alkynyl or C_1-C_6-alkylcarbonyl. Especially preferably, R^A is selected from the group consisting of H, CH_2CH═CH_2, CH_2C≡CH, CH_3, C(O)CH_3, C(O)CH_2CH_3, C(O)$CH(CH_3)_2$, C(O)$C(CH_3)_3$, C(O)-c-C_3H_5, C(O)—C_6H_5, C(O)—$CH_2C_6H_5$, C(O)CH_2Cl, C(O)CF_3, C(O)CH_2OCH_3, C(O)$N(CH_3)_2$ and C(O)OCH_2CH_3.

[0077] In a further preferred embodiment of the compounds of the formula I, R is $OS(O)_n$—R^A where n is preferably 0 or 2, in particular 2, such as, for example, $OS(O)_2$—CH_3, $OS(O)_2$—C_2H_5, $OS(O)_2$—C_3H_7, $OS(O)_2$—C_6H_5 or $OS(O)_2$-(4-CH_3-C_6H_4).

[0078] In a further preferred embodiment, R is O—$S(O)_n$—NR^iR^{ii}, in particular with the groups NR^iR^{ii} mentioned below as preferred.

[0079] R^i and R^{ii} are preferably C_1-C_8-alkyl, C_1-C_4-haloalkyl, Z—C_3-C_6-cycloalkyl, Z—C_1-C_8-alkoxy, Z—C_1-C_8-haloalkoxy, Z-phenyl, Z—C(═O)—R^a or Z-hetaryl. Preference is given here to CH_3, C_2H_5, n-propyl, $CH(CH_3)2$, butyl, 2-choroethyl, cyclopentyl, cyclohexyl, 2-ethoxymethyl, 2-chloroethoxy, phenyl, pyrimidines or triazines, which rings are unsubstituted or substituted. Preferred substituents are C_1-C_4-alkylcarbonyl or C_1C_4-haloalkylcarbonyl, in particular C(═O)—CH_3, C(═O)—C_2H_5, C(═O)—C_3H_7, C(═O)—$CH(CH_3)_2$, butylcarbonyl and C(═O)—CH_2Cl. Particularly preferred aspects of group NR^iR^{ii} are N(di-C_1-C_4-alkyl), in particular N(CH_3)—C_1-C_4-alkyl, such as $N(CH_3)_2$, $N(CH_3)CH_2CH_3$, $N(CH_3)C_3H_7$ and $N(CH_3)CH(CH_3)_2$.

[0080] Further particularly preferred aspects of NR^iR^{ii} are NH-aryl, where aryl is preferably phenyl which is substituted—in particular in the 2- and 6-position—by one to three identical or different groups from the group consisting of halogen, CH_3, halo-C_1-C_2-alkyl, halo-C_1-C_2-alkoxy and carboxyl, such as 2-Cl,6-COOH—C_6H_3, 2,6-Cl_2—C_6H_3, 2,6-F_2—C_6H_3, 2,6-Cl_2 $_3$-C_6H_2, 2-CF_3,6-CH_2CHF_2—C_6H_3, 2-CF_3,6-OCF_3—C_6H_3 and 2-CF_3,6-CH_2CHF_2—C_6H_3.

[0081] In a further preferred embodiment of the invention, R^A is a 5- or 6-membered heterocycle optionally substituted by R^b as defined above, which preferably has either 1, 2, 3 or 4 N or 1 O or 1 S atom and if appropriate 1 or 2 N atoms as ring members and which is unsubstituted or may have 1 or 2 substituents selected from R^b. Preference is given to saturated or unsaturated groups attached via nitrogen, such as, for example:

[0082] Heteroaromatic groups: pyridazin-3-yl, pyridazin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyrazin-2-yl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, isoxazol-3-yl, isoxazol-4-yl, isoxazol-5-yl, isothiazol-3-yl, isothiazol-4-yl, isothiazol-5-yl, imidazol-1-yl, imidazol-2-yl, imidazol-4-yl, oxazol-2-yl, oxazol-4-yl, oxazol-5-yl, thiazol-2-yl, thiazol-4-yl and thiazol-5-yl.

[0083] In another aspect, R^A is a heteroaromatic group attached via carbon, such as pyrazol-3-yl, imidazol-5-yl, oxazol-2-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyridazin-4-yl, pyrazin-2-yl, [1N-tetrazol-5-yl and [2N-tetrazol-5-yl, where each of the heterocycles mentioned here in an exemplary manner may have 1 or 2 substituents selected from R^b. Preferred groups R^b are in this case in particular F, Cl, CN, NO_2, CH_3, C_2H_5, OCH_3, OC_2H_5, $OCHF_2$, OCF_3 and CF_3.

[0084] In particularly preferred embodiments of the compounds of the formula I, R is selected from the group consisting of OH, OCH_2CH═CH_2, OCH_2C≡CH, OCH_3, OC(O)CH_3, OC(O)CH_2CH_3, OC(O)$CH(CH_3)_2$, OC(O)$C(CH_3)_3$, OC(O)-c-C_3H_5, OC(O)—C_6H_5, OC(O)—$CH_2C_6H_5$, OC(O)CH_2Cl, OC(O)—CF_3, OC(O)—CH_2OCH_3, OC(O)—$N(CH_3)_2$ and OC(O)—OCH_2CH_3.

[0085] Groups R^a preferred for the compounds of the formula I are selected from the group consisting of OH, C_1-C_8-alkyl, C_1-C_4-haloalkyl, C_3-C_8-alkenyl, C_3-C_8-alkynyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-haloalkoxy, Z—C_3-C_8-alkenyloxy, Z—C_3-C_8-alkynyloxy and NR^iR^{ii}.

[0086] For the compounds of the formula I, the groups R^b are preferably selected from the group consisting of halogen, oxo (=O), =N—R^a, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, Z—C_1-C_4-haloalkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkylthio-C_1-C_4-alkyl, Z—C(=O)—R^a and $S(O)_nR^{bb}$, where R^{bb} is preferably C_1-C_4-alkyl or C_1-C_4-haloalkyl and n is 0, 1 or 2.

[0087] Particularly preferably, R^b is a group selected from the group consisting of halogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-haloalkoxy, C_1-04-haloalkylthio, C_3-C_4-alkenyl, C_3-C_4-alkynyl and =N—C_1-C_4-alkoxy.

[0088] Two groups R^b together may form a ring which preferably has three to seven ring members and, in addition to carbon atoms, may also contain heteroatoms from the group consisting of O, N and S and which may be unsubstituted or substituted by further groups R^b. These substituents R^b are preferably selected from the group consisting of halogen, C_1-C_4-alkyl, C_1-C_4-alkoxy and C_1-C_4-haloalkyl.

[0089] Groups R^a and R^b are selected independently of one another if a plurality of such groups is present.

[0090] In a preferred embodiment of the compounds of the formula I, R^1 is halogen, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkylthio-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_3-C_4-alkenyloxy, C_3-C_4-alkynyloxy, C_1-C_4-alkoxy-C_1-C_4-alkoxy, C_1-C_4-haloalkoxy-C_1-C_4-alkoxy, $S(O)_n$—C_1-C_4-alkyl and $S(O)_n$—C_1-C_4-haloalkyl. Particularly preferably, R^1 is selected from the group consisting of F, Cl, Br, NO_2, CH_3, CF_3, OCH_3, OCF_3, SCF_3, SO_2CH_3, $OCH_2CH_2OCH_3$, $CH_2OCH_2CH_2OCH_3$, $CH_2OCH_2CF_3$.

[0091] In a further preferred embodiment of the compounds of the formula I, A is C—R^2. These compounds correspond to the formula I.1

I.1



[0092] where the variables have the meanings defined at the outset and preferably the meanings mentioned as preferred.

[0093] Particularly preferably, in the compounds of the formula I.1, the group

[0094] R^1 is halogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyl, in particular F, Cl, Br, NO_2, CH_3, CF_3, OCH_3, OCF_3, $OCHF_2$, SCF_3, $SCHF_2$, SO_2CH_3, $CH_2OCH_2CH_2OCH_3$;

[0095] R^3 is H, halogen, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-alkylsulfonyl, in particular H, F, Cl, Br, CN, NO_2, CH_3, CH_2CH_3, CF_3, CHF_2, OCH_3, OCF_3, $OCHF_2$, SCH_3, SO_2CH_3 or $SO_2CH_2CH_3$;

[0096] R^4 is H or halogen, in particular H, F or Cl .

[0097] R^2 is preferably phenyl or a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which is attached via Z^1 and contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where the cyclic groups are unsubstituted or partially or fully substituted by groups R^b.

[0098] In a preferred aspect of the compounds of the formula I.1, R^2 is a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which is attached directly or via C_1-C_4-alkyleneoxy, C_1-C_4-oxyalkylene or C_1-C_4-alkyleneoxy-C_1-C_4-alkylene, which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be substituted as defined at the outset.

[0099] A preferred aspect of group R^2 relates to five- or six-membered saturated or partially unsatured heterocycles, such as, for example, isoxazoline, tetrazolone, 1,2-dihydrotetrazolone, 1,4-dihydrotetrazolone, tetrahydrofuran, dioxolane, piperidine, morpholine and piperazine. Particular preference is given to 3-isoxazoline, 5-isoxazoline, 1-tetrazolone, 2-tetrazolone, [1,3]dioxolane-2 and N-morpholine. Especially preferred are: 4,5-dihydroisoxazole-3, unsubstituted or substituted by 5-CH_3, 5-CH_2F or 5-CH F_2; 4,5-dihydroisoxazole-5, unsubstituted or substituted by 3-CH_3, 3-OCH_3, 3-CH_2OCH_3, 3-CH_2SCH_3; 1-methyl-5-oxo-1,5-dihydrotetrazole-2; 4-methyl-5-oxo-4,5-dihydrotetrazole-1 and N-morpholine.

[0100] A further preferred aspect of group R^2 relates to five- or six-membered aromatic heterocycles, such as, for example, isoxazole, pyrazole, thiazole, furyl, pyridine, pyrimidine and pyrazine. Particular preference is given to 3-isoxazole, 5-isoxazole, 3-pyrazole, 5-pyrazole, 2-thiazole, 2-oxazole, 2-furyl. Especially preferred are: 3-isoxazole, 5-methyl-3-isoxazole, 5-isoxazole, 3-methyl-5-isoxazole, 1-methyl-1H-pyrazole-3, 2-methyl-2H-pyrazole-3 and thiazole-2.

[0101] In a preferred aspect of heterocyclic groups R^2, the groups R^b are preferably C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_1-C_4-alkylthio or C_1i-C_4-alkylsulfonyl. Especially preferred are CH_3, C_2H_5, CH_2F, CF_2H, CF_3, OCH_3, CH_2OCH_3, CH_2SCH_3, SCH_3 and SO_2CH_3.

[0102] In a preferred aspect, the group Z^1 is a covalent bond.

[0103] In a further preferred aspect, the group Z^1 is C_1-C_4-alkyleneoxy, in particular OCH_2 or OCH_2CH_2.

[0104] In a further preferred aspect, the group Z^1 is C_1-C_4-oxyalkylene, in particular CH_2O or CH_2CH_2O.

[0105] In a further preferred aspect, the group Z^1 is C_1-C_4-alkyleneoxy-C_1-C_4-alkylene, in particular OCH_2OCH_2 or $OCH_2CH_2OCH_2$.

[0106] Particularly preferred aspects of heterocycles attached via Z^1 include tetrahydrofuran-2-ylmethoxymethyl and [1,3]dioxolan-2-ylmethoxy.

[0107] In a further preferred aspect of the compounds of the formula I.1, R^2 is phenyl which may be partially or fully substituted—preferably mono-, di- or trisubstituted, in particular monosubstituted—by groups R^b. Groups R^b preferred for this aspect include: halogen, C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkoxy. Particular preference is given to halogen, such as F or Cl, CH_3, C_2H_5, OCH_3, OC_2H_5, CHF_2, CF_3, $OCHF_2$, OCF_3, OCH_2OCH_3, $OCH_2CH_2OCH_3$. Special preference is given to alkoxy, such as OCH_3 or OC_2H_5. A group R^b is preferably in position 4. A particularly preferred phenyl group R^2 is a group P:



[0108] in which # denotes the bond via which the group R^2 is attached and the substituents are selected from R^b and are in particular:

[0109] R^{P2} H or F;

[0110] R^{P3} H, F, Cl or OCH_3; and

[0111] R^{P4} H, F, Cl, CH_3, CF_3, OCH_3, OCH_2OCH_3 or $OCH_2CH_2OCH_3$.

[0112] In a further preferred aspect of the compounds of the formula I.1, R^2 is an aliphatic group selected from the group consisting of C_1-C_6-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-haloalkoxy-C_1-C_4-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_2-C_4-alkoxy, C_2-C_4-haloalkoxy, C_3-C_6-alkenyloxy, C_3-C_6-alkynyloxy, C_3-C_6-haloalkenyloxy, C_3-C_6-haloalkynyloxy, C_1-C_4-alkoxycarbonyl, $S(O)_2$—C_1-C_4-alkyl and $S(O)_2$—C_1-C_8-haloalkyl.

[0113] Particularly preferred aliphatic groups R^2 include C_2-C_4-alkenyl, C_2-C_4-alkynyl, C_1-C_2-halo-alkoxy-C_1-C_2-alkyl, C_3-C_4-alkenyloxy, C_3-C_4-alkynyloxy, C_1-C_4-alkylsulfonyl, C_2-C_4-alkoxy, C_1-C_4-alkoxycarbonyl and $S(O)_2$—C_1-C_4-alkyl. Special preference is given to $CH{=}CH_2$, $CH{=}CHCH_3$, $CH_2OCH_2CF_3$, OC_2H_5, $OCH_2CH{=}CH_2$, $OCH_2C{\equiv}CH$, $OCH_2CH_2OCH_3$, $COOCH_3$, $COOC_2H_5$ and SO_2CH_3, $SO_2C_2H_5$ and $SO_2CH(CH_3)_2$.

[0114] In a further preferred aspect, R^2 together with R^1 or R^3 forms a five- to ten-membered mono- or bicyclic, saturated or partially unsaturated ring which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^b. Together with the phenyl group which carries the groups R^1 to R^5, a nine- to fifteen-membered bi- or tricyclic, optionally heterocyclic, ring system results. Suitable are, for example, the following: 2,3-dihydrobenzo[b]thiophene 1,1-dioxide, thiochroman 1,1-dioxide, 2,3-dihydrobenzo[1,4]dithiin 1,1,4,4-tetraoxide, 3H-benzothiazol-2-one, quinoline and saccharin.

[0115] Preferably, R^2 together with R^1 or R^3 forms a five- or six-membered monocyclic, saturated or partially unsaturated ring.

[0116] Preferred bicyclic ring systems comprising the phenyl group attached to the naphthyridinone skeleton and R^1 and R^2 are, for example, groups A to D:

A



B



C



D



[0117] # denotes the bond to the skeleton.

[0118] Preferred bi- and tricyclic ring systems comprising the phenyl group attached to the naphthyridinone skeleton and R^2 and R^3 contain one or two sulfur atoms and optionally one nitrogen atom. Preferred are groups E to L:

E



F



-continued

G



H



I



J



K



L



[0119] In groups A to L, the groups R^b independently of one another are preferably halogen, C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio, C_1-C_4-haloalkyl, C_1-C_4-haloalkoxy, C_1-C_4-haloalkylthio, C_3-C_4-alkenyl, C_3-C_4-alkynyl, =N—C_1-C_4-alkoxy.

[0120] The compounds of the formula I in which R^2 is one of groups A to L correspond to the formulae I.A to I.L.

[0121] In the formulae I.A to I.L, R^b is preferably halogen, C_1-C_4-alkyl, C_1-C_4-alkoxy or C_1-C_4-haloalkyl.

[0122] The following examples represent particularly preferred groups A to L:

A.1



B.1



C1



D1



E1



F1



G1



H1



-continued

I1



J1



J2



K1



L1



[0123] R^{3A}, R^{3B}, R^{3C} and R^{3D} are preferably halogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, in particular F, Cl, Br, CH_3, CF_3 or OCH_3.

[0124] R^{bE1}, R^{bE2} are preferably H, C_1-C_4-alkyl or C_1-C_4-alkoxy, in particular R^{bE1} is H or CH_3; R^{bE2} is H, CH_3 or OCH_3.

[0125] R^{bJ1} is preferably C_1-C_4-haloalkoxy, in particular OCH_2CH_2F.

[0126] R^{bJ2} is preferably C_1-C_4-alkoxy, in particular OCH_3 or OCH_2CH_3.

[0127] R^{bL} is preferably C_1-C_4-Alkyl or C_3-C_4-Alkenyl, in particular CH_3, CH_2CH_3, $CH_2CH_2CH_3$, $CH(CH_3)2$ or $CH_2CH{=}CH_2$.

[0128] In a further preferred embodiment of the compounds of the formula I, A is N. These compounds correspond to formula I.2,

I.2



[0129] in which the variables have the meanings defined at the outset and preferably those mentioned above. Especially preferably, in compounds of the formula I.2 the group

[0130] R^1 is nitro, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyl, in particular NO_2, CH_3, CF_3, $CH_2OCH_2CH_2OCH_3$, OCH_3, OCF_3, $OCHF_2$, SCF_3, $SCHF_2$, SO_2CH_3;

[0131] R^3 is H, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-alkylsulfonyl, in particular H, CN, NO_2, CH_3, CH_2CH_3, CF_3, CHF_2, OCH_3, OCF_3, $OCHF_2$, SCH_3, SO_2CH_3 or $SO_2CH_2CH_3$.

[0132] In a further preferred embodiment of the compounds of the formula I, in particular of the formula I.1, R^3 is hydrogen, halogen, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, $S(O)_n$—C_1-C_4-alkyl or $S(O)_n$—C_1-C_4-haloalkyl, where n is preferably 0 or 2. Particularly preferably, R^3 is selected from the group consisting of H, F, Cl, Br, CN, NO_2, CH_3, CF_3, CHF_2, OCH_3, OCF_3, $OCHF_2$, SCH_3, SCF_3, $SCHF_2$, SO_2CH_3, $SO_2CH_2CH_3$.

[0133] In a further preferred embodiment of the compounds of the formula I, R^4 is hydrogen or halogen, particularly preferably H, F or Cl, in particular H.

[0134] In a further preferred embodiment of the compounds of the formula I, R^5 is hydrogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkoxy or C_1-C_4-haloalkylthio, particularly preferably H, CH_3, CF_3, CHF_2, OCH_3, OCF_3, $OCHF_2$, SCH_3, SCF_3, $SCHF_2$, in particular H.

[0135] In a further preferred embodiment of the compounds of the formula I, at least one of the groups R^6 and R^7, preferably both groups, is/are hydrogen.

[0136] In a preferred embodiment, X is O.

[0137] In a further embodiment, X is S.

[0138] In a further embodiment, X is NR^x.

[0139] In a preferred embodiment, Y is O.

[0140] In a further embodiment, Y is S.

[0141] R^x is preferably H, C_1-C_6-alkyl, such as CH_3, C_2H_5, n-C_3H_7, $CH(CH_3)_2$, n-C_3H_9, or $C(CH_3)_3$; C_3-C_6-cycloalkyl-C_1-C_4-alkyl, such as cyclopropylmethyl, C_3-C_6-alkenyl, such as $CH_2CH{=}CH_2$, $CH_2C(CH_3){=}CH_2$, $CH_2CH_2H{=}CH_2$, $CH_2CH_2C(CH_3){=}CH_2$, $CH_2CH_2CH_2CH{=}CH_2$, $CH_2CH_2CH_2C(CH_3){=}CH_2$, or optionally subst. phenyl, such as C_6H_5, 4-CH_3—C_6H_4, 4-F—C_6H_4 or $S(O)_n$—R^N, where R^N is C_1-C_6-haloalkyl, such as CH_2CF_3, CH_2CHF_2.

[0142] A further embodiment relates to the N-oxides of the compounds of the formula I.

[0143] A further embodiment relates to salts of the compounds of the formula I, in particular those which are obtainable by quaternization of the pyridine nitrogen atom, which may preferably take place by alkylation or arylation of the compounds of the formula I. Preferred salts of the compounds are thus the N-alkyl salts, in particular the N-methyl salts, and the N-phenyl salts.

[0144] In particular with a view to their use, preference is given to the compounds of the formula I compiled in the tables below, which compounds correspond to the formulae I.1A and I.2A. The groups mentioned for a substituent in the tables are furthermore per se, independently of the combination in which they are mentioned, a particularly preferred aspect of the substituent in question.

[0145] Table 1

[0146] Compounds of the formula I in which X and Y are O, R is OH, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0147] Table 2

[0148] Compounds of the formula I in which X and Y are O, R is $OCH_2CH{=}CH_2$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0149] Table 3

[0150] Compounds of the formula I in which X and Y are O, R is $OCH_2C{\equiv}CH$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0151] Table 4

[0152] Compounds of the formula I in which X and Y are O, R is OH, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0153] Table 5

[0154] Compounds of the formula I in which X and Y are O, R is $OCH_2CH{=}CH_2$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0155] Table 6

[0156] Compounds of the formula I in which X and Y are O, R is $OCH_2C{\equiv}CH$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0157] Table 7

[0158] Compounds of the formula I in which X and Y are O, R is OH, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0159] Table 8

[0160] Compounds of the formula I in which X and Y are O, R is $OCH_2CH{=}CH_2$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0161] Table 9

[0162] Compounds of the formula I in which X and Y are O, R is $OCH_2C{\equiv}CH$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0163] Table 10

[0164] Compounds of the formula I in which X and Y are O, R is OH, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0165] Table 11

[0166] Compounds of the formula I in which X and Y are O, R is $OCH_2CH{=}CH_2$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0167] Table 12

[0168] Compounds of the formula I in which X and Y are O, R is $OCH_2C{\equiv}CH$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0169] Table 13

[0170] Compounds of the formula I in which X and Y are O, R is OH, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0171] Table 14

[0172] Compounds of the formula I in which X and Y are O, R is $OCH_2CH{=}CH_2$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0173] Table 15

[0174] Compounds of the formula I in which X and Y are O, R is $OCH_2C{\equiv}CH$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0175] Table 16

[0176] Compounds of the formula I in which X is O and Y is S, R is OH and R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0177] Table 17

[0178] Compounds of the formula I in which X is O and Y is S, R is $OCH_2CH{=}CH_2$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0179] Table 18

[0180] Compounds of the formula I in which X is O and Y is S, R is $OCH_2C{\equiv}CH$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0181] Table 19

[0182] Compounds of the formula I in which X is O and Y is S, R is OH, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0183] Table 20

[0184] Compounds of the formula I in which X is O and Y is S, R is $OCH_2CH{=}CH_2$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0185] Table 21

[0186] Compounds of the formula I in which X is O and Y is S, R is $OCH_2C{\equiv}CH$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0187] Table 22

[0188] Compounds of the formula I in which X is O and Y is S, R is OH, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0189] Table 23

[0190] Compounds of the formula I in which X is O and Y is S, R is $OCH_2CH{=}CH_2$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0191] Table 24

[0192] Compounds of the formula I in which X is O and Y is S, R is $OCH_2C{\equiv}CH$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0193] Table 25

[0194] Compounds of the formula I in which X is O and Y is S, R is OH, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0195] Table 26

[0196] Compounds of the formula I in which X is O and Y is S, R is $OCH_2CH{=}CH_2$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0197] Table 27

[0198] Compounds of the formula I in which X is O and Y is S, R is $OCH^2C{=}CH$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0199] Table 28

[0200] Compounds of the formula I in which X is O and Y is S, R is OH, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0201] Table 29

[0202] Compounds of the formula I in which X is O and Y is S, R is $OCH_2CH{=}CH_2$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0203] Table 30

[0204] Compounds of the formula I in which X is O and Y is S, R is $OCH_2C{=}CH$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0205] Table 31

[0206] Compounds of the formula I in which X is S and Y is O, R is OH, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0207] Table 32

[0208] Compounds of the formula I in which X is S and Y is O, R is $OCH_2CH{=}CH_2$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0209] Table 33

[0210] Compounds of the formula I in which X is S and Y is O, R is $OCH_2C{=}CH$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0211] Table 34

[0212] Compounds of the formula I in which X is S and Y is O, R is OH, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0213] Table 35

[0214] Compounds of the formula I in which X is S and Y is O, R is $OCH_2CH{=}CH_2$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0215] Table 36

[0216] Compounds of the formula I in which X is S and Y is O, R is $OCH_2C{=}CH$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0217] Table 37

[0218] Compounds of the formula I in which X is S and Y is O, R is OH, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0219] Table 38

[0220] Compounds of the formula I in which X is S and Y is O, R is $OCH_2CH{=}CH_2$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0221] Table 39

[0222] Compounds of the formula I in which X is S and Y is O, R is $OCH_2C{=}CH$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate. R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0223] Table 40

[0224] Compounds of the formula I in which X is S and Y is O, R is OH, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0225] Table 41

[0226] Compounds of the formula I in which X is S and Y is O, R is $OCH_2CH{=}CH_2$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0227] Table 42

[0228] Compounds of the formula I in which X is S and Y is O, R is $OCH_2C{=}CH$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0229] Table 43

[0230] Compounds of the formula I in which X is S and Y is O, R is OH, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0231] Table 44

[0232] Compounds of the formula I in which X is S and Y is O, R is $OCH_2CH{=}CH_2$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0233] Table 45

[0234] Compounds of the formula I in which X is S and Y is O, R is $OCH_2C{=}CH$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0235] Table 46

[0236] Compounds of the formula I in which X and Y are S, R is OH, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0237] Table 47

[0238] Compounds of the formula I in which X and Y are S, R is $OCH_2CH{=}CH_2$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0239] Table 48

[0240] Compounds of the formula I in which X and Y are S, R is $OCH_2C{=}CH$, R^5 is H and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0241] Table 49

[0242] Compounds of the formula I in which X and Y are S, R is OH, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0243] Table 50

[0244] Compounds of the formula I in which X and Y are S, R is $OCH_2CH{=}CH_2$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0245] Table 51

[0246] Compounds of the formula I in which X and Y are S, R is $OCH_2C{\equiv}CH$, R^5 is CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0247] Table 52

[0248] Compounds of the formula I in which X and Y are S, R is OH, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0249] Table 53

[0250] Compounds of the formula I in which X and Y are S, R is $OCH_2CH{=}CH_2$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0251] Table 54

[0252] Compounds of the formula I in which X and Y are S, R is $OCH_2C{\equiv}CH$, R^5 is CH_2CH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0253] Table 55

[0254] Compounds of the formula I in which X and Y are S, R is OH, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0255] Table 56

[0256] Compounds of the formula I in which X and Y are S, R is $OCH_2CH{=}CH_2$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0257] Table 57

[0258] Compounds of the formula I in which X and Y are S, R is $OCH_2C{\equiv}CH$, R^5 is OCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0259] Table 58

[0260] Compounds of the formula I in which X and Y are S, R is OH, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0261] Table 59

[0262] Compounds of the formula I in which X and Y are S, R is $OCH_2CH{=}CH_2$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

[0263] Table 60

[0264] Compounds of the formula I in which X and Y are S, R is $OCH_2C{\equiv}CH$, R^5 is SCH_3 and the combination of R^1, R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in table A.1 or A.2

TABLE A

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1	I.1A	Cl		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-2	I.1A	Cl		CH_3
A-3	I.1A	Cl		CF_3
A-4	I.1A	Cl		CHF_2
A-5	I.1A	Cl		OCH_3
A-6	I.1A	Cl		$OCHF_2$
A-7	I.1A	Cl		SCH_3
A-8	I.1A	Cl		H
A-9	I.1A	Cl		CH_3
A-10	I.1A	Cl		CF_3
A-11	I.1A	Cl		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-12	I.1A	Cl		OCH_3
A-13	I.1A	Cl		$OCHF_2$
A-14	I.1A	Cl		SCH_3
A-15	I.1A	Cl		H
A-16	I.1A	Cl		CH_3
A-17	I.1A	Cl		CF_3
A-18	I.1A	Cl		CHF_2
A-19	I.1A	Cl		OCH_3
A-20	I.1A	Cl		$OCHF_2$
A-21	I.1A	Cl		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-22	I.1A	Cl		H
A-23	I.1A	Cl		CH_3
A-24	I.1A	Cl		CF_3
A-25	I.1A	Cl		CHF_2
A-26	I.1A	Cl		OCH_3
A-27	I.1A	Cl		$OCHF_2$
A-28	I.1A	Cl		SCH_3
A-29	I.1A	Cl		H
A-30	I.1A	Cl		CH_3
A-31	I.1A	Cl		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-32	I.1A	Cl		CHF_2
A-33	I.1A	Cl		OCH_3
A-34	I.1A	Cl		$OCHF_2$
A-35	I.1A	Cl		SCH_3
A-36	I.1A	Cl		H
A-37	I.1A	Cl		CH_3
A-38	I.1A	Cl		CF_3
A-39	I.1A	Cl		CHF_2
A-40	I.1A	Cl		OCH_3
A-41	I.1A	Cl		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-42	I.1A	Cl		SCH_3
A-43	I.1A	Cl		H
A-44	I.1A	Cl		CH_3
A-45	I.1A	Cl		CF_3
A-46	I.1A	Cl		CHF_2
A-47	I.1A	Cl		OCH_3
A-48	I.1A	Cl		$OCHF_2$
A-49	I.1A	Cl		SCH_3
A-50	I.1A	Cl		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-51	I.1A	Cl		CH_3
A-52	I.1A	Cl		CF_3
A-53	I.1A	Cl		CHF_2
A-54	I.1A	Cl		OCH_3
A-55	I.1A	Cl		$OCHF_2$
A-56	I.1A	Cl		SCH_3
A-57	I.1A	Cl		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-58	I.1A	Cl		CH_3
A-59	I.1A	Cl		CF_3
A-60	I.1A	Cl		CHF_2
A-61	I.1A	Cl		OCH_3
A-62	I.1A	Cl		$OCHF_2$
A-63	I.1A	Cl		SCH_3
A-64	I.1A	Cl		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-65	I.1A	Cl		CH_3
A-66	I.1A	Cl		CF_3
A-67	I.1A	Cl		CHF_2
A-68	I.1A	Cl		OCH_3
A-69	I.1A	Cl		$OCHF_2$
A-70	I.1A	Cl		SCH_3
A-71	I.1A	Cl	C_6H_5	H
A-72	I.1A	Cl	C_6H_5	CH_3
A-73	I.1A	Cl	C_6H_5	CF_3
A-74	I.1A	Cl	C_6H_5	CHF_2
A-75	I.1A	Cl	C_6H_5	OCH_3
A-76	I.1A	Cl	C_6H_5	$OCHF_2$
A-77	I.1A	Cl	C_6H_5	SCH_3
A-78	I.1A	Cl	4-F—C_6H_4	H
A-79	I.1A	Cl	4-F—C_6H_4	CH_3
A-80	I.1A	Cl	4-F—C_6H_4	CF_3
A-81	I.1A	Cl	4-F—C_6H_4	CHF_2
A-82	I.1A	Cl	4-F—C_6H_4	OCH_3
A-83	I.1A	Cl	4-F—C_6H_4	$OCHF_2$
A-84	I.1A	Cl	4-F—C_6H_4	SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-85	I.1A	Cl	4-Cl—C_6H_4	H
A-86	I.1A	Cl	4-Cl—C_6H_4	CH_3
A-87	I.1A	Cl	4-Cl—C_6H_4	CF_3
A-88	I.1A	Cl	4-Cl—C_6H_4	CHF_2
A-89	I.1A	Cl	4-Cl—C_6H_4	OCH_3
A-90	I.1A	Cl	4-Cl—C_6H_4	$OCHF_2$
A-91	I.1A	Cl	4-Cl—C_6H_4	SCH_3
A-92	I.1A	Cl	4-OCH_3—C_6H_4	H
A-93	I.1A	Cl	4-OCH_3—C_6H_4	CH_3
A-94	I.1A	Cl	4-OCH_3—C_6H_4	CF_3
A-95	I.1A	Cl	4-OCH_3—C_6H_4	CHF_2
A-96	I.1A	Cl	4-OCH_3—C_6H_4	OCH_3
A-97	I.1A	Cl	4-OCH_3—C_6H_4	$OCHF_2$
A-98	I.1A	Cl	4-OCH_3—C_6H_4	SCH_3
A-99	I.1A	Cl	CH═CH_2	H
A-100	I.1A	Cl	CH═CH_2	CH_3
A-101	I.1A	Cl	CH═CH_2	CF_3
A-102	I.1A	Cl	CH═CH_2	CHF_2
A-103	I.1A	Cl	CH═CH_2	OCH_3
A-104	I.1A	Cl	CH═CH_2	$OCHF_2$
A-105	I.1A	Cl	CH═CH_2	SCH_3
A-106	I.1A	Cl	CH═CH—CH_3	H
A-107	I.1A	Cl	CH═CH—CH_3	CH_3
A-108	I.1A	Cl	CH═CH—CH_3	CF_3
A-109	I.1A	Cl	CH═CH—CH_3	CHF_2
A-110	I.1A	Cl	CH═CH—CH_3	OCH_3
A-111	I.1A	Cl	CH═CH—CH_3	$OCHF_2$
A-112	I.1A	Cl	CH═CH—CH_3	SCH_3
A-113	I.1A	Cl	CH_2CH═CH_2	H
A-114	I.1A	Cl	CH_2CH═CH_2	CH_3
A-115	I.1A	Cl	CH_2CH═CH_2	CF_3
A-116	I.1A	Cl	CH_2CH═CH_2	CHF_2
A-117	I.1A	Cl	CH_2CH═CH_2	OCH_3
A-118	I.1A	Cl	CH_2CH═CH_2	$OCHF_2$
A-119	I.1A	Cl	CH_2CH═CH_2	SCH_3
A-120	I.1A	Cl	CH_2C≡CH	H
A-121	I.1A	Cl	CH_2C≡CH	CH_3
A-122	I.1A	Cl	CH_2C≡CH	CF_3
A-123	I.1A	Cl	CH_2C≡CH	CHF_2
A-124	I.1A	Cl	CH_2C≡CH	OCH_3
A-125	I.1A	Cl	CH_2C≡CH	$OCHF_2$
A-126	I.1A	Cl	CH_2C≡CH	SCH_3
A-127	I.1A	Cl	$CH_2OCH_2CF_3$	H
A-128	I.1A	Cl	$CH_2OCH_2CF_3$	CH_3
A-129	I.1A	Cl	$CH_2OCH_2CF_3$	CF_3
A-130	I.1A	Cl	$CH_2OCH_2CF_3$	CHF_2
A-131	I.1A	Cl	$CH_2OCH_2CF_3$	OCH_3
A-132	I.1A	Cl	$CH_2OCH_2CF_3$	$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-133	I.1A	Cl	$CH_2OCH_2CF_3$	SCH_3
A-134	I.1A	Cl		H
A-135	I.1A	Cl		CH_3
A-136	I.1A	Cl		CF_3
A-137	I.1A	Cl		CHF_2
A-138	I.1A	Cl		OCH_3
A-139	I.1A	Cl		$OCHF_2$
A-140	I.1A	Cl		SCH_3
A-141	I.1A	Cl	OCH_2CH_3	H
A-142	I.1A	Cl	OCH_2CH_3	CH_3
A-143	I.1A	Cl	OCH_2CH_3	CF_3
A-144	I.1A	Cl	OCH_2CH_3	CHF_2
A-145	I.1A	Cl	OCH_2CH_3	OCH_3
A-146	I.1A	Cl	OCH_2CH_3	$OCHF_2$
A-147	I.1A	Cl	OCH_2CH_3	SCH_3
A-148	I.1A	Cl	$OCH_2CH_2OCH_3$	H
A-149	I.1A	Cl	$OCH_2CH_2OCH_3$	CH_3
A-150	I.1A	Cl	$OCH_2CH_2OCH_3$	CF_3
A-151	I.1A	Cl	$OCH_2CH_2OCH_3$	CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-152	I.1A	Cl	$OCH_2CH_2OCH_3$	OCH_3
A-153	I.1A	Cl	$OCH_2CH_2OCH_3$	$OCHF_2$
A-154	I.1A	Cl	$OCH_2CH_2OCH_3$	SCH_3
A-155	I.1A	Cl	SO_2CH_3	H
A-156	I.1A	Cl	SO_2CH_3	CH_3
A-157	I.1A	Cl	SO_2CH_3	CF_3
A-158	I.1A	Cl	SO_2CH_3	CHF_2
A-159	I.1A	Cl	SO_2CH_3	OCH_3
A-160	I.1A	Cl	SO_2CH_3	$OCHF_2$
A-161	I.1A	Cl	SO_2CH_3	SCH_3
A-162	I.1A	Cl	$SO_2CH_2CH_3$	H
A-163	I.1A	Cl	$SO_2CH_2CH_3$	CH_3
A-164	I.1A	Cl	$SO_2CH_2CH_3$	CF_3
A-165	I.1A	Cl	$SO_2CH_2CH_3$	CHF_2
A-166	I.1A	Cl	$SO_2CH_2CH_3$	OCH_3
A-167	I.1A	Cl	$SO_2CH_2CH_3$	$OCHF_2$
A-168	I.1A	Cl	$SO_2CH_2CH_3$	SCH_3
A-169	I.1A	Cl	$SO_2CH(CH_3)_2$	H
A-170	I.1A	Cl	$SO_2CH(CH_3)_2$	CH_3
A-171	I.1A	Cl	$SO_2CH(CH_3)_2$	CF_3
A-172	I.1A	Cl	$SO_2CH(CH_3)_2$	CHF_2
A-173	I.1A	Cl	$SO_2CH(CH_3)_2$	OCH_3
A-174	I.1A	Cl	$SO_2CH(CH_3)_2$	$OCHF_2$
A-175	I.1A	Cl	$SO_2CH(CH_3)_2$	SCH_3
A-176	I.1A	Cl	$COOCH_3$	H
A-177	I.1A	Cl	$COOCH_3$	CH_3
A-178	I.1A	Cl	$COOCH_3$	CF_3
A-179	I.1A	Cl	$COOCH_3$	CHF_2
A-180	I.1A	Cl	$COOCH_3$	OCH_3
A-181	I.1A	Cl	$COOCH_3$	$OCHF_2$
A-182	I.1A	Cl	$COOCH_3$	SCH_3
A-183	I.1A	Cl	$COOCH_2CH_3$	H
A-184	I.1A	Cl	$COOCH_2CH_3$	CH_3
A-185	I.1A	Cl	$COOCH_2CH_3$	CF_3
A-186	I.1A	Cl	$COOCH_2CH_3$	CHF_2
A-187	I.1A	Cl	$COOCH_2CH_3$	OCH_3
A-188	I.1A	Cl	$COOCH_2CH_3$	$OCHF_2$
A-189	I.1A	Cl	$COOCH_2CH_3$	SCH_3
A-190	I.1A	Cl	$\#^2—CH_2CH_2SO_2—\#^3$	
A-191	I.1A	Cl	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-192	I.1A	Cl	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-193	I.1A	Cl	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-194	I.1A	Cl	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-195	I.1A	Cl	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-196	I.1A	Cl	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-197	I.1A	Cl	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-198	I.1A	Cl	$\#^2—C(=O)N(CH_3)SO_2—\#^3$	

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-199	I.1A	Br		H
A-200	I.1A	Br		CH_3
A-201	I.1A	Br		CF_3
A-202	I.1A	Br		CHF_2
A-203	I.1A	Br		OCH_3
A-204	I.1A	Br		$OCHF_2$
A-205	I.1A	Br		SCH_3
A-206	I.1A	Br		H
A-207	I.1A	Br		CH_3
A-208	I.1A	Br		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-209	I.1A	Br		CHF_2
A-210	I.1A	Br		OCH_3
A-211	I.1A	Br		$OCHF_2$
A-212	I.1A	Br		SCH_3
A-213	I.1A	Br		H
A-214	I.1A	Br		CH_3
A-215	I.1A	Br		CF_3
A-216	I.1A	Br		CHF_2
A-217	I.1A	Br		OCH_3
A-218	I.1A	Br		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-219	I.1A	Br		SCH_3
A-220	I.1A	Br		H
A-221	I.1A	Br		CH_3
A-222	I.1A	Br		CF_3
A-223	I.1A	Br		CHF_2
A-224	I.1A	Br		OCH_3
A-225	I.1A	Br		$OCHF_2$
A-226	I.1A	Br		SCH_3
A-227	I.1A	Br		H
A-228	I.1A	Br		CH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-229	I.1A	Br		CF_3
A-230	I.1A	Br		CHF_2
A-231	I.1A	Br		OCH_3
A-232	I.1A	Br		$OCHF_2$
A-233	I.1A	Br		SCH_3
A-234	I.1A	Br		H
A-235	I.1A	Br		CH_3
A-236	I.1A	Br		CF_3
A-237	I.1A	Br		CHF_2
A-238	I.1A	Br		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-239	I.1A	Br		$OCHF_2$
A-240	I.1A	Br		SCH_3
A-241	I.1A	Br		H
A-242	I.1A	Br		CH_3
A-243	I.1A	Br		CF_3
A-244	I.1A	Br		CHF_2
A-245	I.1A	Br		OCH_3
A-246	I.1A	Br		$OCHF_2$
A-247	I.1A	Br		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-248	I.1A	Br		H
A-249	I.1A	Br		CH_3
A-250	I.1A	Br		CF_3
A-251	I.1A	Br		CHF_2
A-252	I.1A	Br		OCH_3
A-253	I.1A	Br		$OCHF_2$
A-254	I.1A	Br		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-255	I.1A	Br		H
A-256	I.1A	Br		CH_3
A-257	I.1A	Br		CF_3
A-258	I.1A	Br		CHF_2
A-259	I.1A	Br		OCH_3
A-260	I.1A	Br		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-261	I.1A	Br		SCH_3
A-262	I.1A	Br		H
A-263	I.1A	Br		CH_3
A-264	I.1A	Br		CF_3
A-265	I.1A	Br		CHF_2
A-266	I.1A	Br		OCH_3
A-267	I.1A	Br		$OCHF_2$
A-268	I.1A	Br		SCH_3
A-269	I.1A	Br	C_6H_5	H
A-270	I.1A	Br	C_6H_5	CH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-271	I.1A	Br	C_6H_5	CF_3
A-272	I.1A	Br	C_6H_5	CHF_2
A-273	I.1A	Br	C_6H_5	OCH_3
A-274	I.1A	Br	C_6H_5	$OCHF_2$
A-275	I.1A	Br	C_6H_5	SCH_3
A-276	I.1A	Br	4-F—C_6H_4	H
A-277	I.1A	Br	4-F—C_6H_4	CH_3
A-278	I.1A	Br	4-F—C_6H_4	CF_3
A-279	I.1A	Br	4-F—C_6H_4	CHF_2
A-280	I.1A	Br	4-F—C_6H_4	OCH_3
A-281	I.1A	Br	4-F—C_6H_4	$OCHF_2$
A-282	I.1A	Br	4-F—C_6H_4	SCH_3
A-283	I.1A	Br	4-Cl—C_6H_4	H
A-284	I.1A	Br	4-Cl—C_6H_4	CH_3
A-285	I.1A	Br	4-Cl—C_6H_4	CF_3
A-286	I.1A	Br	4-Cl—C_6H_4	CHF_2
A-287	I.1A	Br	4-Cl—C_6H_4	OCH_3
A-288	I.1A	Br	4-Cl—C_6H_4	$OCHF_2$
A-289	I.1A	Br	4-Cl—C_6H_4	SCH_3
A-290	I.1A	Br	4-OCH_3—C_6H_4	H
A-291	I.1A	Br	4-OCH_3—C_6H_4	CH_3
A-292	I.1A	Br	4-OCH_3—C_6H_4	CF_3
A-293	I.1A	Br	4-OCH_3—C_6H_4	CHF_2
A-294	I.1A	Br	4-OCH_3—C_6H_4	OCH_3
A-295	I.1A	Br	4-OCH_3—C_6H_4	$OCHF_2$
A-296	I.1A	Br	4-OCH_3—C_6H_4	SCH_3
A-297	I.1A	Br	CH═CH_2	H
A-298	I.1A	Br	CH═CH_2	CH_3
A-299	I.1A	Br	CH═CH_2	CF_3
A-300	I.1A	Br	CH═CH_2	CHF_2
A-301	I.1A	Br	CH═CH_2	OCH_3
A-302	I.1A	Br	CH═CH_2	$OCHF_2$
A-303	I.1A	Br	CH═CH_2	SCH_3
A-304	I.1A	Br	CH═CH—CH_3	H
A-305	I.1A	Br	CH═CH—CH_3	CH_3
A-306	I.1A	Br	CH═CH—CH_3	CF_3
A-307	I.1A	Br	CH═CH—CH_3	CHF_2
A-308	I.1A	Br	CH═CH—CH_3	OCH_3
A-309	I.1A	Br	CH═CH—CH_3	$OCHF_2$
A-310	I.1A	Br	CH═CH—CH_3	SCH_3
A-311	I.1A	Br	CH_2CH═CH_2	H
A-312	I.1A	Br	CH_2CH═CH_2	CH_3
A-313	I.1A	Br	CH_2CH═CH_2	CF_3
A-314	I.1A	Br	CH_2CH═CH_2	CHF_2
A-315	I.1A	Br	CH_2CH═CH_2	OCH_3
A-316	I.1A	Br	CH_2CH═CH_2	$OCHF_2$
A-317	I.1A	Br	CH_2CH═CH_2	SCH_3
A-318	I.1A	Br	CH_2C≡CH	H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-319	I.1A	Br	$CH_2C{=}CH$	CH_3
A-320	I.1A	Br	$CH_2C{=}CH$	CF_3
A-321	I.1A	Br	$CH_2C{=}CH$	CHF_2
A-322	I.1A	Br	$CH_2C{=}CH$	OCH_3
A-323	I.1A	Br	$CH_2C{=}CH$	$OCHF_2$
A-324	I.1A	Br	$CH_2C{=}CH$	SCH_3
A-325	I.1A	Br	$CH_2OCH_2CF_3$	H
A-326	I.1A	Br	$CH_2OCH_2CF_3$	CH_3
A-327	I.1A	Br	$CH_2OCH_2CF_3$	CF_3
A-328	I.1A	Br	$CH_2OCH_2CF_3$	CHF_2
A-329	I.1A	Br	$CH_2OCH_2CF_3$	OCH_3
A-330	I.1A	Br	$CH_2OCH_2CF_3$	$OCHF_2$
A-331	I.1A	Br	$CH_2OCH_2CF_3$	SCH_3
A-332	I.1A	Br		H
A-333	I.1A	Br		CH_3
A-334	I.1A	Br		CF_3
A-335	I.1A	Br		CHF_2
A-336	I.1A	Br		OCH_3
A-337	I.1A	Br		$OCHF_2$
A-338	I.1A	Br		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-339	I.1A	Br	OCH_2CH_3	H
A-340	I.1A	Br	OCH_2CH_3	CH_3
A-341	I.1A	Br	OCH_2CH_3	CF_3
A-342	I.1A	Br	OCH_2CH_3	CHF_2
A-343	I.1A	Br	OCH_2CH_3	OCH_3
A-344	I.1A	Br	OCH_2CH_3	$OCHF_2$
A-345	I.1A	Br	OCH_2CH_3	SCH_3
A-346	I.1A	Br	$OCH_2CH_2OCH_3$	H
A-347	I.1A	Br	$OCH_2CH_2OCH_3$	CH_3
A-348	I.1A	Br	$OCH_2CH_2OCH_3$	CF_3
A-349	I.1A	Br	$OCH_2CH_2OCH_3$	CHF_2
A-350	I.1A	Br	$OCH_2CH_2OCH_3$	OCH_3
A-351	I.1A	Br	$OCH_2CH_2OCH_3$	$OCHF_2$
A-352	I.1A	Br	$OCH_2CH_2OCH_3$	SCH_3
A-353	I.1A	Br	SO_2CH_3	H
A-354	I.1A	Br	SO_2CH_3	CH_3
A-355	I.1A	Br	SO_2CH_3	CF_3
A-356	I.1A	Br	SO_2CH_3	CHF_2
A-357	I.1A	Br	SO_2CH_3	OCH_3
A-358	I.1A	Br	SO_2CH_3	$OCHF_2$
A-359	I.1A	Br	SO_2CH_3	SCH_3
A-360	I.1A	Br	$SO_2CH_2CH_3$	H
A-361	I.1A	Br	$SO_2CH_2CH_3$	CH_3
A-362	I.1A	Br	$SO_2CH_2CH_3$	CF_3
A-363	I.1A	Br	$SO_2CH_2CH_3$	CHF_2
A-364	I.1A	Br	$SO_2CH_2CH_3$	OCH_3
A-365	I.1A	Br	$SO_2CH_2CH_3$	$OCHF_2$
A-366	I.1A	Br	$SO_2CH_2CH_3$	SCH_3
A-367	I.1A	Br	$SO_2CH(CH_3)_2$	H
A-368	I.1A	Br	$SO_2CH(CH_3)_2$	CH_3
A-369	I.1A	Br	$SO_2CH(CH_3)_2$	CF_3
A-370	I.1A	Br	$SO_2CH(CH_3)_2$	CHF_2
A-371	I.1A	Br	$SO_2CH(CH_3)_2$	OCH_3
A-372	I.1A	Br	$SO_2CH(CH_3)_2$	$OCHF_2$
A-373	I.1A	Br	$SO_2CH(CH_3)_2$	SCH_3
A-374	I.1A	Br	$COOCH_3$	H
A-375	I.1A	Br	$COOCH_3$	CH_3
A-376	I.1A	Br	$COOCH_3$	CF_3
A-377	I.1A	Br	$COOCH_3$	CHF_2
A-378	I.1A	Br	$COOCH_3$	OCH_3
A-379	I.1A	Br	$COOCH_3$	$OCHF_2$
A-380	I.1A	Br	$COOCH_3$	SCH_3
A-381	I.1A	Br	$COOCH_2CH_3$	H
A-382	I.1A	Br	$COOCH_2CH_3$	CH_3
A-383	I.1A	Br	$COOCH_2CH_3$	CF_3
A-384	I.1A	Br	$COOCH_2CH_3$	CHF_2
A-385	I.1A	Br	$COOCH_2CH_3$	OCH_3
A-386	I.1A	Br	$COOCH_2CH_3$	$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-387	I.1A	Br	$COOCH_2CH_3$	SCH_3
A-388	I.1A	Br	$\#^2—CH_2CH_2SO_2—\#^3$	
A-389	I.1A	Br	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-390	I.1A	Br	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-391	I.1A	Br	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-392	I.1A	Br	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-393	I.1A	Br	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-394	I.1A	Br	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-395	I.1A	Br	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-396	I.1A	Br	$\#^2—C(=O)N(CH_3)SO_2—\#^3$	
A-397	I.1A	CH_3		H
A-398	I.1A	CH_3		CH_3
A-399	I.1A	CH_3		CF_3
A-400	I.1A	CH_3		CHF_2
A-401	I.1A	CH_3		OCH_3
A-402	I.1A	CH_3		$OCHF_2$
A-403	I.1A	CH_3		SCH_3
A-404	I.1A	CH_3		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-405	I.1A	CH_3		CH_3
A-406	I.1A	CH_3		CF_3
A-407	I.1A	CH_3		CHF_2
A-408	I.1A	CH_3		OCH_3
A-409	I.1A	CH_3		$OCHF_2$
A-410	I.1A	CH_3		SCH_3
A-411	I.1A	CH_3		H
A-412	I.1A	CH_3		CH_3
A-413	I.1A	CH_3		CF_3
A-414	I.1A	CH_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-415	I.1A	CH_3		OCH_3
A-416	I.1A	CH_3		$OCHF_2$
A-417	I.1A	CH_3		SCH_3
A-418	I.1A	CH_3		H
A-419	I.1A	CH_3		CH_3
A-420	I.1A	CH_3		CF_3
A-421	I.1A	CH_3		CHF_2
A-422	I.1A	CH_3		OCH_3
A-423	I.1A	CH_3		$OCHF_2$
A-424	I.1A	CH_3		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-425	I.1A	CH_3		H
A-426	I.1A	CH_3		CH_3
A-427	I.1A	CH_3		CF_3
A-428	I.1A	CH_3		CHF_2
A-429	I.1A	CH_3		OCH_3
A-430	I.1A	CH_3		$OCHF_2$
A-431	I.1A	CH_3		SCH_3
A-432	I.1A	CH_3		H
A-433	I.1A	CH_3		CH_3
A-434	I.1A	CH_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-435	I.1A	CH_3		CHF_2
A-436	I.1A	CH_3		OCH_3
A-437	I.1A	CH_3		$OCHF_2$
A-438	I.1A	CH_3		SCH_3
A-439	I.1A	CH_3		H
A-440	I.1A	CH_3		CH_3
A-441	I.1A	CH_3		CF_3
A-442	I.1A	CH_3		CHF_2
A-443	I.1A	CH_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-444	I.1A	CH_3		$OCHF_2$
A-445	I.1A	CH_3		SCH_3
A-446	I.1A	CH_3		H
A-447	I.1A	CH_3		CH_3
A-448	I.1A	CH_3		CF_3
A-449	I.1A	CH_3		CHF_2
A-450	I.1A	CH_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-451	I.1A	CH_3		$OCHF_2$
A-452	I.1A	CH_3		SCH_3
A-453	I.1A	CH_3		H
A-454	I.1A	CH_3		CH_3
A-455	I.1A	CH_3		CF_3
A-456	I.1A	CH_3		CHF_2
A-457	I.1A	CH_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-458	I.1A	CH_3		$OCHF_2$
A-459	I.1A	CH_3		SCH_3
A-460	I.1A	CH_3		H
A-461	I.1A	CH_3		CH_3
A-462	I.1A	CH_3		CF_3
A-463	I.1A	CH_3		CHF_2
A-464	I.1A	CH_3		OCH_3
A-465	I.1A	CH_3		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-466	I.1A	CH_3		SCH_3
A-467	I.1A	CH_3	C_6H_5	H
A-468	I.1A	CH_3	C_6H_5	CH_3
A-469	I.1A	CH_3	C_6H_5	CF_3
A-470	I.1A	CH_3	C_6H_5	CHF_2
A-471	I.1A	CH_3	C_6H_5	OCH_3
A-472	I.1A	CH_3	C_6H_5	$OCHF_2$
A-473	I.1A	CH_3	C_6H_5	SCH_3
A-474	I.1A	CH_3	4-F—C_6H_4	H
A-475	I.1A	CH_3	4-F—C_6H_4	CH_3
A-476	I.1A	CH_3	4-F—C_6H_4	CF_3
A-477	I.1A	CH_3	4-F—C_6H_4	CHF_2
A-478	I.1A	CH_3	4-F—C_6H_4	OCH_3
A-479	I.1A	CH_3	4-F—C_6H_4	$OCHF_2$
A-480	I.1A	CH_3	4-F—C_6H_4	SCH_3
A-481	I.1A	CH_3	4-Cl—C_6H_4	H
A-482	I.1A	CH_3	4-Cl—C_6H_4	CH_3
A-483	I.1A	CH_3	4-Cl—C_6H_4	CF_3
A-484	I.1A	CH_3	4-Cl—C_6H_4	CHF_2
A-485	I.1A	CH_3	4-Cl—C_6H_4	OCH_3
A-486	I.1A	CH_3	4-Cl—C_6H_4	$OCHF_2$
A-487	I.1A	CH_3	4-Cl—C_6H_4	SCH_3
A-488	I.1A	CH_3	4-OCH_3—C_6H_4	H
A-489	I.1A	CH_3	4-OCH_3—C_6H_4	CH_3
A-490	I.1A	CH_3	4-OCH_3—C_6H_4	CF_3
A-491	I.1A	CH_3	4-OCH_3—C_6H_4	CHF_2
A-492	I.1A	CH_3	4-OCH_3—C_6H_4	OCH_3
A-493	I.1A	CH_3	4-OCH_3—C_6H_4	$OCHF_2$
A-494	I.1A	CH_3	4-OCH_3—C_6H_4	SCH_3
A-495	I.1A	CH_3	CH═CH_2	H
A-496	I.1A	CH_3	CH═CH_2	CH_3
A-497	I.1A	CH_3	CH═CH_2	CF_3
A-498	I.1A	CH_3	CH═CH_2	CHF_2
A-499	I.1A	CH_3	CH═CH_2	OCH_3
A-500	I.1A	CH_3	CH═CH_2	$OCHF_2$
A-501	I.1A	CH_3	CH═CH_2	SCH_3
A-502	I.1A	CH_3	CH═CH—CH_3	H
A-503	I.1A	CH_3	CH═CH—CH_3	CH_3
A-504	I.1A	CH_3	CH═CH—CH_3	CF_3
A-505	I.1A	CH_3	CH═CH—CH_3	CHF_2
A-506	I.1A	CH_3	CH═CH—CH_3	OCH_3
A-507	I.1A	CH_3	CH═CH—CH_3	$OCHF_2$
A-508	I.1A	CH_3	CH═CH—CH_3	SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-509	I.1A	CH_3	$CH_2CH=CH_2$	H
A-510	I.1A	CH_3	$CH_2CH=CH_2$	CH_3
A-511	I.1A	CH_3	$CH_2CH=CH_2$	CF_3
A-512	I.1A	CH_3	$CH_2CH=CH_2$	CHF_2
A-513	I.1A	CH_3	$CH_2CH=CH_2$	OCH_3
A-514	I.1A	CH_3	$CH_2CH=CH_2$	$OCHF_2$
A-515	I.1A	CH_3	$CH_2CH=CH_2$	SCH_3
A-516	I.1A	CH_3	$CH_2C\equiv CH$	H
A-517	I.1A	CH_3	$CH_2C\equiv CH$	CH_3
A-518	I.1A	CH_3	$CH_2C\equiv CH$	CF_3
A-519	I.1A	CH_3	$CH_2C\equiv CH$	CHF_2
A-520	I.1A	CH_3	$CH_2C\equiv CH$	OCH_3
A-521	I.1A	CH_3	$CH_2C\equiv CH$	$OCHF_2$
A-522	I.1A	CH_3	$CH_2C\equiv CH$	SCH_3
A-523	I.1A	CH_3	$CH_2OCH_2CF_3$	H
A-524	I.1A	CH_3	$CH_2OCH_2CF_3$	CH_3
A-525	I.1A	CH_3	$CH_2OCH_2CF_3$	CF_3
A-526	I.1A	CH_3	$CH_2OCH_2CF_3$	CHF_2
A-527	I.1A	CH_3	$CH_2OCH_2CF_3$	OCH_3
A-528	I.1A	CH_3	$CH_2OCH_2CF_3$	$OCHF_2$
A-529	I.1A	CH_3	$CH_2OCH_2CF_3$	SCH_3
A-530	I.1A	CH_3		H
A-531	I.1A	CH_3		CH_3
A-532	I.1A	CH_3		CF_3
A-533	I.1A	CH_3		CHF_2
A-534	I.1A	CH_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-535	I.1A	CH_3		$OCHF_2$
A-536	I.1A	CH_3		SCH_3
A-537	I.1A	CH_3	OCH_2CH_3	H
A-538	I.1A	CH_3	OCH_2CH_3	CH_3
A-539	I.1A	CH_3	OCH_2CH_3	CF_3
A-540	I.1A	CH_3	OCH_2CH_3	CHF_2
A-541	I.1A	CH_3	OCH_2CH_3	OCH_3
A-542	I.1A	CH_3	OCH_2CH_3	$OCHF_2$
A-543	I.1A	CH_3	OCH_2CH_3	SCH_3
A-544	I.1A	CH_3	$OCH_2CH_2OCH_3$	H
A-545	I.1A	CH_3	$OCH_2CH_2OCH_3$	CH_3
A-546	I.1A	CH_3	$OCH_2CH_2OCH_3$	CF_3
A-547	I.1A	CH_3	$OCH_2CH_2OCH_3$	CHF_2
A-548	I.1A	CH_3	$OCH_2CH_2OCH_3$	OCH_3
A-549	I.1A	CH_3	$OCH_2CH_2OCH_3$	$OCHF_2$
A-550	I.1A	CH_3	$OCH_2CH_2OCH_3$	SCH_3
A-551	I.1A	CH_3	SO_2CH_3	H
A-552	I.1A	CH_3	SO_2CH_3	CH_3
A-553	I.1A	CH_3	SO_2CH_3	CF_3
A-554	I.1A	CH_3	SO_2CH_3	CHF_2
A-555	I.1A	CH_3	SO_2CH_3	OCH_3
A-556	I.1A	CH_3	SO_2CH_3	$OCHF_2$
A-557	I.1A	CH_3	SO_2CH_3	SCH_3
A-558	I.1A	CH_3	$SO_2CH_2CH_3$	H
A-559	I.1A	CH_3	$SO_2CH_2CH_3$	CH_3
A-560	I.1A	CH_3	$SO_2CH_2CH_3$	CF_3
A-561	I.1A	CH_3	$SO_2CH_2CH_3$	CHF_2
A-562	I.1A	CH_3	$SO_2CH_2CH_3$	OCH_3
A-563	I.1A	CH_3	$SO_2CH_2CH_3$	$OCHF_2$
A-564	I.1A	CH_3	$SO_2CH_2CH_3$	SCH_3
A-565	I.1A	CH_3	$SO_2CH(CH_3)_2$	H
A-566	I.1A	CH_3	$SO_2CH(CH_3)_2$	CH_3
A-567	I.1A	CH_3	$SO_2CH(CH_3)_2$	CF_3
A-568	I.1A	CH_3	$SO_2CH(CH_3)_2$	CHF_2
A-569	I.1A	CH_3	$SO_2CH(CH_3)_2$	OCH_3
A-570	I.1A	CH_3	$SO_2CH(CH_3)_2$	$OCHF_2$
A-571	I.1A	CH_3	$SO_2CH(CH_3)_2$	SCH_3
A-572	I.1A	CH_3	$COOCH_3$	H
A-573	I.1A	CH_3	$COOCH_3$	CH_3
A-574	I.1A	CH_3	$COOCH_3$	CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-575	I.1A	CH_3	$COOCH_3$	CHF_2
A-576	I.1A	CH_3	$COOCH_3$	OCH_3
A-577	I.1A	CH_3	$COOCH_3$	$OCHF_2$
A-578	I.1A	CH_3	$COOCH_3$	SCH_3
A-579	I.1A	CH_3	$COOCH_2CH_3$	H
A-580	I.1A	CH_3	$COOCH_2CH_3$	CH_3
A-581	I.1A	CH_3	$COOCH_2CH_3$	CF_3
A-582	I.1A	CH_3	$COOCH_2CH_3$	CHF_2
A-583	I.1A	CH_3	$COOCH_2CH_3$	OCH_3
A-584	I.1A	CH_3	$COOCH_2CH_3$	$OCHF_2$
A-585	I.1A	CH_3	$COOCH_2CH_3$	SCH_3
A-586	I.1A	CH_3	$\#^2—CH_2CH_2SO_2—\#^3$	
A-587	I.1A	CH_3	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-588	I.1A	CH_3	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-589	I.1A	CH_3	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-590	I.1A	CH_3	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-591	I.1A	CH_3	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-592	I.1A	CH_3	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-593	I.1A	CH_3	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-594	I.1A	CH_3	$\#^2—C(=O)N(CH_3)SO_2—\#^3$	
A-595	I.1A	CF_3		H
A-596	I.1A	CF_3		CH_3
A-597	I.1A	CF_3		CF_3
A-598	I.1A	CF_3		CHF_2
A-599	I.1A	CF_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-600	I.1A	CF_3		$OCHF_2$
A-601	I.1A	CF_3		SCH_3
A-602	I.1A	CF_3		H
A-603	I.1A	CF_3		CH_3
A-604	I.1A	CF_3		CF_3
A-605	I.1A	CF_3		CHF_2
A-606	I.1A	CF_3		OCH_3
A-607	I.1A	CF_3		$OCHF_2$
A-608	I.1A	CF_3		SCH_3
A-609	I.1A	CF_3		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-610	I.1A	CF_3		CH_3
A-611	I.1A	CF_3		CF_3
A-612	I.1A	CF_3		CHF_2
A-613	I.1A	CF_3		OCH_3
A-614	I.1A	CF_3		$OCHF_2$
A-615	I.1A	CF_3		SCH_3
A-616	I.1A	CF_3		H
A-617	I.1A	CF_3		CH_3
A-618	I.1A	CF_3		CF_3
A-619	I.1A	CF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-620	I.1A	CF_3		OCH_3
A-621	I.1A	CF_3		$OCHF_2$
A-622	I.1A	CF_3		SCH_3
A-623	I.1A	CF_3		H
A-624	I.1A	CF_3		CH_3
A-625	I.1A	CF_3		CF_3
A-626	I.1A	CF_3		CHF_2
A-627	I.1A	CF_3		OCH_3
A-628	I.1A	CF_3		$OCHF_2$
A-629	I.1A	CF_3		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-630	I.1A	CF_3		H
A-631	I.1A	CF_3		CH_3
A-632	I.1A	CF_3		CF_3
A-633	I.1A	CF_3		CHF_2
A-634	I.1A	CF_3		OCH_3
A-635	I.1A	CF_3		$OCHF_2$
A-636	I.1A	CF_3		SCH_3
A-637	I.1A	CF_3		H
A-638	I.1A	CF_3		CH_3
A-639	I.1A	CF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-640	I.1A	CF_3		CHF_2
A-641	I.1A	CF_3		OCH_3
A-642	I.1A	CF_3		$OCHF_2$
A-643	I.1A	CF_3		SCH_3
A-644	I.1A	CF_3		H
A-645	I.1A	CF_3		CH_3
A-646	I.1A	CF_3		CF_3
A-647	I.1A	CF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-648	I.1A	CF_3		OCH_3
A-649	I.1A	CF_3		$OCHF_2$
A-650	I.1A	CF_3		SCH_3
A-651	I.1A	CF_3		H
A-652	I.1A	CF_3		CH_3
A-653	I.1A	CF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-654	I.1A	CF_3		CHF_2
A-655	I.1A	CF_3		OCH_3
A-656	I.1A	CF_3		$OCHF_2$
A-657	I.1A	CF_3		SCH_3
A-658	I.1A	CF_3		H
A-659	I.1A	CF_3		CH_3
A-660	I.1A	CF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-661	I.1A	CF_3		CHF_2
A-662	I.1A	CF_3		OCH_3
A-663	I.1A	CF_3		$OCHF_2$
A-664	I.1A	CF_3		SCH_3
A-665	I.1A	CF_3	C_6H_5	H
A-666	I.1A	CF_3	C_6H_5	CH_3
A-667	I.1A	CF_3	C_6H_5	CF_3
A-668	I.1A	CF_3	C_6H_5	CHF_2
A-669	I.1A	CF_3	C_6H_5	OCH_3
A-670	I.1A	CF_3	C_6H_5	$OCHF_2$
A-671	I.1A	CF_3	C_6H_5	SCH_3
A-672	I.1A	CF_3	4-F—C_6H_4	H
A-673	I.1A	CF_3	4-F—C_6H_4	CH_3
A-674	I.1A	CF_3	4-F—C_6H_4	CF_3
A-675	I.1A	CF_3	4-F—C_6H_4	CHF_2
A-676	I.1A	CF_3	4-F—C_6H_4	OCH_3
A-677	I.1A	CF_3	4-F—C_6H_4	$OCHF_2$
A-678	I.1A	CF_3	4-F—C_6H_4	SCH_3
A-679	I.1A	CF_3	4-Cl—C_6H_4	H
A-680	I.1A	CF_3	4-Cl—C_6H_4	CH_3
A-681	I.1A	CF_3	4-Cl—C_6H_4	CF_3
A-682	I.1A	CF_3	4-Cl—C_6H_4	CHF_2
A-683	I.1A	CF_3	4-Cl—C_6H_4	OCH_3
A-684	I.1A	CF_3	4-Cl—C_6H_4	$OCHF_2$
A-685	I.1A	CF_3	4-Cl—C_6H_4	SCH_3
A-686	I.1A	CF_3	4-OCH_3—C_6H_4	H
A-687	I.1A	CF_3	4-OCH_3—C_6H_4	CH_3
A-688	I.1A	CF_3	4-OCH_3—C_6H_4	CF_3
A-689	I.1A	CF_3	4-OCH_3—C_6H_4	CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-690	I.1A	CF_3	4-OCH_3—C_6H_4	OCH_3
A-691	I.1A	CF_3	4-OCH_3—C_6H_4	$OCHF_2$
A-692	I.1A	CF_3	4-OCH_3—C_6H_4	SCH_3
A-693	I.1A	CF_3	$CH{=}CH_2$	H
A-694	I.1A	CF_3	$CH{=}CH_2$	CH_3
A-695	I.1A	CF_3	$CH{=}CH_2$	CF_3
A-696	I.1A	CF_3	$CH{=}CH_2$	CHF_2
A-697	I.1A	CF_3	$CH{=}CH_2$	OCH_3
A-698	I.1A	CF_3	$CH{=}CH_2$	$OCHF_2$
A-699	I.1A	CF_3	$CH{=}CH_2$	SCH_3
A-700	I.1A	CF_3	$CH{=}CH{-}CH_3$	H
A-701	I.1A	CF_3	$CH{=}CH{-}CH_3$	CH_3
A-702	I.1A	CF_3	$CH{=}CH{-}CH_3$	CF_3
A-703	I.1A	CF_3	$CH{=}CH{-}CH_3$	CHF_2
A-704	I.1A	CF_3	$CH{=}CH{-}CH_3$	OCH_3
A-705	I.1A	CF_3	$CH{=}CH{-}CH_3$	$OCHF_2$
A-706	I.1A	CF_3	$CH{=}CH{-}CH_3$	SCH_3
A-707	I.1A	CF_3	$CH_2CH{=}CH_2$	H
A-708	I.1A	CF_3	$CH_2CH{=}CH_2$	CH_3
A-709	I.1A	CF_3	$CH_2CH{=}CH_2$	CF_3
A-710	I.1A	CF_3	$CH_2CH{=}CH_2$	CHF_2
A-711	I.1A	CF_3	$CH_2CH{=}CH_2$	OCH_3
A-712	I.1A	CF_3	$CH_2CH{=}CH_2$	$OCHF_2$
A-713	I.1A	CF_3	$CH_2CH{=}CH_2$	SCH_3
A-714	I.1A	CF_3	$CH_2C{\equiv}CH$	H
A-715	I.1A	CF_3	$CH_2C{\equiv}CH$	CH_3
A-716	I.1A	CF_3	$CH_2C{\equiv}CH$	CF_3
A-717	I.1A	CF_3	$CH_2C{\equiv}CH$	CHF_2
A-718	I.1A	CF_3	$CH_2C{\equiv}CH$	OCH_3
A-719	I.1A	CF_3	$CH_2C{\equiv}CH$	$OCHF_2$
A-720	I.1A	CF_3	$CH_2C{\equiv}CH$	SCH_3
A-721	I.1A	CF_3	$CH_2OCH_2CF_3$	H
A-722	I.1A	CF_3	$CH_2OCH_2CF_3$	CH_3
A-723	I.1A	CF_3	$CH_2OCH_2CF_3$	CF_3
A-724	I.1A	CF_3	$CH_2OCH_2CF_3$	CHF_2
A-725	I.1A	CF_3	$CH_2OCH_2CF_3$	OCH_3
A-726	I.1A	CF_3	$CH_2OCH_2CF_3$	$OCHF_2$
A-727	I.1A	CF_3	$CH_2OCH_2CF_3$	SCH_3
A-728	I.1A	CF_3		H
A-729	I.1A	CF_3		CH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-730	I.1A	CF_3		CF_3
A-731	I.1A	CF_3		CHF_2
A-732	I.1A	CF_3		OCH_3
A-733	I.1A	CF_3		$OCHF_2$
A-734	I.1A	CF_3		SCH_3
A-735	I.1A	CF_3	OCH_2CH_3	H
A-736	I.1A	CF_3	OCH_2CH_3	CH_3
A-737	I.1A	CF_3	OCH_2CH_3	CF_3
A-738	I.1A	CF_3	OCH_2CH_3	CHF_2
A-739	I.1A	CF_3	OCH_2CH_3	OCH_3
A-740	I.1A	CF_3	OCH_2CH_3	$OCHF_2$
A-741	I.1A	CF_3	OCH_2CH_3	SCH_3
A-742	I.1A	CF_3	$OCH_2CH_2OCH_3$	H
A-743	I.1A	CF_3	$OCH_2CH_2OCH_3$	CH_3
A-744	I.1A	CF_3	$OCH_2CH_2OCH_3$	CF_3
A-745	I.1A	CF_3	$OCH_2CH_2OCH_3$	CHF_2
A-746	I.1A	CF_3	$OCH_2CH_2OCH_3$	OCH_3
A-747	I.1A	CF_3	$OCH_2CH_2OCH_3$	$OCHF_2$
A-748	I.1A	CF_3	$OCH_2CH_2OCH_3$	SCH_3
A-749	I.1A	CF_3	SO_2CH_3	H
A-750	I.1A	CF_3	SO_2CH_3	CH_3
A-751	I.1A	CF_3	SO_2CH_3	CF_3
A-752	I.1A	CF_3	SO_2CH_3	CHF_2
A-753	I.1A	CF_3	SO_2CH_3	OCH_3
A-754	I.1A	CF_3	SO_2CH_3	$OCHF_2$
A-755	I.1A	CF_3	SO_2CH_3	SCH_3
A-756	I.1A	CF_3	$SO_2CH_2CH_3$	H
A-757	I.1A	CF_3	$SO_2CH_2CH_3$	CH_3
A-758	I.1A	CF_3	$SO_2CH_2CH_3$	CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-759	I.1A	CF_3	$SO_2CH_2CH_3$	CHF_2
A-760	I.1A	CF_3	$SO_2CH_2CH_3$	OCH_3
A-761	I.1A	CF_3	$SO_2CH_2CH_3$	$OCHF_2$
A-762	I.1A	CF_3	$SO_2CH_2CH_3$	SCH_3
A-763	I.1A	CF_3	$SO_2CH(CH_3)_2$	H
A-764	I.1A	CF_3	$SO_2CH(CH_3)_2$	CH_3
A-765	I.1A	CF_3	$SO_2CH(CH_3)_2$	CF_3
A-766	I.1A	CF_3	$SO_2CH(CH_3)_2$	CHF_2
A-767	I.1A	CF_3	$SO_2CH(CH_3)_2$	OCH_3
A-768	I.1A	CF_3	$SO_2CH(CH_3)_2$	$OCHF_2$
A-769	I.1A	CF_3	$SO_2CH(CH_3)_2$	SCH_3
A-770	I.1A	CF_3	$COOCH_3$	H
A-771	I.1A	CF_3	$COOCH_3$	CH_3
A-772	I.1A	CF_3	$COOCH_3$	CF_3
A-773	I.1A	CF_3	$COOCH_3$	CHF_2
A-774	I.1A	CF_3	$COOCH_3$	OCH_3
A-775	I.1A	CF_3	$COOCH_3$	$OCHF_2$
A-776	I.1A	CF_3	$COOCH_3$	SCH_3
A-777	I.1A	CF_3	$COOCH_2CH_3$	H
A-778	I.1A	CF_3	$COOCH_2CH_3$	CH_3
A-779	I.1A	CF_3	$COOCH_2CH_3$	CF_3
A-780	I.1A	CF_3	$COOCH_2CH_3$	CHF_2
A-781	I.1A	CF_3	$COOCH_2CH_3$	OCH_3
A-782	I.1A	CF_3	$COOCH_2CH_3$	$OCHF_2$
A-783	I.1A	CF_3	$COOCH_2CH_3$	SCH_3
A-784	I.1A	CF_3	$\#^2—CH_2CH_2SO_2—\#^3$	
A-785	I.1A	CF_3	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-786	I.1A	CF_3	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-787	I.1A	CF_3	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-788	I.1A	CF_3	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-789	I.1A	CF_3	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-790	I.1A	CF_3	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-791	I.1A	CF_3	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-792	I.1A	CF_3	$\#^2—C(=O)N(CH_3)SO_2—\#^3$	
A-793	I.1A	OCF_3		H
A-794	I.1A	OCF_3		CH_3
A-795	I.1A	OCF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-796	I.1A	OCF_3		CHF_2
A-797	I.1A	OCF_3		OCH_3
A-798	I.1A	OCF_3		$OCHF_2$
A-799	I.1A	OCF_3		SCH_3
A-800	I.1A	OCF_3		H
A-801	I.1A	OCF_3		CH_3
A-802	I.1A	OCF_3		CF_3
A-803	I.1A	OCF_3		CHF_2
A-804	I.1A	OCF_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-805	I.1A	OCF_3		$OCHF_2$
A-806	I.1A	OCF_3		SCH_3
A-807	I.1A	OCF_3		H
A-808	I.1A	OCF_3		CH_3
A-809	I.1A	OCF_3		CF_3
A-810	I.1A	OCF_3		CHF_2
A-811	I.1A	OCF_3		OCH_3
A-812	I.1A	OCF_3		$OCHF_2$
A-813	I.1A	OCF_3		SCH_3
A-814	I.1A	OCF_3		H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-815	I.1A	OCF_3		CH_3
A-816	I.1A	OCF_3		CF_3
A-817	I.1A	OCF_3		CHF_2
A-818	I.1A	OCF_3		OCH_3
A-819	I.1A	OCF_3		$OCHF_2$
A-820	I.1A	OCF_3		SCH_3
A-821	I.1A	OCF_3		H
A-822	I.1A	OCF_3		CH_3
A-823	I.1A	OCF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-824	I.1A	OCF_3		CHF_2
A-825	I.1A	OCF_3		OCH_3
A-826	I.1A	OCF_3		$OCHF_2$
A-827	I.1A	OCF_3		SCH_3
A-828	I.1A	OCF_3		H
A-829	I.1A	OCF_3		CH_3
A-830	I.1A	OCF_3		CF_3
A-831	I.1A	OCF_3		CHF_2
A-832	I.1A	OCF_3		OCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-833	I.1A	OCF_3		$OCHF_2$
A-834	I.1A	OCF_3		SCH_3
A-835	I.1A	OCF_3		H
A-836	I.1A	OCF_3		CH_3
A-837	I.1A	OCF_3		CF_3
A-838	I.1A	OCF_3		CHF_2
A-839	I.1A	OCF_3		OCH_3
A-840	I.1A	OCF_3		$OCHF_2$
A-841	I.1A	OCF_3		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-842	I.1A	OCF_3		H
A-843	I.1A	OCF_3		CH_3
A-844	I.1A	OCF_3		CF_3
A-845	I.1A	OCF_3		CHF_2
A-846	I.1A	OCF_3		OCH_3
A-847	I.1A	OCF_3		$OCHF_2$
A-848	I.1A	OCF_3		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-849	I.1A	OCF_3		H
A-850	I.1A	OCF_3		CH_3
A-851	I.1A	OCF_3		CF_3
A-852	I.1A	OCF_3		CHF_2
A-853	I.1A	OCF_3		OCH_3
A-854	I.1A	OCF_3		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-855	I.1A	OCF_3		SCH_3
A-856	I.1A	OCF_3		H
A-857	I.1A	OCF_3		CH_3
A-858	I.1A	OCF_3		CF_3
A-859	I.1A	OCF_3		CHF_2
A-860	I.1A	OCF_3		OCH_3
A-861	I.1A	OCF_3		$OCHF_2$
A-862	I.1A	OCF_3		SCH_3
A-863	I.1A	OCF_3	C_6H_5	H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-864	I.1A	OCF_3	C_6H_5	CH_3
A-865	I.1A	OCF_3	C_6H_5	CF_3
A-866	I.1A	OCF_3	C_6H_5	CHF_2
A-867	I.1A	OCF_3	C_6H_5	OCH_3
A-868	I.1A	OCF_3	C_6H_5	$OCHF_2$
A-869	I.1A	OCF_3	C_6H_5	SCH_3
A-870	I.1A	OCF_3	4-F—C_6H_4	H
A-871	I.1A	OCF_3	4-F—C_6H_4	CH_3
A-872	I.1A	OCF_3	4-F—C_6H_4	CF_3
A-873	I.1A	OCF_3	4-F—C_6H_4	CHF_2
A-874	I.1A	OCF_3	4-F—C_6H_4	OCH_3
A-875	I.1A	OCF_3	4-F—C_6H_4	$OCHF_2$
A-876	I.1A	OCF_3	4-F—C_6H_4	SCH_3
A-877	I.1A	OCF_3	4-Cl—C_6H_4	H
A-878	I.1A	OCF_3	4-Cl—C_6H_4	CH_3
A-879	I.1A	OCF_3	4-Cl—C_6H_4	CF_3
A-880	I.1A	OCF_3	4-Cl—C_6H_4	CHF_2
A-881	I.1A	OCF_3	4-Cl—C_6H_4	OCH_3
A-882	I.1A	OCF_3	4-Cl—C_6H_4	$OCHF_2$
A-883	I.1A	OCF_3	4-Cl—C_6H_4	SCH_3
A-884	I.1A	OCF_3	4-OCH_3—C_6H_4	H
A-885	I.1A	OCF_3	4-OCH_3—C_6H_4	CH_3
A-886	I.1A	OCF_3	4-OCH_3—C_6H_4	CF_3
A-887	I.1A	OCF_3	4-OCH_3—C_6H_4	CHF_2
A-888	I.1A	OCF_3	4-OCH_3—C_6H_4	OCH_3
A-889	I.1A	OCF_3	4-OCH_3—C_6H_4	$OCHF_2$
A-890	I.1A	OCF_3	4-OCH_3—C_6H_4	SCH_3
A-891	I.1A	OCF_3	CH═CH_2	H
A-892	I.1A	OCF_3	CH═CH_2	CH_3
A-893	I.1A	OCF_3	CH═CH_2	CF_3
A-894	I.1A	OCF_3	CH═CH_2	CHF_2
A-895	I.1A	OCF_3	CH═CH_2	OCH_3
A-896	I.1A	OCF_3	CH═CH_2	$OCHF_2$
A-897	I.1A	OCF_3	CH═CH_2	SCH_3
A-898	I.1A	OCF_3	CH═CH—CH_3	H
A-899	I.1A	OCF_3	CH═CH—CH_3	CH_3
A-900	I.1A	OCF_3	CH═CH—CH_3	CF_3
A-901	I.1A	OCF_3	CH═CH—CH_3	CHF_2
A-902	I.1A	OCF_3	CH═CH—CH_3	OCH_3
A-903	I.1A	OCF_3	CH═CH—CH_3	$OCHF_2$
A-904	I.1A	OCF_3	CH═CH—CH_3	SCH_3
A-905	I.1A	OCF_3	CH_2CH═CH_2	H
A-906	I.1A	OCF_3	CH_2CH═CH_2	CH_3
A-907	I.1A	OCF_3	CH_2CH═CH_2	CF_3
A-908	I.1A	OCF_3	CH_2CH═CH_2	CHF_2
A-909	I.1A	OCF_3	CH_2CH═CH_2	OCH_3
A-910	I.1A	OCF_3	CH_2CH═CH_2	$OCHF_2$
A-911	I.1A	OCF_3	CH_2CH═CH_2	SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-912	I.1A	OCF_3	$CH_2C{=}CH$	H
A-913	I.1A	OCF_3	$CH_2C{=}CH$	CH_3
A-914	I.1A	OCF_3	$CH_2C{=}CH$	CF_3
A-915	I.1A	OCF_3	$CH_2C{=}CH$	CHF_2
A-916	I.1A	OCF_3	$CH_2C{=}CH$	OCH_3
A-917	I.1A	OCF_3	$CH_2C{=}CH$	$OCHF_2$
A-918	I.1A	OCF_3	$CH_2C{=}CH$	SCH_3
A-919	I.1A	OCF_3	$CH_2OCH_2CF_3$	H
A-920	I.1A	OCF_3	$CH_2OCH_2CF_3$	CH_3
A-921	I.1A	OCF_3	$CH_2OCH_2CF_3$	CF_3
A-922	I.1A	OCF_3	$CH_2OCH_2CF_3$	CHF_2
A-923	I.1A	OCF_3	$CH_2OCH_2CF_3$	OCH_3
A-924	I.1A	OCF_3	$CH_2OCH_2CF_3$	$OCHF_2$
A-925	I.1A	OCF_3	$CH_2OCH_2CF_3$	SCH_3
A-926	I.1A	OCF_3		H
A-927	I.1A	OCF_3		CH_3
A-928	I.1A	OCF_3		CF_3
A-929	I.1A	OCF_3		CHF_2
A-930	I.1A	OCF_3		OCH_3
A-931	I.1A	OCF_3		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-932	I.1A	OCF_3		SCH_3
A-933	I.1A	OCF_3	OCH_2CH_3	H
A-934	I.1A	OCF_3	OCH_2CH_3	CH_3
A-935	I.1A	OCF_3	OCH_2CH_3	CF_3
A-936	I.1A	OCF_3	OCH_2CH_3	CHF_2
A-937	I.1A	OCF_3	OCH_2CH_3	OCH_3
A-938	I.1A	OCF_3	OCH_2CH_3	$OCHF_2$
A-939	I.1A	OCF_3	OCH_2CH_3	SCH_3
A-940	I.1A	OCF_3	$OCH_2CH_2OCH_3$	H
A-941	I.1A	OCF_3	$OCH_2CH_2OCH_3$	CH_3
A-942	I.1A	OCF_3	$OCH_2CH_2OCH_3$	CF_3
A-943	I.1A	OCF_3	$OCH_2CH_2OCH_3$	CHF_2
A-944	I.1A	OCF_3	$OCH_2CH_2OCH_3$	OCH_3
A-945	I.1A	OCF_3	$OCH_2CH_2OCH_3$	$OCHF_2$
A-946	I.1A	OCF_3	$OCH_2CH_2OCH_3$	SCH_3
A-947	I.1A	OCF_3	SO_2CH_3	H
A-948	I.1A	OCF_3	SO_2CH_3	CH_3
A-949	I.1A	OCF_3	SO_2CH_3	CF_3
A-950	I.1A	OCF_3	SO_2CH_3	CHF_2
A-951	I.1A	OCF_3	SO_2CH_3	OCH_3
A-952	I.1A	OCF_3	SO_2CH_3	$OCHF_2$
A-953	I.1A	OCF_3	SO_2CH_3	SCH_3
A-954	I.1A	OCF_3	$SO_2CH_2CH_3$	H
A-955	I.1A	OCF_3	$SO_2CH_2CH_3$	CH_3
A-956	I.1A	OCF_3	$SO_2CH_2CH_3$	CF_3
A-957	I.1A	OCF_3	$SO_2CH_2CH_3$	CHF_2
A-958	I.1A	OCF_3	$SO_2CH_2CH_3$	OCH_3
A-959	I.1A	OCF_3	$SO_2CH_2CH_3$	$OCHF_2$
A-960	I.1A	OCF_3	$SO_2CH_2CH_3$	SCH_3
A-961	I.1A	OCF_3	$SO_2CH(CH_3)_2$	H
A-962	I.1A	OCF_3	$SO_2CH(CH_3)_2$	CH_3
A-963	I.1A	OCF_3	$SO_2CH(CH_3)_2$	CF_3
A-964	I.1A	OCF_3	$SO_2CH(CH_3)_2$	CHF_2
A-965	I.1A	OCF_3	$SO_2CH(CH_3)_2$	OCH_3
A-966	I.1A	OCF_3	$SO_2CH(CH_3)_2$	$OCHF_2$
A-967	I.1A	OCF_3	$SO_2CH(CH_3)_2$	SCH_3
A-968	I.1A	OCF_3	$COOCH_3$	H
A-969	I.1A	OCF_3	$COOCH_3$	CH_3
A-970	I.1A	OCF_3	$COOCH_3$	CF_3
A-971	I.1A	OCF_3	$COOCH_3$	CHF_2
A-972	I.1A	OCF_3	$COOCH_3$	OCH_3
A-973	I.1A	OCF_3	$COOCH_3$	$OCHF_2$
A-974	I.1A	OCF_3	$COOCH_3$	SCH_3
A-975	I.1A	OCF_3	$COOCH_2CH_3$	H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-976	I.1A	OCF_3	$COOCH_2CH_3$	CH_3
A-977	I.1A	OCF_3	$COOCH_2CH_3$	CF_3
A-978	I.1A	OCF_3	$COOCH_2CH_3$	CHF_2
A-979	I.1A	OCF_3	$COOCH_2CH_3$	OCH_3
A-980	I.1A	OCF_3	$COOCH_2CH_3$	$OCHF_2$
A-981	I.1A	OCF_3	$COOCH_2CH_3$	SCH_3
A-982	I.1A	OCF_3	$\#^2—CH_2CH_2SO_2—\#^3$	
A-983	I.1A	OCF_3	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-984	I.1A	OCF_3	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-985	I.1A	OCF_3	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-986	I.1A	OCF_3	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-987	I.1A	OCF_3	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-988	I.1A	OCF_3	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-989	I.1A	OCF_3	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-990	I.1A	OCF_3	$\#^2—C(=O)N(CH_3)SO_2—\#^3$	
A-991	I.1A	SCF_3		H
A-992	I.1A	SCF_3		CH_3
A-993	I.1A	SCF_3		CF_3
A-994	I.1A	SCF_3		CHF_2
A-995	I.1A	SCF_3		OCH_3
A-996	I.1A	SCF_3		$OCHF_2$
A-997	I.1A	SCF_3		SCH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-998	I.1A	SCF_3		H
A-999	I.1A	SCF_3		CH_3
A-1000	I.1A	SCF_3		CF_3
A-1001	I.1A	SCF_3		CHF_2
A-1002	I.1A	SCF_3		OCH_3
A-1003	I.1A	SCF_3		$OCHF_2$
A-1004	I.1A	SCF_3		SCH_3
A-1005	I.1A	SCF_3		H
A-1006	I.1A	SCF_3		CH_3
A-1007	I.1A	SCF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1008	I.1A	SCF_3		CHF_2
A-1009	I.1A	SCF_3		OCH_3
A-1010	I.1A	SCF_3		$OCHF_2$
A-1011	I.1A	SCF_3		SCH_3
A-1012	I.1A	SCF_3		H
A-1013	I.1A	SCF_3		CH_3
A-1014	I.1A	SCF_3		CF_3
A-1015	I.1A	SCF_3		CHF_2
A-1016	I.1A	SCF_3		OCH_3
A-1017	I.1A	SCF_3		$OCHF_2$

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1018	I.1A	SCF_3		SCH_3
A-1019	I.1A	SCF_3		H
A-1020	I.1A	SCF_3		CH_3
A-1021	I.1A	SCF_3		CF_3
A-1022	I.1A	SCF_3		CHF_2
A-1023	I.1A	SCF_3		OCH_3
A-1024	I.1A	SCF_3		$OCHF_2$
A-1025	I.1A	SCF_3		SCH_3
A-1026	I.1A	SCF_3		H
A-1027	I.1A	SCF_3		CH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1028	I.1A	SCF_3		CF_3
A-1029	I.1A	SCF_3		CHF_2
A-1030	I.1A	SCF_3		OCH_3
A-1031	I.1A	SCF_3		$OCHF_2$
A-1032	I.1A	SCF_3		SCH_3
A-1033	I.1A	SCF_3		H
A-1034	I.1A	SCF_3		CH_3
A-1035	I.1A	SCF_3		CF_3
A-1036	I.1A	SCF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1037	I.1A	SCF_3		OCH_3
A-1038	I.1A	SCF_3		$OCHF_2$
A-1039	I.1A	SCF_3		SCH_3
A-1040	I.1A	SCF_3		H
A-1041	I.1A	SCF_3		CH_3
A-1042	I.1A	SCF_3		CF_3
A-1043	I.1A	SCF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1044	I.1A	SCF_3		OCH_3
A-1045	I.1A	SCF_3		$OCHF_2$
A-1046	I.1A	SCF_3		SCH_3
A-1047	I.1A	SCF_3		H
A-1048	I.1A	SCF_3		CH_3
A-1049	I.1A	SCF_3		CF_3
A-1050	I.1A	SCF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1051	I.1A	SCF_3		OCH_3
A-1052	I.1A	SCF_3		$OCHF_2$
A-1053	I.1A	SCF_3		SCH_3
A-1054	I.1A	SCF_3		H
A-1055	I.1A	SCF_3		CH_3
A-1056	I.1A	SCF_3		CF_3
A-1057	I.1A	SCF_3		CHF_2

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1058	I.1A	SCF_3		OCH_3
A-1059	I.1A	SCF_3		$OCHF_2$
A-1060	I.1A	SCF_3		SCH_3
A-1061	I.1A	SCF_3	C_6H_5	H
A-1062	I.1A	SCF_3	C_6H_5	CH_3
A-1063	I.1A	SCF_3	C_6H_5	CF_3
A-1064	I.1A	SCF_3	C_6H_5	CHF_2
A-1065	I.1A	SCF_3	C_6H_5	OCH_3
A-1066	I.1A	SCF_3	C_6H_5	$OCHF_2$
A-1067	I.1A	SCF_3	C_6H_5	SCH_3
A-1068	I.1A	SCF_3	4-F—C_6H_4	H
A-1069	I.1A	SCF_3	4-F—C_6H_4	CH_3
A-1070	I.1A	SCF_3	4-F—C_6H_4	CF_3
A-1071	I.1A	SCF_3	4-F—C_6H_4	CHF_2
A-1072	I.1A	SCF_3	4-F—C_6H_4	OCH_3
A-1073	I.1A	SCF_3	4-F—C_6H_4	$OCHF_2$
A-1074	I.1A	SCF_3	4-F—C_6H_4	SCH_3
A-1075	I.1A	SCF_3	4-Cl—C_6H_4	H
A-1076	I.1A	SCF_3	4-Cl—C_6H_4	CH_3
A-1077	I.1A	SCF_3	4-Cl—C_6H_4	CF_3
A-1078	I.1A	SCF_3	4-Cl—C_6H_4	CHF_2
A-1079	I.1A	SCF_3	4-Cl—C_6H_4	OCH_3
A-1080	I.1A	SCF_3	4-Cl—C_6H_4	$OCHF_2$
A-1081	I.1A	SCF_3	4-Cl—C_6H_4	SCH_3
A-1082	I.1A	SCF_3	4-OCH_3—C_6H_4	H
A-1083	I.1A	SCF_3	4-OCH_3—C_6H_4	CH_3
A-1084	I.1A	SCF_3	4-OCH_3—C_6H_4	CF_3
A-1085	I.1A	SCF_3	4-OCH_3—C_6H_4	CHF_2
A-1086	I.1A	SCF_3	4-OCH_3—C_6H_4	OCH_3
A-1087	I.1A	SCF_3	4-OCH_3—C_6H_4	$OCHF_2$
A-1088	I.1A	SCF_3	4-OCH_3—C_6H_4	SCH_3
A-1089	I.1A	SCF_3	CH═CH_2	H
A-1090	I.1A	SCF_3	CH═CH_2	CH_3
A-1091	I.1A	SCF_3	CH═CH_2	CH_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1092	I.1A	SCF_3	$CH{=}CH_2$	CHF_2
A-1093	I.1A	SCF_3	$CH{=}CH_2$	OCH_3
A-1094	I.1A	SCF_3	$CH{=}CH_2$	$OCHF_2$
A-1095	I.1A	SCF_3	$CH{=}CH_2$	SCH_3
A-1096	I.1A	SCF_3	$CH{=}CH{-}CH_3$	H
A-1097	I.1A	SCF_3	$CH{=}CH{-}CH_3$	CH_3
A-1098	I.1A	SCF_3	$CH{=}CH{-}CH_3$	CF_3
A-1099	I.1A	SCF_3	$CH{=}CH{-}CH_3$	CHF_2
A-1100	I.1A	SCF_3	$CH{=}CH{-}CH_3$	OCH_3
A-1101	I.1A	SCF_3	$CH{=}CH{-}CH_3$	$OCHF_2$
A-1102	I.1A	SCF_3	$CH{=}CH{-}CH_3$	SCH_3
A-1103	I.1A	SCF_3	$CH_2CH{=}CH_2$	H
A-1104	I.1A	SCF_3	$CH_2CH{=}CH_2$	CH_3
A-1105	I.1A	SCF_3	$CH_2CH{=}CH_2$	CF_3
A-1106	I.1A	SCF_3	$CH_2CH{=}CH_2$	CHF_2
A-1107	I.1A	SCF_3	$CH_2CH{=}CH_2$	OCH_3
A-1108	I.1A	SCF_3	$CH_2CH{=}CH_2$	$OCHF_2$
A-1109	I.1A	SCF_3	$CH_2CH{=}CH_2$	SCH_3
A-1110	I.1A	SCF_3	$CH_2C{\equiv}CH$	H
A-1111	I.1A	SCF_3	$CH_2C{\equiv}CH$	CH_3
A-1112	I.1A	SCF_3	$CH_2C{\equiv}CH$	CF_3
A-1113	I.1A	SCF_3	$CH_2C{\equiv}CH$	CHF_2
A-1114	I.1A	SCF_3	$CH_2C{\equiv}CH$	OCH_3
A-1115	I.1A	SCF_3	$CH_2C{\equiv}CH$	$OCHF_2$
A-1116	I.1A	SCF_3	$CH_2C{\equiv}CH$	SCH_3
A-1117	I.1A	SCF_3	$CH_2OCH_2CF_3$	H
A-1118	I.1A	SCF_3	$CH_2OCH_2CF_3$	CH_3
A-1119	I.1A	SCF_3	$CH_2OCH_2CF_3$	CF_3
A-1120	I.1A	SCF_3	$CH_2OCH_2CF_3$	CHF_2
A-1121	I.1A	SCF_3	$CH_2OCH_2CF_3$	OCH_3
A-1122	I.1A	SCF_3	$CH_2OCH_2CF_3$	$OCHF_2$
A-1123	I.1A	SCF_3	$CH_2OCH_2CF_3$	SCH_3
A-1124	I.1A	SCF_3		H
A-1125	I.1A	SCF_3		CH_3
A-1126	I.1A	SCF_3		CF_3

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1127	I.1A	SCF_3		CHF_2
A-1128	I.1A	SCF_3		OCH_3
A-1129	I.1A	SCF_3		$OCHF_2$
A-1130	I.1A	SCF_3		SCH_3
A-1131	I.1A	SCF_3	OCH_2CH_3	H
A-1132	I.1A	SCF_3	OCH_2CH_3	CH_3
A-1133	I.1A	SCF_3	OCH_2CH_3	CF_3
A-1134	I.1A	SCF_3	OCH_2CH_3	CHF_2
A-1135	I.1A	SCF_3	OCH_2CH_3	OCH_3
A-1136	I.1A	SCF_3	OCH_2CH_3	$OCHF_2$
A-1137	I.1A	SCF_3	OCH_2CH_3	SCH_3
A-1138	I.1A	SCF_3	$OCH_2CH_2OCH_3$	H
A-1139	I.1A	SCF_3	$OCH_2CH_2OCH_3$	CH_3
A-1140	I.1A	SCF_3	$OCH_2CH_2OCH_3$	CF_3
A-1141	I.1A	SCF_3	$OCH_2CH_2OCH_3$	CHF_2
A-1142	I.1A	SCF_3	$OCH_2CH_2OCH_3$	OCH_3
A-1143	I.1A	SCF_3	$OCH_2CH_2OCH_3$	$OCHF_2$
A-1144	I.1A	SCF_3	$OCH_2CH_2OCH_3$	SCH_3
A-1145	I.1A	SCF_3	SO_2CH_3	H
A-1146	I.1A	SCF_3	SO_2CH_3	CH_3
A-1147	I.1A	SCF_3	SO_2CH_3	CF_3
A-1148	I.1A	SCF_3	SO_2CH_3	CHF_2
A-1149	I.1A	SCF_3	SO_2CH_3	OCH_3
A-1150	I.1A	SCF_3	SO_2CH_3	$OCHF_2$
A-1151	I.1A	SCF_3	SO_2CH_3	SCH_3
A-1152	I.1A	SCF_3	$SO_2CH_2CH_3$	H
A-1153	I.1A	SCF_3	$SO_2CH_2CH_3$	CH_3
A-1154	I.1A	SCF_3	$SO_2CH_2CH_3$	CF_3
A-1155	I.1A	SCF_3	$SO_2CH_2CH_3$	CHF_2
A-1156	I.1A	SCF_3	$SO_2CH_2CH_3$	OCH_3
A-1157	I.1A	SCF_3	$SO_2CH_2CH_3$	$OCHF_2$
A-1158	I.1A	SCF_3	$SO_2CH_2CH_3$	SCH_3
A-1159	I.1A	SCF_3	$SO_2CH(CH_3)_2$	H

TABLE A-continued

Compounds of the formula I which correspond to the formulae I.1A and I.2A

I.1A



I.2A



No.	Formula	R^1	R^2	R^3
A-1160	I.1A	SCF_3	$SO_2CH(CH_3)_2$	CH_3
A-1161	I.1A	SCF_3	$SO_2CH(CH_3)_2$	CF_3
A-1162	I.1A	SCF_3	$SO_2CH(CH_3)_2$	CHF_2
A-1163	I.1A	SCF_3	$SO_2CH(CH_3)_2$	OCH_3
A-1164	I.1A	SCF_3	$SO_2CH(CH_3)_2$	$OCHF_2$
A-1165	I.1A	SCF_3	$SO_2CH(CH_3)_2$	SCH_3
A-1166	I.1A	SCF_3	$COOCH_3$	H
A-1167	I.1A	SCF_3	$COOCH_3$	CH_3
A-1168	I.1A	SCF_3	$COOCH_3$	CF_3
A-1169	I.1A	SCF_3	$COOCH_3$	CHF_2
A-1170	I.1A	SCF_3	$COOCH_3$	OCH_3
A-1171	I.1A	SCF_3	$COOCH_3$	$OCHF_2$
A-1172	I.1A	SCF_3	$COOCH_3$	SCH_3
A-1173	I.1A	SCF_3	$COOCH_2CH_3$	H
A-1174	I.1A	SCF_3	$COOCH_2CH_3$	CH_3
A-1175	I.1A	SCF_3	$COOCH_2CH_3$	CF_3
A-1176	I.1A	SCF_3	$COOCH_2CH_3$	CHF_2
A-1177	I.1A	SCF_3	$COOCH_2CH_3$	OCH_3
A-1178	I.1A	SCF_3	$COOCH_2CH_3$	$OCHF_2$
A-1179	I.1A	SCF_3	$COOCH_2CH_3$	SCH_3
A-1180	I.1A	SCF_3	$\#^2—CH_2CH_2SO_2—\#^3$	
A-1181	I.1A	SCF_3	$\#^2—CH(CH_3)CH_2SO_2—\#^3$	
A-1182	I.1A	SCF_3	$\#^2—C(CH_3)_2CH_2SO_2—\#^3$	
A-1183	I.1A	SCF_3	$\#^2—SO_2CH_2CH_2SO_2—\#^3$	
A-1184	I.1A	SCF_3	$\#^2—CH(OCH_2CH_2F)CH_2CH_2SO_2—\#^3$	
A-1185	I.1A	SCF_3	$\#^2—C(=NOCH_3)CH_2CH_2SO_2—\#^3$	
A-1186	I.1A	SCF_3	$\#^2—SO_2CH_2CH_2C(CH_3)_2—\#^3$	
A-1187	I.1A	SCF_3	$\#^2—N(CH_3)C(=O)S—\#^3$	
A-1188	I.1A	SCF_3	$\#^2—C(=)N(CH_3)SO_2—\#^3$	
A-1189	I.2A	$CH_2OCH_2CH_2OCH_3$	—	CF_3
A-1190	I.1A	$\#^1—CH=CH—CH=N—\#^2$		F
A-1191	I.1A	$\#^1—CH=CH—CH=N—\#^2$		Cl
A-1192	I.1A	$\#^1—CH=CH—CH=N—\#^2$		CF_3

$\#^1$ characterizes the bond in position 2 (group R^1)

$\#^2$ characterizes the bond in position 3 (group R^2)

$\#^3$ characterizes the bond in position 4 (group R^3)

TABLE A.1

Also especially preferred are compounds A.1-1, A.1-8, A.1-15, A.1-22, A.1-29, A.1-36, A.1-43, A.1-50, A.1-57, A.1-64, A.1-71, A.1-78, A.1-85, A.1-92, A.1-99, A.1-106, A.1-113, A.1-120, A.1-127, A.1-134, A.1-141, A.1-148, A.1-155, A.1-162, A.1-169, A.1-176, A.1-183, A.1-199, A.1-206, A.1-213, A.1-220, A.1-227, A.1-234, A.1-241, A.1-248, A.1-255, A.1-262, A.1-269, A.1-276, A.1-283, A.1-290, A.1-297, A.1-304, A.1-311, A.1-318, A.1-325, A.1-332, A.1-339, A.1-346, A.1-353, A.1-360, A.1-367, A.1-374, A.1-381, A.1-397, A.1-404, A.1-411, A.1-418, A.1-425, A.1-432, A.1-439, A.1-446, A.1-453, A.1-460, A.1-467, A.1-474, A.1-481, A.1-488, A.1-

TABLE A.1-continued

495, A.1-502, A.1-509, A.1-516, A.1-523, A.1-530, A.1-537, A.1-544, A.1-551, A.1-558, A.1-565, A.1-572, A.1-579, A.1-595, A.1-602, A.1-609, A.1-616, A.1-623, A.1-630, A.1-637, A.1-644, A.1-651, A.1-658, A.1-665, A.1-672, A.1-679, A.1-679, A.1-686, A.1-693, A.1-700, A.1-707, A.1-714, A.1-721, A.1-728, A.1-735, A.1-742, A.1-749, A.1-756, A.1-763, A.1-770, A.1-777, A.1-793, A.1-800, A.1-807, A.1-814, A.1-821, A.1-828, A.1-835, A.1-842, A.1-849, A.1-856, A.1-863, A.1-870, A.1-877, A.1-884, A.1-891, A.1-898, A.1-905, A.1-912, A.1-919, A.1-926, A.1-933, A.1-940, A.1-947, A.1-954, A.1-961, A.1-968, A.1-975, A.1-991, A.1-998, A.1-1005, A.1-1012, A.1-1019, A.1-1026, A.1-1033, A.1-1040, A.1-1047, A.1-1054, A.1-1061, A.1-1068, A.1-1075, A.1-1082, A.1-1089, A.1-1096, A.1-1103, A.1-1110, A.1-1117, A.1-1124, A.1-1131, A.1-1138, A.1-1145, A.1-1152, A.1-1159, A.1-1166 and A.1-1173 which differ from the corresponding compounds A-1, A-8, A-15, A-22, A-29, A-36, A-43, A-50, A-57, A-64, A-71, A-78, A-85, A-92, A-99, A-106, A-113, A-120, A-127, A-134, A-141, A-148, A-155, A-162, A-169, A-176, A-183, A-199, A-206, A-213, A-220, A-227, A-234, A-241, A-248, A-255, A-262, A-269, A-276, A-283, A-290, A-297, A-304, A-311, A-318, A-325, A-332, A-339, A-346, A-353, A-360, A-367, A-374, A-381, A-397, A-404, A-411, A-418, A-425, A-432, A-439, A-446, A-453, A-460, A-467, A-474, A-481, A-488, A-495, A-502, A-509, A-516, A-523, A-530, A-537, A-544, A-551, A-558, A-565, A-572, A-579, A-595, A-602, A-609, A-616, A-623, A-630, A-637, A-644, A-651, A-658, A-665, A-672, A-679, A-679, A-686, A-693, A-700, A-707, A-714, A-721, A-728, A-735, A-742, A-749, A-756, A-763, A-770, A-777, A-793, A-800, A-807, A-814, A-821, A-828, A-835, A-842, A-849, A-856, A-863, A-870, A-877, A-884, A-891, A-898, A-905, A-912, A-919, A-926, A-933, A-940, A-947, A-954, A-961, A-968, A-975, A-991, A-998, A-1005, A-1012, A-1019, A-1026, A-1033, A-1040, A-1047, A-1054, A-1061, A-1068, A-1075, A-1082, A-1089, A-1096, A-1103, A-1110, A-1117, A-1124, A-1131, A-1138, A-1145, A-1152, A-1159, A-1166 and A-1173 only in that R^3 is F.

TABLE A.2

Also especially preferred are compounds A.2-1, A.2-8, A.2-15, A.2-22, A.2-29, A.2-36, A.2-43, A.2-50, A.2-57, A.2-64, A.2-71, A.2-78, A.2-85, A.2-92, A.2-99, A.2-106, A.2-113, A.2-120, A.2-127, A.2-134, A.2-141, A.2-148, A.2-155, A.2-162, A.2-169, A.2-176, A.2-183, A.2-199, A.2-206, A.2-213, A.2-220, A.2-227, A.2-234, A.2-241, A.2-248, A.2-255, A.2-262, A.2-269, A.2-276, A.2-283, A.2-290, A.2-297, A.2-304, A.2-311, A.2-318, A.2-325, A.2-332, A.2-339, A.2-346, A.2-353, A.2-360, A.2-367, A.2-374, A.2-381, A.2-397, A.2-404, A.2-411, A.2-418, A.2-425, A.2-432, A.2-439, A.2-446, A.2-453, A.2-460, A.2-467, A.2-474, A.2-481, A.2-488, A.2-495, A.2-502, A.2-509, A.2-516, A.2-523, A.2-530, A.2-537, A.2-544, A.2-551, A.2-558, A.2-565, A.2-572, A.2-579, A.2-595, A.2-602, A.2-609, A.2-616, A.2-623, A.2-630, A.2-637, A.2-644, A.2-651, A.2-658, A.2-665, A.2-672, A.2-679, A.2-679, A.2-686, A.2-693, A.2-700, A.2-707, A.2-714, A.2-721, A.2-728, A.2-735, A.2-742, A.2-749, A.2-756, A.2-763, A.2-770, A.2-777, A.2-793, A.2-800, A.2-807, A.2-814, A.2-821, A.2-828, A.2-835, A.2-842, A.2-849, A.2-856, A.2-863, A.2-870, A.2-877, A.2-884, A.2-891, A.2-898, A.2-905, A.2-912, A.2-919, A.2-926, A.2-933, A.2-940, A.2-947, A.2-954, A.2-961, A.2-968, A.2-975, A.2-991, A.2-998, A.2-1005, A.2-1012, A.2-1019, A.2-1026, A.2-1033, A.2-1040, A.2-1047, A.2-1054, A.2-1061, A.2-1068, A.2-1075, A.2-1082, A.2-1089, A.2-1096, A.2-1103, A.2-1110, A.2-1117, A.2-1124, A.2-1131, A.2-1138, A.2-1145, A.2-1152, A.2-1159, A.2-1166 and A.2-1173 which differ from the corresponding compounds A-1, A-8, A-15, A-22, A-29, A-36, A-43, A-50, A-57, A-64, A-71, A-78, A-85, A-92, A-99, A-106, A-113, A-120, A-127, A-134, A-141, A-148, A-155, A-162, A-169, A-176, A-183, A-199, A-206, A-213, A-220, A-227, A-234, A-241, A-248, A-255, A-262, A-269, A-276, A-283, A-290, A-297, A-304, A-311, A-318, A-325, A-332, A-339, A-346, A-353, A-360, A-367, A-374, A-381, A-397, A-404, A-411, A-418, A-425, A-432, A-439, A-446, A-453, A-460, A-467, A-474, A-481, A-488, A-495, A-502, A-509, A-516, A-523, A-530, A-537, A-544, A-551, A-558, A-565, A-572, A-579, A-595, A-602, A-609, A-616, A-623, A-630, A-637, A-644, A-651, A-658, A-665, A-672, A-679, A-679, A-686, A-693, A-700, A-707, A-714, A-721, A-728, A-735, A-742, A-749, A-756, A-763, A-770, A-777, A-793, A-800, A-807, A-814, A-821, A-828, A-835, A-842, A-849, A-856, A-863, A-870, A-877, A-884, A-891, A-898, A-905, A-912, A-919, A-926, A-933, A-940, A-947, A-954, A-961, A-968, A-975, A-991, A-998, A-1005, A-1012, A-1019, A-1026, A-1033, A-1040, A-1047, A-1054, A-1061, A-1068, A-1075, A-1082, A-1089, A-1096, A-1103, A-1110, A-1117, A-1124, A-1131, A-1138, A-1145, A-1152, A-1159, A-1166 and A-1173 only in that R^3 is Cl.

[0265] The compounds I and their agriculturally useful salts are suitable, both as isomer mixtures and in the form of the pure isomers, as herbicides. They are suitable as such or as an appropriately formulated composition. The herbicidal compositions comprising the compound I, in particular the preferred aspects thereof, control vegetation on non-crop areas very efficiently, especially at high rates of application. They act against broad-leaved weeds and weed grasses in crops such as wheat, rice, corn, soybeans and cotton without causing any significant damage to the crop plants. This effect is mainly observed at low rates of application.

[0266] Depending on the application method in question, the compounds I, in particular the preferred aspects thereof, or compositions comprising them can additionally be employed in a further number of crop plants for eliminating unwanted plants. Examples of suitable crops are the following:

[0267] *Allium cepa, Ananas comosus, Arachis hypogaea, Asparagus officinalis, Avena sativa, Beta vulgaris* spec. *altissima, Beta vulgaris* spec. *rapa, Brassica napus* var. *napus, Brassica napus* var. *napobrassica, Brassica rapa* var. *silvestris, Brassica oleracea, Brassica nigra, Camellia sinensis, Carthamus tinctorius, Carya illinoinensis, Citrus*

limon, Citrus sinensis, Coffea arabica (*Coffea canephora, Coffea liberica*), *Cucumis sativus, Cynodon dactylon, Daucus carota, Elaeis guineensis, Fragaria vesca, Glycine max, Gossypium hirsutum,* (*Gossypium arboreum, Gossypium herbaceum, Gossypium vitifolium*), *Helianthus annuus, Hevea brasiliensis, Hordeum vulgare, Humulus lupulus, Ipomoea batatas, Juglans regia, Lens culinaris, Linum usitatissimum, Lycopersicon lycopersicum, Malus* spec., *Manihot esculenta, Medicago sativa, Musa* spec., *Nicotiana tabacum* (*N. rustica*), *Olea europaea, Oryza sativa, Phaseolus lunatus, Phaseolus vulgaris, Picea abies, Pinus* spec., *Pistacia vera, Pisum sativum, Prunus avium, Prunus persica, Pyrus communis, Prunus armeniaca, Prunus cerasus, Prunus dulcis* and *Prunus domestica, Ribes sylvestre, Ricinus communis, Saccharum officinarum, Secale cereale, Sinapis alba, Solanum tuberosum, Sorghum bicolor* (*s. vulgare*), *Theobroma cacao, Trifolium pratense, Triticum aestivum, Triticale, Triticum durum, Vicia faba, Vitis vinifera, Zea mays.*

[0268] The term "crop plants" also includes plants which have been modified by breeding, mutagenesis or genetic engineering. Genetically modified plants are plants whose genetic material has been modified in a manner which does not occur under natural conditions by crossing, mutations or natural recombination (i.e. reassembly of the genetic information). Here, in general, one or more genes are integrated into the genetic material of the plant to improve the properties of the plant.

[0269] Accordingly, the term "crop plants" also includes plants which, by breeding and genetic engineering, have acquired tolerance to certain classes of herbicides, such as hydroxyphenylpyruvate dioxygenase (HPPD) inhibitors, acetolactate synthase (ALS) inhibitors, such as, for example, sulfonylureas (EP-A 257 993, US 5,013,659) or imidazolinones (see, for example, U.S. Pat. No. 6,222,100, WO 01/82685, WO 00/26390, WO 97/41218, WO 98/02526, WO 98/02527, WO 04/106529, WO 05/20673, WO 03/14357, WO 03/13225, WO 03/14356, WO 04/16073), enolpyruvylshikimate 3-phosphate synthase (EPSPS) inhibitors, such as, for example, glyphosate (see, for example, WO 92/00377), glutamine synthetase (GS) inhibitors, such as, for example, glufosinate (see, for example, EP-A 242 236, EP-A 242 246), or oxynil herbicides (see, for example, U.S. Pat. No. 5,559,024).

[0270] Numerous crop plants, for example Clearfield® oilseed rape, tolerant to imidazolinones, for example imazamox, have been generated with the aid of classic breeding methods (mutagenesis). Crop plants such as soybeans, cotton, corn, beet and oilseed rape, resistant to glyphosate or glufosinate, which are available under the tradenames RoundupReady® (glyphosate) and Liberty Link® (glufosinate) have been generated with the aid of genetic engineering methods.

[0271] Accordingly, the term "crop plants" also includes plants which, with the aid of genetic engineering, produce one or more toxins, for example those of the bacterial strain *Bacillus* ssp. Toxins which are produced by such genetically modified plants include, for example, insecticidal proteins of *Bacillus* spp., in particular *B. thuringiensis,* such as the endotoxins Cry1Ab, Cry1Ac, Cry1F, Cry1Fa2, Cry2Ab, Cry3A, Cry3Bb1, Cry9c, Cry34Ab1 or Cry35Ab1; or vegetative insecticidal proteins (VIPs), for example VIP1, VIP2, VIP3, or VIP3A; insecticidal proteins of nematode-colonizing bacteria, for example *Photorhabdus* spp. or *Xenorhabdus* spp.; toxins of animal organisms, for example wasp, spider or scorpion toxins; fungal toxins, for example from Streptomycetes; plant lectins, for example from peas or barley; agglutinins; proteinase inhibitors, for example trypsin inhibitors, serine protease inhibitors, patatin, cystatin or papain inhibitors, ribosome-inactivating proteins (RIPs), for example ricin, corn-RIP, abrin, luffin, saporin or bryodin; steroid-metabolizing enzymes, for example 3-hydroxysteroid oxidase, ecdysteroid-IDP glycosyl transferase, cholesterol oxidase, ecdysone inhibitors, or HMG-CoA reductase; ion channel blockers, for example inhibitors of sodium channels or calcium channels; juvenile hormone esterase; receptors of the diuretic hormone (helicokinin receptors); stilbene synthase, bibenzyl synthase, chitinases and glucanases. In the plants, these toxins may also be produced as pretoxins, hybrid proteins or truncated or otherwise modified proteins. Hybrid proteins are characterized by a novel combination of different protein domains (see, for example, WO 2002/015701). Further examples of such toxins or genetically modified plants which produce these toxins are disclosed in EP-A 374 753, WO 93/007278, WO 95/34656, EP-A 427 529, EP-A 451 878, WO 03/018810 and WO 03/052073. The methods for producing these genetically modified plants are known to the person skilled in the art and disclosed, for example, in the publications mentioned above. Numerous of the toxins mentioned above bestow, upon the plants by which they are produced, tolerance to pests from all taxonomic classes of arthropods, in particular to beetles (Coeleropta), dipterans (Diptera) and butterflies (Lepidoptera) and to nematodes (Nematoda).

[0272] Genetically modified plants which produce one or more genes coding for insecticidal toxins are described, for example, in the publications mentioned above, and some of them are commercially available, such as, for example, YieldGard® (corn varieties producing the toxin Cry1Ab), YieldGard® Plus (corn varieties which produce the toxins Cry1Ab and Cry3Bb1), Starlink® (corn varieties which produce the toxin Cry9c), Herculex® RW (corn varieties which produce the toxins Cry34Ab1, Cry35Ab1 and the enzyme phosphinothricin-N-acetyltransferase [PAT]); NuCOTN® 33B (cotton varieties which produce the toxin Cry1Ac), Bollgard® I (cotton varieties which produce the toxin Cry1Ac), Bollgard® II (cotton varieties which produce the toxins Cry1Ac and Cry2Ab2); VIPCOT® (cotton varieties which produce a VIP toxin); NewLeaf® (potato varieties which produce the toxin Cry3A); Bt-Xtra®, NatureGard®, KnockOut®, BiteGard®, Protecta®, Bt11 (for example Agrisure® CB) and Bt176 from Syngenta Seeds SAS, France (corn varieties which produce the toxin Cry1Ab and the PAT enyzme), MIR604 from Syngenta Seeds SAS, France (corn varieties which produce a modified version of the toxin Cry3A, see WO 03/018810), MON 863 from Monsanto Europe S.A., Belgium (corn varieties which produce the toxin Cry3Bb1), IPC 531 from Monsanto Europe S.A., Belgium (cotton varieties which produce a modified version of the toxin Cry1Ac) and 1507 from Pioneer Overseas Corporation, Belgium (corn varieties which produce the toxin Cry1F and the PAT enzyme).

[0273] Accordingly, the term "crop plants" also includes plants which, with the aid of genetic engineering, produce one or more proteins which are more robust or have increased resistance to bacterial, viral or fungal pathogens, such as, for example, pathogenesis-related proteins (PR proteins, see EP-A 392 225), resistance proteins (for example potato varieties producing two resistance genes against Phytophthora infestans from the wild Mexican potato *Solanum bulb-*

ocastanum) or T4 lysozyme (for example potato cultivars which, by producing this protein, are resistant to bacteria such as *Erwinia amylvora*).

[0274] Accordingly, the term "crop plants" also includes plants whose productivity has been improved with the aid of genetic engineering methods, for example by enhancing the potential yield (for example biomass, grain yield, starch, oil or protein content), tolerance to drought, salt or other limiting environmental factors or resistance to pests and fungal, bacterial and viral pathogens.

[0275] The term "crop plants" also includes plants whose ingredients have been modified with the aid of genetic engineering methods in particular for improving human or animal diet, for example by oil plants producing health-promoting long-chain omega 3 fatty acids or monounsaturated omega 9 fatty acids (for example Nexera® oilseed rape).

[0276] The term "crop plants" also includes plants which have been modified with the aid of genetic engineering methods for improving the production of raw materials, for example by increasing the amylopectin content of potatoes (Amflora® potato).

[0277] Furthermore, it has been found that the compounds of the formula I are also suitable for the defoliation and/or desiccation of plant parts, for which crop plants such as cotton, potato, oilseed rape, sunflower, soybean or field beans, in particular cotton, are suitable. In this regard, there have been found compositions for the desiccation and/or defoliation of plants, processes for preparing these compositions and methods for desiccating and/or defoliating plants using the compounds of the formula I.

[0278] As desiccants, the compounds of the formula I are particularly suitable for desiccating the above-ground parts of crop plants such as potato, oilseed rape, sunflower and soybean, but also cereals. This makes possible the fully mechanical harvesting of these important crop plants.

[0279] Also of economic interest is to facilitate harvesting, which is made possible by concentrating within a certain period of time the dehiscence, or reduction of adhesion to the tree, in citrus fruit, olives and other species and varieties of pomaceous fruit, stone fruit and nuts. The same mechanism, i.e. the promotion of the development of abscission tissue between fruit part or leaf part and shoot part of the plants is also essential for the readily controllable defoliation of useful plants, in particular cotton.

[0280] Moreover, a shortening of the time interval in which the individual cotton plants mature leads to an increased fiber quality after harvesting.

[0281] The compounds I, or the herbicidal compositions comprising the compounds I, can be used, for example, in the form of ready-to-spray aqueous solutions, powders, suspensions, also highly concentrated aqueous, oily or other suspensions or dispersions, emulsions, oil dispersions, pastes, dusts, materials for broadcasting, or granules, by means of spraying, atomizing, dusting, spreading, watering or treatment of the seed or mixing with the seed. The use forms depend on the intended purpose; in each case, they should ensure the finest possible distribution of the active ingredients according to the invention.

[0282] The herbicidal compositions comprise a herbicidally effective amount of at least one compound of the formula I or an agriculturally useful salt of I, and auxiliaries which are customary for the formulation of crop protection agents.

[0283] Examples of auxiliaries customary for the formulation of crop protection agents are inert auxiliaries, solid carriers, surfactants (such as dispersants, protective colloids, emulsifiers, wetting agents and tackifiers), organic and inorganic thickeners, bactericides, antifreeze agents, antifoams, if appropriate colorants and, for seed formulations, adhesives.

[0284] Examples of thickeners (i.e. compounds which impart to the formulation modified flow properties, i.e. high viscosity in the state of rest and low viscosity in motion) are polysaccharides, such as xanthan gum (Kelzan® from Kelco), Rhodopol® 23 (Rhone Poulenc) or Veegum® (from R. T. Vanderbilt), and also organic and inorganic sheet minerals, such as

[0285] Attaclay® (from Engelhardt).

[0286] Examples of antifoams are silicone emulsions (such as, for example, Silikon® SRE, Wacker or Rhodorsil® from Rhodia), long-chain alcohols, fatty acids, salts of fatty acids, organofluorine compounds and mixtures thereof.

[0287] Bactericides can be added for stabilizing the aqueous herbicidal formulation. Examples of bactericides are bactericides based on diclorophen and benzyl alcohol hemiformal (Proxel® from ICI or Acticide® RS from Thor Chemie and Kathon® MK from Rohm & Haas), and also isothiazolinone derivates, such as alkylisothiazolinones and benzisothiazolinones (Acticide MBS from Thor Chemie).

[0288] Examples of antifreeze agents are ethylene glycol, propylene glycol, urea or glycerol.

[0289] Examples of colorants are both sparingly water-soluble pigments and water-soluble dyes. Examples which may be mentioned are the dyes known under the names Rhodamin B, C.I. Pigment Red 112 and C.I. Solvent Red 1, and also pigment blue 15:4, pigment blue 15:3, pigment blue 15:2, pigment blue 15:1, pigment blue 80, pigment yellow 1, pigment yellow 13, pigment red 112, pigment red 48:2, pigment red 48:1, pigment red 57:1, pigment red 53:1, pigment orange 43, pigment orange 34, pigment orange 5, pigment green 36, pigment green 7, pigment white 6, pigment brown 25, basic violet 10, basic violet 49, acid red 51, acid red 52, acid red 14, acid blue 9, acid yellow 23, basic red 10, basic red 108.

[0290] Examples of adhesives are polyvinylpyrrolidone, polyvinyl acetate, polyvinyl alcohol and tylose.

[0291] Suitable inert auxiliaries are, for example, the following:

[0292] mineral oil fractions of medium to high boiling point, such as kerosene and diesel oil, furthermore coal tar oils and oils of vegetable or animal origin, aliphatic, cyclic and aromatic hydrocarbons, for example paraffin, tetrahydronaphthalene, alkylated naphthalenes and their derivatives, alkylated benzenes and their derivatives, alcohols such as methanol, ethanol, propanol, butanol and cyclohexanol, ketones such as cyclohexanone or strongly polar solvents, for example amines such as N-methylpyrrolidone, and water.

[0293] Solid carriers are mineral earths such as silicas, silica gels, silicates, talc, kaolin, limestone, lime, chalk, bole, loess, clay, dolomite, diatomaceous earth, calcium sulfate, magnesium sulfate and magnesium oxide, ground synthetic materials, fertilizers such as ammonium sulfate, ammonium phosphate, ammonium nitrate and ureas, and products of vegetable origin, such as cereal meal, tree bark meal, wood meal and nutshell meal, cellulose powders, or other solid carriers.

[0294] Suitable surfactants (adjuvants, wetting agents, tackifiers, dispersants and also emulsifiers) are the alkali metal salts, alkaline earth metal salts and ammonium salts of aromatic sulfonic acids, for example lignosulfonic acids (e.g. Borrespers-types, Borregaard), phenolsulfonic acids, naphthalenesulfonic acids (Morwet types, Akzo Nobel) and dibutylnaphthalenesulfonic acid (Nekal types, BASF SE), and of fatty acids, alkyl- and alkylarylsulfonates, alkyl sulfates, lauryl ether sulfates and fatty alcohol sulfates, and salts of sulfated hexa-, hepta- and octadecanols, and also of fatty alcohol glycol ethers, condensates of sulfonated naphthalene and its derivatives with formaldehyde, condensates of naphthalene or of the naphthalenesulfonic acids with phenol and formaldehyde, polyoxyethylene octylphenol ether, ethoxylated isooctyl-, octyl- or nonylphenol, alkylphenyl or tributylphenyl polyglycol ether, alkylaryl polyether alcohols, isotridecyl alcohol, fatty alcohol/ethylene oxide condensates, ethoxylated castor oil, polyoxyethylene alkyl ethers or polyoxypropylene alkyl ethers, lauryl alcohol polyglycol ether acetate, sorbitol esters, lignosulfite waste liquors and proteins, denatured proteins, polysaccharides (e.g. methylcellulose), hydrophobically modified starches, polyvinyl alcohol (Mowiol types Clariant), polycarboxylates (BASF SE, Sokalan types), polyalkoxylates, polyvinylamine (BASF SE, Lupamine types), polyethyleneimine (BASF SE, Lupasol types), polyvinylpyrrolidone and copolymers thereof.

[0295] Powders, materials for broadcasting and dusts can be prepared by mixing or grinding the active ingredients together with a solid carrier.

[0296] Granules, for example coated granules, impregnated granules and homogeneous granules, can be prepared by binding the active ingredients to solid carriers.

[0297] Aqueous use forms can be prepared from emulsion concentrates, suspensions, pastes, wettable powders or water-dispersible granules by adding water. To prepare emulsions, pastes or oil dispersions, the compounds of the formula I or Ia, either as such or dissolved in an oil or solvent, can be homogenized in water by means of a wetting agent, tackifier, dispersant or emulsifier. Alternatively, it is also possible to prepare concentrates comprising active substance, wetting agent, tackifier, dispersant or emulsifier and, if desired, solvent or oil, which are suitable for dilution with water.

[0298] The concentrations of the compounds of the formula I in the ready-to-use preparations can be varied within wide ranges. In general, the formulations comprise from 0.001 to 98% by weight, preferably 0.01 to 95% by weight of at least one active compound. The active compounds are employed in a purity of from 90% to 100%, preferably 95% to 100% (according to NMR spectrum).

[0299] The formulations or ready-to-use preparations may also comprise acids, bases or buffer systems, suitable examples being phosphoric acid or sulfuric acid, or urea or ammonia.

[0300] The compounds I of the invention can for example be formulated as follows:

[0301] 1. Products for Dilution with Water

[0302] A Water-Soluble Concentrates

[0303] 10 parts by weight of active compound are dissolved in 90 parts by weight of water or a water-soluble solvent. As an alternative, wetters or other adjuvants are added. The active compound dissolves upon dilution with water. This gives a formulation with an active compound content of 10% by weight.

[0304] B Dispersible Concentrates

[0305] 20 parts by weight of active compound are dissolved in 70 parts by weight of cyclohexanone with addition of 10 parts by weight of a dispersant, for example polyvinylpyrrolidone. Dilution with water gives a dispersion. The active compound content is 20% by weight.

[0306] C Emulsifiable Concentrates

[0307] 15 parts by weight of active compound are dissolved in 75 parts by weight of an organic solvent (e.g. alkylaromatics) with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). Dilution with water gives an emulsion. The formulation has an active compound content of 15% by weight.

[0308] D Emulsions

[0309] 25 parts by weight of active compound are dissolved in 35 parts by weight of an organic solvent (e.g. alkylaromatics) with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). This mixture is introduced into 30 parts by weight of water by means of an emulsifier (e.g. Ultraturrax) and made into a homogeneous emulsion. Dilution with water gives an emulsion. The formulation has an active compound content of 25% by weight.

[0310] E Suspensions

[0311] In an agitated ball mill, 20 parts by weight of active compound are comminuted with addition of 10 parts by weight of dispersants and wetters and 70 parts by weight of water or an organic solvent to give a fine active compound suspension. Dilution with water gives a stable suspension of the active compound. The active compound content in the formulation is 20% by weight.

[0312] F Water-Dispersible Granules and Water-Soluble Granules

[0313] 50 parts by weight of active compound are ground finely with addition of 50 parts by weight of dispersants and wetters and made into water-dispersible or water-soluble granules by means of technical appliances (for example extrusion, spray tower, fluidized bed). Dilution with water gives a stable dispersion or solution of the active compound. The formulation has an active compound content of 50% by weight.

[0314] G Water-Dispersible Powders and Water-Soluble Powders

[0315] 75 parts by weight of active compound are ground in a rotor-stator mill with addition of 25 parts by weight of dispersants, wetters and silica gel. Dilution with water gives a stable dispersion or solution of the active compound. The active compound content of the formulation is 75% by weight.

[0316] H Gel Formulations

[0317] In a ball mill, 20 parts by weight of active compound, 10 parts by weight of dispersant, 1 part by weight of gelling agent and 70 parts by weight of water or of an organic solvent are ground to give a fine suspension. Dilution with water gives a stable suspension with active compound content of 20% by weight.

[0318] 2. Products to be Applied Undiluted

[0319] I Dusts

[0320] 5 parts by weight of active compound are ground finely and mixed intimately with 95 parts by weight of finely divided kaolin. This gives a dusting powder with an active compound content of 5% by weight.

[0321] J Granules (GR, FG, GG, MG)

[0322] 0.5 parts by weight of active compound are ground finely and associated with 99.5 parts by weight of carriers. Current methods here are extrusion, spray-drying or the fluidized bed. This gives granules to be applied undiluted with an active compound content of 0.5% by weight.

[0323] K ULV Solutions (UL)

[0324] 10 parts by weight of active compound are dissolved in 90 parts by weight of an organic solvent, for example xylene. This gives a product to be applied undiluted with an active compound content of 10% by weight.

[0325] The compounds I or the herbicidal compositions comprising them can be applied pre- or post-emergence, or together with the seed of a crop plant. It is also possible to apply the herbicidal compositions or active compounds by applying seed, pretreated with the herbicidal compositions or active compounds, of a crop plant. If the active compounds are less well tolerated by certain crop plants, application techniques may be used in which the herbicidal compositions are sprayed, with the aid of the spraying equipment, in such a way that as far as possible they do not come into contact with the leaves of the sensitive crop plants, while the active compounds reach the leaves of undesirable plants growing underneath, or the bare soil surface (post-directed, lay-by).

[0326] In a further embodiment, the compounds of the formula I or the herbicidal compositions can be applied by treating seed.

[0327] The treatment of seed comprises essentially all procedures familiar to the person skilled in the art (seed dressing, seed coating, seed dusting, seed soaking, seed film coating, seed multilayer coating, seed encrusting, seed dripping and seed pelleting) based on the compounds of the formula I according to the invention or the compositions prepared therefrom. Here, the herbicidal compositions can be applied diluted or undiluted.

[0328] The term seed comprises seed of all types, such as, for example, corns, seeds, fruits, tubers, cuttings and similar forms. Here, preferably, the term seed describes corns and seeds.

[0329] The seed used can be seed of the useful plants mentioned above, but also the seed of transgenic plants or plants obtained by customary breeding methods.

[0330] The rates of application of active compound are from 0.001 to 3.0, preferably 0.01 to 1.0, kg/ha of active substance (a.s.), depending on the control target, the season, the target plants and the growth stage. To treat the seed, the compounds I are generally employed in amounts of from 0.001 to 10 kg per 100 kg of seed.

[0331] It may also be advantageous to use the compounds of the formula I in combination with safeners. Safeners are chemical compounds which prevent or reduce damage to useful plants without substantially affecting the herbicidal action of the compounds of the formula I on unwanted plants. They can be used both before sowing (for example in the treatment of seed, or on cuttings or seedlings) and before or after the emergence of the useful plant. The safeners and the compounds of the formula I can be used simultaneously or in succession. Suitable safeners are, for example, (quinolin-8-oxy)acetic acids, 1-phenyl-5-haloalkyl-1H-1,2,4-triazole-3-carboxylic acids, 1-phenyl-4,5-dihydro-5-alkyl-1H-pyrazole-3,5-dicarboxylic acids, 4,5-dihydro-5,5-diaryl-3-isoxazolecarboxylic acids, dichloroacetamides, alpha-oximinophenylacetonitriles, acetophenone oximes, 4,6-dihalo-2-phenylpyrimidines, N[[4-(aminocarbonyl)phenyl]sulfonyl]-2-benzamides, 1,8-naphthalic anhydride, 2-halo-4-(haloalkyl)-5-thiazolecarboxylic acids, phosphorothiolates and O-phenyl N-alkylcarbamates and their agriculturally useful salts and, provided that they have an acid function, their agriculturally useful derivatives, such as amides, esters and thioesters.

[0332] To broaden the activity spectrum and to obtain synergistic effects, the compounds of the formula I can be mixed and jointly applied with numerous representatives of other herbicidal or growth-regulating groups of active compounds or with safeners. Suitable mixing partners are, for example, 1,2,4-thiadiazoles, 1,3,4-thiadiazoles, amides, aminophosphoric acid and its derivatives, aminotriazoles, anilides, aryloxy/heteroaryloxyalkanoic acids and their derivatives, benzoic acid and its derivatives, benzothiadiazinones, 2-(hetaroyl/aroyl)-1,3-cyclohexanediones, heteroaryl aryl ketones, benzylisoxazolidinones, meta-CF_3-phenyl derivatives, carbamates, quinoline carboxylic acid and its derivatives, chloroacetanilides, cyclohexenone oxime ether derivates, diazines, dichloropropionic acid and its derivatives, dihydrobenzofurans, dihydrofuran-3-ones, dinitroanilines, dinitrophenols, diphenyl ethers, dipyridyls, halocarboxylic acids and their derivatives, ureas, 3-phenyluracils, imidazoles, imidazolinones, N-phenyl-3,4,5,6-tetrahydrophthalimides, oxadiazoles, oxiranes, phenols, aryloxy- and heteroaryloxyphenoxypropionic esters, phenylacetic acid and its derivatives, 2-phenylpropionic acid and its derivatives, pyrazoles, phenylpyrazoles, pyridazines, pyridinecarboxylic acid and its derivatives, pyrimidyl ethers, sulfonamides, sulfonylureas, triazines, triazinones, triazolinones, triazolecarboxamides, uracils and also phenylpyrazolines and isoxazolines and their derivatives.

[0333] Moreover, it may be useful to apply the compounds I alone or in combination with other herbicides or else also mixed with further crop protection agents, jointly, for example with compositions for controlling pests or phytopathogenic fungi or bacteria. Also of interest is the miscibility with mineral salt solutions which are employed for alleviating nutritional and trace element deficiencies. Other additives such as nonphytotoxic oils and oil concentrates may also be added.

[0334] Examples of herbicides which can be used in combination with the pyridine compounds of the formula I according to the present invention are:

[0335] b1) from the group of the lipid biosynthesis inhibitors:

[0336] alloxydim, alloxydim-sodium, butroxydim, clethodim, clodinafop, clodinafop-propargyl, cycloxydim, cyhalofop, cyhalofop-butyl, diclofop, diclofop-methyl, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, metamifop, pinoxaden, profoxydim, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, tepraloxydim, tralkoxydim, benfuresate, butylate, cycloate, dalapon, dimepiperate, EPTC, esprocarb, ethofumesate, flupropanate, molinate, orbencarb, pebulate, prosulfocarb, TCA, thiobencarb, tiocarbazil, triallate and vernolate;

[0337] b2) from the group of the ALS inhibitors:

[0338] amidosulfuron, azimsulfuron, bensulfuron, bensulfuron-methyl, bispyribac, bispyribac-sodium, chlorimuron, chlorimuron-ethyl, chlorsulfuron, cinosulfuron, cloransulam, cloransulam-methyl, cyclosulfamuron, diclosulam,

ethametsulfuron, ethametsulfuron-methyl, ethoxysulfuron, flazasulfuron, florasulam, flucarbazone, flucarbazone-sodium, flucetosulfuron, flumetsulam, flupyrsulfuron, flupyrsulfuron-methyl-sodium, foramsulfuron, halosulfuron, halosulfuron-methyl, imazamethabenz, imazamethabenz-methyl, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, iodosulfuron, iodosulfuron-methyl-sodium, mesosulfuron, metosulam, metsulfuron, metsulfuron-methyl, nicosulfuron, orthosulfamuron, oxasulfuron, penoxsulam, primisulfuron, primisulfuron-methyl, propoxycarbazone, propoxycarbazone-sodium, prosulfuron, pyrazosulfuron, pyrazosulfuron-ethyl, pyribenzoxim, pyrimisulfan, pyriftalid, pyriminobac, pyriminobac-methyl, pyrithiobac, pyrithiobac-sodium, pyroxsulam, rimsulfuron, sulfometuron, sulfometuron-methyl, sulfosulfuron, thiencarbazone, thiencarbazone-methyl, thifensulfuron, thifensulfuron-methyl, triasulfuron, tribenuron, tribenuron-methyl, trifloxysulfuron, triflusulfuron, triflusulfuron-methyl and tritosulfuron;

[0339] b3) from the group of the photosynthesis inhibitors:

[0340] ametryn, amicarbazone, atrazine, bentazone, bentazone-sodium, bromacil, bromofenoxim, bromoxynil and its salts and esters, chlorobromuron, chloridazone, chlorotoluron, chloroxuron, cyanazine, desmedipham, desmetryn, dimefuron, dimethametryn, diquat, diquat-dibromide, diuron, fluometuron, hexazinone, ioxynil and its salts and esters, isoproturon, isouron, karbutilate, lenacil, linuron, metamitron, methabenzthiazuron, metobenzuron, metoxuron, metribuzin, monolinuron, neburon, paraquat, paraquat-dichloride, paraquat-dimetilsulfate, pentanochlor, phenmedipham, phenmedipham-ethyl, prometon, prometryn, propanil, propazine, pyridafol, pyridate, siduron, simazine, simetryn, tebuthiuron, terbacil, terbumeton, terbuthylazine, terbutryn, thidiazuron and trietazine;

[0341] b4) from the group of the protoporphyrinogen-IX oxidase inhibitors:

[0342] acifluorfen, acifluorfen-sodium, azafenidin, bencarbazone, benzfendizone, bifenox, butafenacil, carfentrazone, carfentrazone-ethyl, chlomethoxyfen, cinidon-ethyl, fluazolate, flufenpyr, flufenpyr-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluoroglycofen, fluoroglycofen-ethyl, fluthiacet, fluthiacet-methyl, fomesafen, halosafen, lactofen, oxadiargyl, oxadiazon, oxyfluorfen, pentoxazone, profluazol, pyraclonil, pyraflufen, pyraflufen-ethyl, saflufenacil, sulfentrazone, thidiazimin, 2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluoro-N-[(isopropyl)methylsulfamoyl]benzamide (H-1; CAS 372137-35-4), ethyl[3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl) phenoxy]-2-pyridyloxy]acetate (H-2; CAS 353292-31-6), N-ethyl-3-(2,6-dichloro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-3; CAS 452098-92-9), N-tetrahydrofurfuryl-3-(2,6-dichloro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-4; CAS 915396-43-9), N-ethyl-3-(2-chloro-6-fluoro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-5; CAS 452099-05-7), N-tetrahydrofurfuryl-3-(2-chloro-6-fluoro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-6; CAS 45100-03-7), 3-[7-fluoro-3-oxo-4-(prop-2-ynyl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl]-1,5-dimethyl-6-thioxo-[1,3,5]triazinan-2,4-dione, 1,5-dimethyl-6-thioxo-3-(2,2,7-trifluoro-3-oxo-4-(prop-2-ynyl)-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)-1,3,5-triazinane-2,4-dione, 2-(2,2,7-Trifluoro-3-oxo-4-prop-2-ynyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl)-4,5,6,7-tetrahydro-isoindole-1,3-dione and 1-Methyl-6-trifluoromethyl-3-(2,2,7-trifluoro-3-oxo-4-prop-2-ynyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl)-1H-pyrimidine-2,4-dione;

[0343] b5) from the group of the bleacher herbicides:

[0344] aclonifen, amitrol, beflubutamid, benzobicyclon, benzofenap, clomazone, diflufenican, fluridone, flurochloridone, flurtamone, isoxaflutole, mesotrione, norflurazon, picolinafen, pyrasulfutole, pyrazolynate, pyrazoxyfen, sulcotrione, tefuryltrione, tembotrione, topramezone, 4-hydroxy-3-[[2-[(2-methoxyethoxy)methyl]-6-(trifluoromethyl)-3-pyridyl]carbonyl]bicyclo-[3.2.1]oct-3-en-2-one (H-7; CAS 352010-68-5) and 4-(3-trifluoromethylphenoxy)-2-(4-trifluoromethylphenyl)pyrimidine (H-8; CAS 180608-33-7);

[0345] b6) from the group of the EPSP synthase inhibitors:

[0346] glyphosate, glyphosate-isopropylammonium and glyphosate-trimesium (sulfosate);

[0347] b7) from the group of the glutamine synthase inhibitors:

[0348] bilanaphos (bialaphos), bilanaphos-sodium, glufosinate and glufosinate-ammonium;

[0349] b8) from the group of the DHP synthase inhibitors:

[0350] asulam;

[0351] b9) from the group of the mitose inhibitors:

[0352] amiprophos, amiprophos-methyl, benfluralin, butamiphos, butralin, carbetamide, chlorpropham, chlorthal, chlorthal-dimethyl, dinitramine, dithiopyr, ethalfluralin, fluchloralin, oryzalin, pendimethalin, prodiamine, propham, propyzamide, tebutam, thiazopyr and trifluralin;

[0353] b10) from the group of the VLCFA inhibitors:

[0354] acetochlor, alachlor, anilofos, butachlor, cafenstrole, dimethachlor, dimethanamid, dimethenamid-P, diphenamid, fentrazamide, flufenacet, mefenacet, metazachlor, metolachlor, metolachlor-S, naproanilide, napropamide, pethoxamid, piperophos, pretilachlor, propachlor, propisochlor, pyroxasulfone (KIH-485) and thenylchlor;

[0355] Compounds of the formula 2:



2

in which the variables have the following meanings:

[0356] Y is phenyl or 5- or 6-membered heteroaryl as defined at the outset, which radicals may be substituted by one to three groups R^{aa}; R^{21},R^{22},R^{23},R^{24} are H, halogen or C_1-C_4-alkyl; X is O or NH; N is 0 or 1.

[0357] Compounds of the formula 2 have in particular the following meanings: Y is



-continued



where # denotes the bond to the skeleton of the molecule; and

[0358] R^{21},R^{22},R^{23},R^{24} are H, Cl, F or CH_3; R^{25} is halogen, C_1-C_4-alkyl or C_1-C_4-haloalkyl; R^{26} is C_1-C_4-alkyl; R^{27} is halogen, C_1-C_4-alkoxy or C_1-C_4-haloalkoxy; R^{28} is H, halogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl or C_1-C_4-haloalkoxy; M is 0, 1, 2 or 3; X is oxygen; N is 0 or 1.

[0359] Preferred compounds of the formula 2 have the following meanings: Y is



R^{21} is H; R^{22},R^{23} are F; R^{24} is H or F; X is oxygen; N is 0 or 1.

[0360] Particularly preferred compounds of the formula 2 are:

[0361] 3-[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethanesulfonyl]-4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole (2-1); 3-{[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl] fluoromethanesulfonyl}-5,5-dimethyl-4,5-dihydroisoxazole (2-2); 4-(4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonylmethyl)-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-3); 4-[(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)fluoromethyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-4); 4-(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonylmethyl)-2-methyl-5-trifluoro-methyl-2H-[1,2,3]triazole (2-5); 3-{[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl]difluoromethanesulfonyl}-5,5-dimethyl-4,5-dihydroisoxazole (2-6); 4-[(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)difluoromethyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-7); 3-{[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl]difluoromethanesulfonyl}-4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole (2-8); 4-[difluoro-(4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)methyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-9);

[0362] b11) from the group of the cellulose biosynthesis inhibitors:

[0363] chlorthiamid, dichlobenil, flupoxam and isoxaben;

[0364] b12) from the group of the decoupler herbicides:

[0365] dinoseb, dinoterb and DNOC and its salts;

[0366] b13) from the group of the auxin herbicides:

[0367] 2,4-D and its salts and esters, 2,4-DB and its salts and esters, aminopyralid and its salts such as aminopyralid-tris(2-hydroxypropyl)ammonium and its esters, benazolin, benazolin-ethyl, chloramben and its salts and esters, clomeprop, clopyralid and its salts and esters, dicamba and its salts and esters, dichlorprop and its salts and esters, dichlorprop-P and its salts and esters, fluroxypyr, fluroxypyr-butometyl, fluroxypyr-meptyl, MCPA and its salts and esters, MCPA-thioethyl, MCPB and its salts and esters, mecoprop and its salts and esters, mecoprop-P and its salts and esters, picloram and its salts and esters, quinclorac, quinmerac, TBA (2,3,6) and its salts and esters, triclopyr and its salts and esters, and 5,6-dichloro-2-cyclopropyl-4-pyrimidinecarboxylic acid (H-9; CAS 858956-08-8) and its salts and esters;

[0368] b14) from the group of the auxin transport inhibitors: diflufenzopyr, diflufenzopyr-sodium, naptalam and naptalam-sodium;

[0369] b15) from the group of the other herbicides: bromobutide, chlorflurenol, chlorflurenol-methyl, cinmethylin, cumyluron, dalapon, dazomet, difenzoquat, difenzoquat-metilsulfate, dimethipin, DSMA, dymron, endothal and its salts, etobenzanid, flamprop, flamprop-isopropyl, flamprop-methyl, flamprop-M-isopropyl, flamprop-M-methyl, flurenol, flurenol-butyl, flurprimidol, fosamine, fosamine-ammonium, indanofan, maleic hydrazide, mefluidide, metam, methyl azide, methyl bromide, methyl-dymron, methyl iodide, MSMA, oleic acid, oxaziclomefone, pelargonic acid, pyributicarb, quinoclamine, triaziflam, tridiphane and 6-chloro-3-(2-cyclopropyl-6-methylphenoxy)-4-pyridazinol (H-10; CAS 499223-49-3) and its salts and esters.

[0370] Examples of preferred safeners C are benoxacor, cloquintocet, cyometrinil, cyprosulfamide, dichlormid, dicyclonone, dietholate, fenchlorazole, fenclorim, flurazole, fluxofenim, furilazole, isoxadifen, mefenpyr, mephenate, naphthalic anhydride, oxabetrinil, 4-(dichloroacetyl)-1-oxa-4-azaspiro[4.5]decane (H-11; MON4660, CAS 71526-07-3) and 2,2,5-trimethyl-3-(dichloroacetyl)-1,3-oxazolidine (H-12; R-29148, CAS 52836-31-4).

[0371] The active compounds of groups b1) to b15) and the safeners C are known herbicides and safeners, see, for example, The Compendium of Pesticide Common Names (http://www.alanwood.net/pesticides/); B. Hock, C. Fedtke, R. R. Schmidt, Herbizide [Herbicides], Georg Thieme Verlag, Stuttgart, 1995. Further herbicidally active compounds are known from WO 96/26202, WO 97/41116, WO 97/41117, WO 97/41118, WO 01/83459 and WO 2008/074991 and from W. Kramer et al. (ed.) "Modern Crop Protection Compounds", Vol. 1, Wiley VCH, 2007 and the literature quoted therein.

[0372] The invention also relates to compositions in the form of a crop protection composition formulated as a 1-component composition comprising an active compound combination comprising at least one pyridine compound of the formula I and at least one further active compound, preferably selected from the active compounds of groups b1 to b15, and at least one solid or liquid carrier and/or one or more surfactants and, if desired, one or more further auxiliaries customary for crop protection compositions.

[0373] The invention also relates to compositions in the form of a crop protection composition formulated as a 2-component composition comprising a first component comprising at least one pyridine compound of the formula I, a solid or liquid carrier and/or one or more surfactants and a second component comprising at least one further active compound selected from the active compounds of groups b1 to b15, a solid or liquid carrier and/or one or more surfactants, where additionally both components may also comprise further auxiliaries customary for crop protection compositions.

[0374] In binary compositions comprising at least one compound of the formula I as component A and at least one herbicide B, the weight ratio of the active compounds A:B is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

[0375] In binary compositions comprising at least one compound of the formula I as component A and at least one safener C, the weight ratio of the active compounds A:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

[0376] In ternary compositions comprising both at least one compound of the formula I as component A, at least one herbicide B and at least one safener C, the relative parts by weight of the components A:B are generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1; the weight ratio of the components A:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1; and the weight ratio of the components B:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1. Preferably, the weight ratio of the components A+B to the component C is in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

[0377] Examples of particularly preferred compositions according to the invention comprising in each case one individualized compound of the formula I and one mixing partner or a mixing partner combination are given in Table B below.

[0378] A further aspect of the invention relates to the compositions B-1 to B-1236 listed in Table B below, where in each case one row of Table B corresponds to a herbicidal composition comprising one of the compounds of the formula I individualized in the above description (component 1) and the further active compound from groups b1) to b15) and/or safener C stated in each case in the row in question (component 2). The active compounds in the compositions described are in each case preferably present in synergistically effective amounts.

TABLE B

	Herbicide(s) B	Safener C
B-1	clodinafop-propargyl	—
B-2	cycloxydim	—
B-3	cyhalofop-butyl	—
B-4	fenoxaprop-P-ethyl	—
B-5	pinoxaden	—
B-6	profoxydim	—
B-7	tepraloxydim	—
B-8	tralkoxydim	—
B-9	esprocarb	—
B-10	prosulfocarb	—
B-11	thiobencarb	—
B-12	triallate	—
B-13	bensulfuron-methyl	—
B-14	bispyribac-sodium	—
B-15	cyclosulfamuron	—

TABLE B-continued

	Herbicide(s) B	Safener C
B-16	flumetsulam	—
B-17	flupyrsulfuron-methyl-sodium	—
B-18	foramsulfuron	—
B-19	imazamox	—
B-20	imazapic	—
B-21	imazapyr	—
B-22	imazaquin	—
B-23	imazethapyr	—
B-24	imazosulfuron	—
B-25	iodosulfuron-methyl-sodium	—
B-26	mesosulfuron	—
B-27	nicosulfuron	—
B-28	penoxsulam	—
B-29	propoxycarbazone-sodium	—
B-30	pyrazosulfuron-ethyl	—
B-31	pyroxsulam	—
B-32	rimsulfuron	—
B-33	sulfosulfuron	—
B-34	thiencarbazone-methyl	—
B-35	tritosulfuron	—
B-36	2,4-D and its salts and esters	—
B-37	aminopyralid and its salts and esters	—
B-38	clopyralid and its salts and esters	—
B-39	dicamba and its salts and esters	—
B-40	fluroxypyr-meptyl	—
B-41	quinclorac	—
B-42	quinmerac	—
B-43	H-9	—
B-44	diflufenzopyr	—
B-45	diflufenzopyr-sodium	—
B-46	clomazone	—
B-47	diflufenican	—
B-48	fluorochloridone	—
B-49	isoxaflutol	—
B-50	mesotrione	—
B-51	picolinafen	—
B-52	sulcotrione	—
B-53	tefuryltrione	—
B-54	tembotrione	—
B-55	topramezone	—
B-56	H-7	—
B-57	atrazine	—
B-58	diuron	—
B-59	fluometuron	—
B-60	hexazinone	—
B-61	isoproturon	—
B-62	metribuzin	—
B-63	propanil	—
B-64	terbuthylazine	—
B-65	paraquat dichloride	—
B-66	flumioxazin	—
B-67	oxyfluorfen	—
B-68	saflufenacil	—
B-69	sulfentrazone	—
B-70	H-1	—
B-71	H-2	—
B-72	glyphosate	—
B-73	glyphosate-isopropylammonium	—
B-74	glyphosate-trimesium (sulfosate)	—
B-75	glufosinate	—
B-76	glufosinate-ammonium	—
B-77	pendimethalin	—
B-78	trifluralin	—
B-79	acetochlor	—
B-80	cafenstrole	—
B-81	dimethenamid-P	—
B-82	fentrazamide	—
B-83	flufenacet	—
B-84	mefenacet	—
B-85	metazachlor	—
B-86	metolachlor-S	—
B-87	pyroxasulfone	—
B-88	isoxaben	—
B-89	dymron	—
B-90	indanofan	—

TABLE B-continued

	Herbicide(s) B	Safener C
B-91	oxaziclomefone	—
B-92	triaziflam	—
B-93	chlorotoluron	—
B-94	atrazine + H-1	—
B-95	atrazine + glyphosate	—
B-96	atrazine + mesotrione	—
B-97	atrazine + nicosulfuron	—
B-98	atrazine + tembotrione	—
B-99	atrazine + topramezone	—
B-100	clomazone + glyphosate	—
B-101	diflufenican + clodinafop-propargyl	—
B-102	diflufenican + fenoxaprop-P-ethyl	—
B-103	diflufenican + flupyrsulfuron-methyl-sodium	—
B-104	diflufenican + glyphosate	—
B-105	diflufenican + mesosulfuron-methyl	—
B-106	diflufenican + pinoxaden	—
B-107	diflufenican + pyroxsulam	—
B-108	flumetsulam + glyphosate	—
B-109	flumioxazin + glyphosate	—
B-110	imazapic + glyphosate	—
B-111	imazethapyr + glyphosate	—
B-112	isoxaflutol + H-1	—
B-113	isoxaflutol + glyphosate	—
B-114	metazachlor + H-1	—
B-115	metazachlor + glyphosate	—
B-116	metazachlor + mesotrione	—
B-117	metazachlor + nicosulfuron	—
B-118	metazachlor + terbuthylazine	—
B-119	metazachlor + topramezone	—
B-120	metribuzin + glyphosate	—
B-121	pendimethalin + H-1	—
B-122	pendimethalin + clodinafop-propargyl	—
B-123	pendimethalin + fenoxaprop-P-ethyl	—
B-124	pendimethalin + flupyrsulfuron-methyl-sodium	—
B-125	pendimethalin + glyphosate	—
B-126	pendimethalin + mesosulfuron-methyl	—
B-127	pendimethalin + mesotrione	—
B-128	pendimethalin + nicosulfuron	—
B-129	pendimethalin + pinoxaden	—
B-130	pendimethalin + pyroxsulam	—
B-131	pendimethalin + tembotrione	—
B-132	pendimethalin + topramezone	—
B-133	pyroxasulfone + tembotrione	—
B-134	pyroxasulfone + topramezone	—
B-135	sulfentrazone + glyphosate	—
B-136	terbuthylazine + H-1	—
B-137	terbuthylazine + foramsulfuron	—
B-138	terbuthylazine + glyphosate	—
B-139	terbuthylazine + mesotrione	—
B-140	terbuthylazine + nicosulfuron	—
B-141	terbuthylazine + tembotrione	—
B-142	terbuthylazine + topramezone	—
B-143	trifluralin + glyphosate	—
B-144	—	benoxacor
B-145	—	cloquintocet
B-146	—	cyprosulfamide
B-147	—	dichlormid
B-148	—	fenchlorazole
B-149	—	isoxadifen
B-150	—	mefenpyr
B-151	—	H-11
B-152	—	H-12
B-153	clodinafop-propargyl	benoxacor
B-154	cycloxydim	benoxacor
B-155	cyhalofop-butyl	benoxacor
B-156	fenoxaprop-P-ethyl	benoxacor
B-157	pinoxaden	benoxacor
B-158	profoxydim	benoxacor
B-159	tepraloxydim	benoxacor
B-160	tralkoxydim	benoxacor
B-161	esprocarb	benoxacor
B-162	prosulfocarb	benoxacor
B-163	thiobencarb	benoxacor
B-164	triallate	benoxacor
B-165	bensulfuron-methyl	benoxacor

TABLE B-continued

	Herbicide(s) B	Safener C
B-166	bispyribac-sodium	benoxacor
B-167	cyclosulfamuron	benoxacor
B-168	flumetsulam	benoxacor
B-169	flupyrsulfuron-methyl-sodium	benoxacor
B-170	foramsulfuron	benoxacor
B-171	imazamox	benoxacor
B-172	imazapic	benoxacor
B-173	imazapyr	benoxacor
B-174	imazaquin	benoxacor
B-175	imazethapyr	benoxacor
B-176	imazosulfuron	benoxacor
B-177	iodosulfuron-methyl-sodium	benoxacor
B-178	mesosulfuron	benoxacor
B-179	nicosulfuron	benoxacor
B-180	penoxsulam	benoxacor
B-181	propoxycarbazone-sodium	benoxacor
B-182	pyrazosulfuron-ethyl	benoxacor
B-183	pyroxsulam	benoxacor
B-184	rimsulfuron	benoxacor
B-185	sulfosulfuron	benoxacor
B-186	thiencarbazone-methyl	benoxacor
B-187	tritosulfuron	benoxacor
B-188	2,4-D and its salts and esters	benoxacor
B-189	aminopyralid and its salts and esters	benoxacor
B-190	clopyralid and its salts and esters	benoxacor
B-191	dicamba and its salts and esters	benoxacor
B-192	fluroxypyr-meptyl	benoxacor
B-193	quinclorac	benoxacor
B-194	quinmerac	benoxacor
B-195	H-9	benoxacor
B-196	diflufenzopyr	benoxacor
B-197	diflufenzopyr-sodium	benoxacor
B-198	clomazone	benoxacor
B-199	diflufenican	benoxacor
B-200	fluorochloridone	benoxacor
B-201	isoxaflutol	benoxacor
B-202	mesotrione	benoxacor
B-203	picolinafen	benoxacor
B-204	sulcotrione	benoxacor
B-205	tefuryltrione	benoxacor
B-206	tembotrione	benoxacor
B-207	topramezone	benoxacor
B-208	H-7	benoxacor
B-209	atrazine	benoxacor
B-210	diuron	benoxacor
B-211	fluometuron	benoxacor
B-212	hexazinone	benoxacor
B-213	isoproturon	benoxacor
B-214	metribuzin	benoxacor
B-215	propanil	benoxacor
B-216	terbuthylazine	benoxacor
B-217	paraquat dichloride	benoxacor
B-218	flumioxazin	benoxacor
B-219	oxyfluorfen	benoxacor
B-220	saflufenacil	benoxacor
B-221	sulfentrazone	benoxacor
B-222	H-1	benoxacor
B-223	H-2	benoxacor
B-224	glyphosate	benoxacor
B-225	glyphosate-isopropylammonium	benoxacor
B-226	glyphosate-trimesium (sulfosate)	benoxacor
B-227	glufosinate	benoxacor
B-228	glufosinate-ammonium	benoxacor
B-229	pendimethalin	benoxacor
B-230	trifluralin	benoxacor
B-231	acetochlor	benoxacor
B-232	cafenstrole	benoxacor
B-233	dimethenamid-P	benoxacor
B-234	fentrazamide	benoxacor
B-235	flufenacet	benoxacor
B-236	mefenacet	benoxacor
B-237	metazachlor	benoxacor
B-238	metolachlor-S	benoxacor
B-239	pyroxasulfone	benoxacor
B-240	isoxaben	benoxacor

TABLE B-continued

	Herbicide(s) B	Safener C
B-241	dymron	benoxacor
B-242	indanofan	benoxacor
B-243	oxaziclomefone	benoxacor
B-244	triaziflam	benoxacor
B-245	atrazine + H-1	benoxacor
B-246	atrazine + glyphosate	benoxacor
B-247	atrazine + mesotrione	benoxacor
B-248	atrazine + nicosulfuron	benoxacor
B-249	atrazine + tembotrione	benoxacor
B-250	atrazine + topramezone	benoxacor
B-251	clomazone + glyphosate	benoxacor
B-252	diflufenican + clodinafop-propargyl	benoxacor
B-253	diflufenican + fenoxaprop-P-ethyl	benoxacor
B-254	diflufenican + flupyrsulfuron-methyl-sodium	benoxacor
B-255	diflufenican + glyphosate	benoxacor
B-256	diflufenican + mesosulfuron-methyl	benoxacor
B-257	diflufenican + pinoxaden	benoxacor
B-258	diflufenican + pyroxsulam	benoxacor
B-259	flumetsulam + glyphosate	benoxacor
B-260	flumioxazin + glyphosate	benoxacor
B-261	imazapic + glyphosate	benoxacor
B-262	imazethapyr + glyphosate	benoxacor
B-263	isoxaflutol + H-1	benoxacor
B-264	isoxaflutol + glyphosate	benoxacor
B-265	metazachlor + H-1	benoxacor
B-266	metazachlor + glyphosate	benoxacor
B-267	metazachlor + mesotrione	benoxacor
B-268	metazachlor + nicosulfuron	benoxacor
B-269	metazachlor + terbuthylazine	benoxacor
B-270	metazachlor + topramezone	benoxacor
B-271	metribuzin + glyphosate	benoxacor
B-272	pendimethalin + H-1	benoxacor
B-273	pendimethalin + clodinafop-propargyl	benoxacor
B-274	pendimethalin + fenoxaprop-P-ethyl	benoxacor
B-275	pendimethalin + flupyrsulfuron-methyl-sodium	benoxacor
B-276	pendimethalin + glyphosate	benoxacor
B-277	pendimethalin + mesosulfuron-methyl	benoxacor
B-278	pendimethalin + mesotrione	benoxacor
B-279	pendimethalin + nicosulfuron	benoxacor
B-280	pendimethalin + pinoxaden	benoxacor
B-281	pendimethalin + pyroxsulam	benoxacor
B-282	pendimethalin + tembotrione	benoxacor
B-283	pendimethalin + topramezone	benoxacor
B-284	pyroxasulfone + tembotrione	benoxacor
B-285	pyroxasulfone + topramezone	benoxacor
B-286	sulfentrazone + glyphosate	benoxacor
B-287	terbuthylazine + H-1	benoxacor
B-288	terbuthylazine + foramsulfuron	benoxacor
B-289	terbuthylazine + glyphosate	benoxacor
B-290	terbuthylazine + mesotrione	benoxacor
B-291	terbuthylazine + nicosulfuron	benoxacor
B-292	terbuthylazine + tembotrione	benoxacor
B-293	terbuthylazine + topramezone	benoxacor
B-294	trifluralin + glyphosate	benoxacor
B-295	clodinafop-propargyl	cloquintocet
B-296	cycloxydim	cloquintocet
B-297	cyhalofop-butyl	cloquintocet
B-298	fenoxaprop-P-ethyl	cloquintocet
B-299	pinoxaden	cloquintocet
B-300	profoxydim	cloquintocet
B-301	tepraloxydim	cloquintocet
B-302	tralkoxydim	cloquintocet
B-303	esprocarb	cloquintocet
B-304	prosulfocarb	cloquintocet
B-305	thiobencarb	cloquintocet
B-306	triallate	cloquintocet
B-307	bensulfuron-methyl	cloquintocet
B-308	bispyribac-sodium	cloquintocet
B-309	cyclosulfamuron	cloquintocet
B-310	flumetsulam	cloquintocet
B-311	flupyrsulfuron-methyl-sodium	cloquintocet
B-312	foramsulfuron	cloquintocet
B-313	imazamox	cloquintocet
B-314	imazapic	cloquintocet
B-315	imazapyr	cloquintocet

TABLE B-continued

	Herbicide(s) B	Safener C
B-316	imazaquin	cloquintocet
B-317	imazethapyr	cloquintocet
B-318	imazosulfuron	cloquintocet
B-319	iodosulfuron-methyl-sodium	cloquintocet
B-320	mesosulfuron	cloquintocet
B-321	nicosulfuron	cloquintocet
B-322	penoxsulam	cloquintocet
B-323	propoxycarbazone-sodium	cloquintocet
B-324	pyrazosulfuron-ethyl	cloquintocet
B-325	pyroxsulam	cloquintocet
B-326	rimsulfuron	cloquintocet
B-327	sulfosulfuron	cloquintocet
B-328	thiencarbazone-methyl	cloquintocet
B-329	tritosulfuron	cloquintocet
B-330	2,4-D and its salts and esters	cloquintocet
B-331	aminopyralid and its salts and esters	cloquintocet
B-332	clopyralid and its salts and esters	cloquintocet
B-333	dicamba and its salts and esters	cloquintocet
B-334	fluroxypyr-meptyl	cloquintocet
B-335	quinclorac	cloquintocet
B-336	quinmerac	cloquintocet
B-337	H-9	cloquintocet
B-338	diflufenzopyr	cloquintocet
B-339	diflufenzopyr-sodium	cloquintocet
B-340	clomazone	cloquintocet
B-341	diflufenican	cloquintocet
B-342	fluorochloridone	cloquintocet
B-343	isoxaflutol	cloquintocet
B-344	mesotrione	cloquintocet
B-345	picolinafen	cloquintocet
B-346	sulcotrione	cloquintocet
B-347	tefuryltrione	cloquintocet
B-348	tembotrione	cloquintocet
B-349	topramezone	cloquintocet
B-350	H-7	cloquintocet
B-351	atrazine	cloquintocet
B-352	diuron	cloquintocet
B-353	fluometuron	cloquintocet
B-354	hexazinone	cloquintocet
B-355	isoproturon	cloquintocet
B-356	metribuzin	cloquintocet
B-357	propanil	cloquintocet
B-358	terbuthylazine	cloquintocet
B-359	paraquat dichloride	cloquintocet
B-360	flumioxazin	cloquintocet
B-361	oxyfluorfen	cloquintocet
B-362	saflufenacil	cloquintocet
B-363	sulfentrazone	cloquintocet
B-364	H-1	cloquintocet
B-365	H-2	cloquintocet
B-366	glyphosate	cloquintocet
B-367	glyphosate-isopropylammonium	cloquintocet
B-368	glyphosate-trimesium (sulfosate)	cloquintocet
B-369	glufosinate	cloquintocet
B-370	glufosinate-ammonium	cloquintocet
B-371	pendimethalin	cloquintocet
B-372	trifluralin	cloquintocet
B-373	acetochlor	cloquintocet
B-374	cafenstrole	cloquintocet
B-375	dimethenamid-P	cloquintocet
B-376	fentrazamide	cloquintocet
B-377	flufenacet	cloquintocet
B-378	mefenacet	cloquintocet
B-379	metazachlor	cloquintocet
B-380	metolachlor-S	cloquintocet
B-381	pyroxasulfone	cloquintocet
B-382	isoxaben	cloquintocet
B-383	dymron	cloquintocet
B-384	indanofan	cloquintocet
B-385	oxaziclomefone	cloquintocet
B-386	triaziflam	cloquintocet
B-387	atrazine + H-1	cloquintocet
B-388	atrazine + glyphosate	cloquintocet
B-389	atrazine + mesotrione	cloquintocet
B-390	atrazine + nicosulfuron	cloquintocet

TABLE B-continued

	Herbicide(s) B	Safener C
B-391	atrazine + tembotrione	cloquintocet
B-392	atrazine + topramezone	cloquintocet
B-393	clomazone + glyphosate	cloquintocet
B-394	diflufenican + clodinafop-propargyl	cloquintocet
B-395	diflufenican + fenoxaprop-p-ethyl	cloquintocet
B-396	diflufenican + flupyrsulfuron-methyl-sodium	cloquintocet
B-397	diflufenican + glyphosate	cloquintocet
B-398	diflufenican + mesosulfuron-methyl	cloquintocet
B-399	diflufenican + pinoxaden	cloquintocet
B-400	diflufenican + pyroxsulam	cloquintocet
B-401	flumetsulam + glyphosate	cloquintocet
B-402	flumioxazin + glyphosate	cloquintocet
B-403	imazapic + glyphosate	cloquintocet
B-404	imazethapyr + glyphosate	cloquintocet
B-405	isoxaflutol + H-1	cloquintocet
B-406	isoxaflutol + glyphosate	cloquintocet
B-407	metazachlor + H-1	cloquintocet
B-408	metazachlor + glyphosate	cloquintocet
B-409	metazachlor + mesotrione	cloquintocet
B-410	metazachlor + nicosulfuron	cloquintocet
B-411	metazachlor + terbuthylazine	cloquintocet
B-412	metazachlor + topramezone	cloquintocet
B-413	metribuzin + glyphosate	cloquintocet
B-414	pendimethalin + H-1	cloquintocet
B-415	pendimethalin + clodinafop-propargyl	cloquintocet
B-416	pendimethalin + fenoxaprop-P-ethyl	cloquintocet
B-417	pendimethalin + flupyrsulfuron-methyl-sodium	cloquintocet
B-418	pendimethalin + glyphosate	cloquintocet
B-419	pendimethalin + mesosulfuron-methyl	cloquintocet
B-420	pendimethalin + mesotrione	cloquintocet
B-421	pendimethalin + nicosulfuron	cloquintocet
B-422	pendimethalin + pinoxaden	cloquintocet
B-423	pendimethalin + pyroxsulam	cloquintocet
B-424	pendimethalin + tembotrione	cloquintocet
B-425	pendimethalin + topramezone	cloquintocet
B-426	pyroxasulfone + tembotrione	cloquintocet
B-427	pyroxasulfone + topramezone	cloquintocet
B-428	sulfentrazone + glyphosate	cloquintocet
B-429	terbuthylazine + H-1	cloquintocet
B-430	terbuthylazine + foramsulfuron	cloquintocet
B-431	terbuthylazine + glyphosate	cloquintocet
B-432	terbuthylazine + mesotrione	cloquintocet
B-433	terbuthylazine + nicosulfuron	cloquintocet
B-434	terbuthylazine + tembotrione	cloquintocet
B-435	terbuthylazine + topramezone	cloquintocet
B-436	trifluralin + glyphosate	cloquintocet
B-437	clodinafop-propargyl	dichlormid
B-438	cycloxydim	dichlormid
B-439	cyhalofop-butyl	dichlormid
B-440	fenoxaprop-P-ethyl	dichlormid
B-441	pinoxaden	dichlormid
B-442	profoxydim	dichlormid
B-443	tepraloxydim	dichlormid
B-444	tralkoxydim	dichlormid
B-445	esprocarb	dichlormid
B-446	prosulfocarb	dichlormid
B-447	thiobencarb	dichlormid
B-448	triallate	dichlormid
B-449	bensulfuron-methyl	dichlormid
B-450	bispyribac-sodium	dichlormid
B-451	cyclosulfamuron	dichlormid
B-452	flumetsulam	dichlormid
B-453	flupyrsulfuron-methyl-sodium	dichlormid
B-454	foramsulfuron	dichlormid
B-455	imazamox	dichlormid
B-456	imazapic	dichlormid
B-457	imazapyr	dichlormid
B-458	imazaquin	dichlormid
B-459	imazethapyr	dichlormid
B-460	imazosulfuron	dichlormid
B-461	iodosulfuron-methyl-sodium	dichlormid
B-462	mesosulfuron	dichlormid
B-463	nicosulfuron	dichlormid
B-464	penoxsulam	dichlormid
B-465	propoxycarbazone-sodium	dichlormid

TABLE B-continued

	Herbicide(s) B	Safener C
B-466	pyrazosulfuron-ethyl	dichlormid
B-467	pyroxsulam	dichlormid
B-468	rimsulfuron	dichlormid
B-469	sulfosulfuron	dichlormid
B-470	thiencarbazone-methyl	dichlormid
B-471	tritosulfuron	dichlormid
B-472	2,4-D and its salts and esters	dichlormid
B-473	aminopyralid and its salts and esters	dichlormid
B-474	clopyralid and its salts and esters	dichlormid
B-475	dicamba and its salts and esters	dichlormid
B-476	fluroxypyr-meptyl	dichlormid
B-477	quinclorac	dichlormid
B-478	quinmerac	dichlormid
B-479	H-9	dichlormid
B-480	diflufenzopyr	dichlormid
B-481	diflufenzopyr-sodium	dichlormid
B-482	clomazone	dichlormid
B-483	diflufenican	dichlormid
B-484	fluorochloridone	dichlormid
B-485	isoxaflutol	dichlormid
B-486	mesotrione	dichlormid
B-487	picolinafen	dichlormid
B-488	sulcotrione	dichlormid
B-489	tefuryltrione	dichlormid
B-490	tembotrione	dichlormid
B-491	topramezone	dichlormid
B-492	H-7	dichlormid
B-493	atrazine	dichlormid
B-494	diuron	dichlormid
B-495	fluometuron	dichlormid
B-496	hexazinone	dichlormid
B-497	isoproturon	dichlormid
B-498	metribuzin	dichlormid
B-499	propanil	dichlormid
B-500	terbuthylazine	dichlormid
B-501	paraquat dichloride	dichlormid
B-502	flumioxazin	dichlormid
B-503	oxyfluorfen	dichlormid
B-504	saflufenacil	dichlormid
B-505	sulfentrazone	dichlormid
B-506	H-1	dichlormid
B-507	H-2	dichlormid
B-508	glyphosate	dichlormid
B-509	glyphosate-isopropylammonium	dichlormid
B-510	glyphosate-trimesium (sulfosate)	dichlormid
B-511	glufosinate	dichlormid
B-512	glufosinate-ammonium	dichlormid
B-513	pendimethalin	dichlormid
B-514	trifluralin	dichlormid
B-515	acetochlor	dichlormid
B-516	cafenstrole	dichlormid
B-517	dimethenamid-P	dichlormid
B-518	fentrazamide	dichlormid
B-519	flufenacet	dichlormid
B-520	mefenacet	dichlormid
B-521	metazachlor	dichlormid
B-522	metolachlor-S	dichlormid
B-523	pyroxasulfone	dichlormid
B-524	isoxaben	dichlormid
B-525	dymron	dichlormid
B-526	indanofan	dichlormid
B-527	oxaziclomefone	dichlormid
B-528	triaziflam	dichlormid
B-529	atrazine + H-1	dichlormid
B-530	atrazine + glyphosate	dichlormid
B-531	atrazine + mesotrione	dichlormid
B-532	atrazine + nicosulfuron	dichlormid
B-533	atrazine + tembotrione	dichlormid
B-534	atrazine + topramezone	dichlormid
B-535	clomazone + glyphosate	dichlormid
B-536	diflufenican + clodinafop-propargyl	dichlormid
B-537	diflufenican + fenoxaprop-p-ethyl	dichlormid
B-538	diflufenican + flupyrsulfuron-methyl-sodium	dichlormid
B-539	diflufenican + glyphosate	dichlormid
B-540	diflufenican + mesosulfuron-methyl	dichlormid

TABLE B-continued

	Herbicide(s) B	Safener C
B-541	diflufenican + pinoxaden	dichlormid
B-542	diflufenican + pyroxsulam	dichlormid
B-543	flumetsulam + glyphosate	dichlormid
B-544	flumioxazin + glyphosate	dichlormid
B-545	imazapic + glyphosate	dichlormid
B-546	imazethapyr + glyphosate	dichlormid
B-547	isoxaflutol + H-1	dichlormid
B-548	isoxaflutol + glyphosate	dichlormid
B-549	metazachlor + H-1	dichlormid
B-550	metazachlor + glyphosate	dichlormid
B-551	metazachlor + mesotrione	dichlormid
B-552	metazachlor + nicosulfuron	dichlormid
B-553	metazachlor + terbuthylazine	dichlormid
B-554	metazachlor + topramezone	dichlormid
B-555	metribuzin + glyphosate	dichlormid
B-556	pendimethalin + H-1	dichlormid
B-557	pendimethalin + clodinafop-propargyl	dichlormid
B-558	pendimethalin + fenoxaprop-P-ethyl	dichlormid
B-559	pendimethalin + flupyrsulfuron-methyl-sodium	dichlormid
B-560	pendimethalin + glyphosate	dichlormid
B-561	pendimethalin + mesosulfuron-methyl	dichlormid
B-562	pendimethalin + mesotrione	dichlormid
B-563	pendimethalin + nicosulfuron	dichlormid
B-564	pendimethalin + pinoxaden	dichlormid
B-565	pendimethalin + pyroxsulam	dichlormid
B-566	pendimethalin + tembotrione	dichlormid
B-567	pendimethalin + topramezone	dichlormid
B-568	pyroxasulfone + tembotrione	dichlormid
B-569	pyroxasulfone + topramezone	dichlormid
B-570	sulfentrazone + glyphosate	dichlormid
B-571	terbuthylazine + H-1	dichlormid
B-572	terbuthylazine + foramsulfuron	dichlormid
B-573	terbuthylazine + glyphosate	dichlormid
B-574	terbuthylazine + mesotrione	dichlormid
B-575	terbuthylazine + nicosulfuron	dichlormid
B-576	terbuthylazine + tembotrione	dichlormid
B-577	terbuthylazine + topramezone	dichlormid
B-578	trifluralin + glyphosate	dichlormid
B-579	clodinafop-propargyl	fenchlorazole
B-580	cycloxydim	fenchlorazole
B-581	cyhalofop-butyl	fenchlorazole
B-582	fenoxaprop-P-ethyl	fenchlorazole
B-583	pinoxaden	fenchlorazole
B-584	profoxydim	fenchlorazole
B-585	tepraloxydim	fenchlorazole
B-586	tralkoxydim	fenchlorazole
B-587	esprocarb	fenchlorazole
B-588	prosulfocarb	fenchlorazole
B-589	thiobencarb	fenchlorazole
B-590	triallate	fenchlorazole
B-591	bensulfuron-methyl	fenchlorazole
B-592	bispyribac-sodium	fenchlorazole
B-593	cyclosulfamuron	fenchlorazole
B-594	flumetsulam	fenchlorazole
B-595	flupyrsulfuron-methyl-sodium	fenchlorazole
B-596	foramsulfuron	fenchlorazole
B-597	imazamox	fenchlorazole
B-598	imazapic	fenchlorazole
B-599	imazapyr	fenchlorazole
B-600	imazaquin	fenchlorazole
B-601	imazethapyr	fenchlorazole
B-602	imazosulfuron	fenchlorazole
B-603	iodosulfuron-methyl-sodium	fenchlorazole
B-604	mesosulfuron	fenchlorazole
B-605	nicosulfuron	fenchlorazole
B-606	penoxsulam	fenchlorazole
B-607	propoxycarbazone-sodium	fenchlorazole
B-608	pyrazosulfuron-ethyl	fenchlorazole
B-609	pyroxsulam	fenchlorazole
B-610	rimsulfuron	fenchlorazole
B-611	sulfosulfuron	fenchlorazole
B-612	thiencarbazone-methyl	fenchlorazole
B-613	tritosulfuron	fenchlorazole
B-614	2,4-D and its salts and esters	fenchlorazole
B-615	aminopyralid and its salts and esters	fenchlorazole

TABLE B-continued

	Herbicide(s) B	Safener C
B-616	clopyralid and its salts and esters	fenchlorazole
B-617	dicamba and its salts and esters	fenchlorazole
B-618	fluroxypyr-meptyl	fenchlorazole
B-619	quinclorac	fenchlorazole
B-620	quinmerac	fenchlorazole
B-621	H-9	fenchlorazole
B-622	diflufenzopyr	fenchlorazole
B-623	diflufenzopyr-sodium	fenchlorazole
B-624	clomazone	fenchlorazole
B-625	diflufenican	fenchlorazole
B-626	fluorochloridone	fenchlorazole
B-627	isoxaflutol	fenchlorazole
B-628	mesotrione	fenchlorazole
B-629	picolinafen	fenchlorazole
B-630	sulcotrione	fenchlorazole
B-631	tefuryltrione	fenchlorazole
B-632	tembotrione	fenchlorazole
B-633	topramezone	fenchlorazole
B-634	H-7	fenchlorazole
B-635	atrazine	fenchlorazole
B-636	diuron	fenchlorazole
B-637	fluometuron	fenchlorazole
B-638	hexazinone	fenchlorazole
B-639	isoproturon	fenchlorazole
B-640	metribuzin	fenchlorazole
B-641	propanil	fenchlorazole
B-642	terbuthylazine	fenchlorazole
B-643	paraquat dichloride	fenchlorazole
B-644	flumioxazin	fenchlorazole
B-645	oxyfluorfen	fenchlorazole
B-646	saflufenacil	fenchlorazole
B-647	sulfentrazone	fenchlorazole
B-648	H-1	fenchlorazole
B-649	H-2	fenchlorazole
B-650	glyphosate	fenchlorazole
B-651	glyphosate-isopropylammonium	fenchlorazole
B-652	glyphosate-trimesium (sulfosate)	fenchlorazole
B-653	glufosinate	fenchlorazole
B-654	glufosinate-ammonium	fenchlorazole
B-655	pendimethalin	fenchlorazole
B-656	trifluralin	fenchlorazole
B-657	acetochlor	fenchlorazole
B-658	cafenstrole	fenchlorazole
B-659	dimethenamid-P	fenchlorazole
B-660	fentrazamide	fenchlorazole
B-661	flufenacet	fenchlorazole
B-662	mefenacet	fenchlorazole
B-663	metazachlor	fenchlorazole
B-664	metolachlor-S	fenchlorazole
B-665	pyroxasulfone	fenchlorazole
B-666	isoxaben	fenchlorazole
B-667	dymron	fenchlorazole
B-668	indanofan	fenchlorazole
B-669	oxaziclomefone	fenchlorazole
B-670	triaziflam	fenchlorazole
B-671	atrazine + H-1	fenchlorazole
B-672	atrazine + glyphosate	fenchlorazole
B-673	atrazine + mesotrione	fenchlorazole
B-674	atrazine + nicosulfuron	fenchlorazole
B-675	atrazine + tembotrione	fenchlorazole
B-676	atrazine + topramezone	fenchlorazole
B-677	clomazone + glyphosate	fenchlorazole
B-678	diflufenican + clodinafop-propargyl	fenchlorazole
B-679	diflufenican + fenoxaprop-P-ethyl	fenchlorazole
B-680	diflufenican + flupyrsulfuron-methyl-sodium	fenchlorazole
B-681	diflufenican + glyphosate	fenchlorazole
B-682	diflufenican + mesosulfuron-methyl	fenchlorazole
B-683	diflufenican + pinoxaden	fenchlorazole
B-684	diflufenican + pyroxsulam	fenchlorazole
B-685	flumetsulam + glyphosate	fenchlorazole
B-686	flumioxazin + glyphosate	fenchlorazole
B-687	imazapic + glyphosate	fenchlorazole
B-688	imazethapyr + glyphosate	fenchlorazole
B-689	isoxaflutol + H-1	fenchlorazole
B-690	isoxaflutol + glyphosate	fenchlorazole

TABLE B-continued

	Herbicide(s) B	Safener C
B-691	metazachlor + H-1	fenchlorazole
B-692	metazachlor + glyphosate	fenchlorazole
B-693	metazachlor + mesotrione	fenchlorazole
B-694	metazachlor + nicosulfuron	fenchlorazole
B-695	metazachlor + terbuthylazine	fenchlorazole
B-696	metazachlor + topramezone	fenchlorazole
B-697	metribuzin + glyphosate	fenchlorazole
B-698	pendimethalin + H-1	fenchlorazole
B-699	pendimethalin + clodinafop-propargyl	fenchlorazole
B-700	pendimethalin + fenoxaprop-P-ethyl	fenchlorazole
B-701	pendimethalin + flupyrsulfuron-methyl-sodium	fenchlorazole
B-702	pendimethalin + glyphosate	fenchlorazole
B-703	pendimethalin + mesosulfuron-methyl	fenchlorazole
B-704	pendimethalin + mesotrione	fenchlorazole
B-705	pendimethalin + nicosulfuron	fenchlorazole
B-706	pendimethalin + pinoxaden	fenchlorazole
B-707	pendimethalin + pyroxsulam	fenchlorazole
B-708	pendimethalin + tembotrione	fenchlorazole
B-709	pendimethalin + topramezone	fenchlorazole
B-710	pyroxasulfone + tembotrione	fenchlorazole
B-711	pyroxasulfone + topramezone	fenchlorazole
B-712	sulfentrazone + glyphosate	fenchlorazole
B-713	terbuthylazine + H-1	fenchlorazole
B-714	terbuthylazine + foramsulfuron	fenchlorazole
B-715	terbuthylazine + glyphosate	fenchlorazole
B-716	terbuthylazine + mesotrione	fenchlorazole
B-717	terbuthylazine + nicosulfuron	fenchlorazole
B-718	terbuthylazine + tembotrione	fenchlorazole
B-719	terbuthylazine + topramezone	fenchlorazole
B-720	trifluralin + glyphosate	fenchlorazole
B-721	clodinafop-propargyl	isoxadifen
B-722	cycloxydim	isoxadifen
B-723	cyhalofop-butyl	isoxadifen
B-724	fenoxaprop-P-ethyl	isoxadifen
B-725	pinoxaden	isoxadifen
B-726	profoxydim	isoxadifen
B-727	tepraloxydim	isoxadifen
B-728	tralkoxydim	isoxadifen
B-729	esprocarb	isoxadifen
B-730	prosulfocarb	isoxadifen
B-731	thiobencarb	isoxadifen
B-732	triallate	isoxadifen
B-733	bensulfuron-methyl	isoxadifen
B-734	bispyribac-sodium	isoxadifen
B-735	cyclosulfamuron	isoxadifen
B-736	flumetsulam	isoxadifen
B-737	flupyrsulfuron-methyl-sodium	isoxadifen
B-738	foramsulfuron	isoxadifen
B-739	imazamox	isoxadifen
B-740	imazapic	isoxadifen
B-741	imazapyr	isoxadifen
B-742	imazaquin	isoxadifen
B-743	imazethapyr	isoxadifen
B-744	imazosulfuron	isoxadifen
B-745	iodosulfuron-methyl-sodium	isoxadifen
B-746	mesosulfuron	isoxadifen
B-747	nicosulfuron	isoxadifen
B-748	penoxsulam	isoxadifen
B-749	propoxycarbazone-sodium	isoxadifen
B-750	pyrazosulfuron-ethyl	isoxadifen
B-751	pyroxsulam	isoxadifen
B-752	rimsulfuron	isoxadifen
B-753	sulfosulfuron	isoxadifen
B-754	thiencarbazone-methyl	isoxadifen
B-755	tritosulfuron	isoxadifen
B-756	2,4-D and its salts and esters	isoxadifen
B-757	aminopyralid and its salts and esters	isoxadifen
B-758	clopyralid and its salts and esters	isoxadifen
B-759	dicamba and its salts and esters	isoxadifen
B-760	fluroxypyr-meptyl	isoxadifen
B-761	quinclorac	isoxadifen
B-762	quinmerac	isoxadifen
B-763	H-9	isoxadifen
B-764	diflufenzopyr	isoxadifen
B-765	diflufenzopyr-sodium	isoxadifen

TABLE B-continued

	Herbicide(s) B	Safener C
B-766	clomazone	isoxadifen
B-767	diflufenican	isoxadifen
B-768	fluorochloridone	isoxadifen
B-769	isoxaflutol	isoxadifen
B-770	mesotrione	isoxadifen
B-771	picolinafen	isoxadifen
B-772	sulcotrione	isoxadifen
B-773	tefuryltrione	isoxadifen
B-774	tembotrione	isoxadifen
B-775	topramezone	isoxadifen
B-776	H-7	isoxadifen
B-777	atrazine	isoxadifen
B-778	diuron	isoxadifen
B-779	fluometuron	isoxadifen
B-780	hexazinone	isoxadifen
B-781	isoproturon	isoxadifen
B-782	metribuzin	isoxadifen
B-783	propanil	isoxadifen
B-784	terbuthylazine	isoxadifen
B-785	paraquat dichloride	isoxadifen
B-786	flumioxazin	isoxadifen
B-787	oxyfluorfen	isoxadifen
B-788	saflufenacil	isoxadifen
B-789	sulfentrazone	isoxadifen
B-790	H-1	isoxadifen
B-791	H-2	isoxadifen
B-792	glyphosate	isoxadifen
B-793	glyphosate-isopropylammonium	isoxadifen
B-794	glyphosate-trimesium (sulfosate)	isoxadifen
B-795	glufosinate	isoxadifen
B-796	glufosinate-ammonium	isoxadifen
B-797	pendimethalin	isoxadifen
B-798	trifluralin	isoxadifen
B-799	acetochlor	isoxadifen
B-800	cafenstrole	isoxadifen
B-801	dimethenamid-P	isoxadifen
B-802	fentrazamide	isoxadifen
B-803	flufenacet	isoxadifen
B-804	mefenacet	isoxadifen
B-805	metazachlor	isoxadifen
B-806	metolachlor-S	isoxadifen
B-807	pyroxasulfone	isoxadifen
B-808	isoxaben	isoxadifen
B-809	dymron	isoxadifen
B-810	indanofan	isoxadifen
B-811	oxaziclomefone	isoxadifen
B-812	triaziflam	isoxadifen
B-813	atrazine + H-1	isoxadifen
B-814	atrazine + glyphosate	isoxadifen
B-815	atrazine + mesotrione	isoxadifen
B-816	atrazine + nicosulfuron	isoxadifen
B-817	atrazine + tembotrione	isoxadifen
B-818	atrazine + topramezone	isoxadifen
B-819	clomazone + glyphosate	isoxadifen
B-820	diflufenican + clodinafop-propargyl	isoxadifen
B-821	diflufenican + fenoxaprop-P-ethyl	isoxadifen
B-822	diflufenican + flupyrsulfuron-methyl-sodium	isoxadifen
B-823	diflufenican + glyphosate	isoxadifen
B-824	diflufenican + mesosulfuron-methyl	isoxadifen
B-825	diflufenican + pinoxaden	isoxadifen
B-826	diflufenican + pyroxsulam	isoxadifen
B-827	flumetsulam + glyphosate	isoxadifen
B-828	flumioxazin + glyphosate	isoxadifen
B-829	imazapic + glyphosate	isoxadifen
B-830	imazethapyr + glyphosate	isoxadifen
B-831	isoxaflutol + H-1	isoxadifen
B-832	isoxaflutol + glyphosate	isoxadifen
B-833	metazachlor + H-1	isoxadifen
B-834	metazachlor + glyphosate	isoxadifen
B-835	metazachlor + mesotrione	isoxadifen
B-836	metazachlor + nicosulfuron	isoxadifen
B-837	metazachlor + terbuthylazine	isoxadifen
B-838	metazachlor + topramezone	isoxadifen
B-839	metribuzin + glyphosate	isoxadifen
B-840	pendimethalin + H-1	isoxadifen

TABLE B-continued

	Herbicide(s) B	Safener C
B-841	pendimethalin + clodinafop-propargyl	isoxadifen
B-842	pendimethalin + fenoxaprop-P-ethyl	isoxadifen
B-843	pendimethalin + flupyrsulfuron-methyl-sodium	isoxadifen
B-844	pendimethalin + glyphosate	isoxadifen
B-845	pendimethalin + mesosulfuron-methyl	isoxadifen
B-846	pendimethalin + mesotrione	isoxadifen
B-847	pendimethalin + nicosulfuron	isoxadifen
B-848	pendimethalin + pinoxaden	isoxadifen
B-849	pendimethalin + pyroxsulam	isoxadifen
B-850	pendimethalin + tembotrione	isoxadifen
B-851	pendimethalin + topramezone	isoxadifen
B-852	pyroxasulfone + tembotrione	isoxadifen
B-853	pyroxasulfone + topramezone	isoxadifen
B-854	sulfentrazone + glyphosate	isoxadifen
B-855	terbuthylazine + H-1	isoxadifen
B-856	terbuthylazine + foramsulfuron	isoxadifen
B-857	terbuthylazine + glyphosate	isoxadifen
B-858	terbuthylazine + mesotrione	isoxadifen
B-859	terbuthylazine + nicosulfuron	isoxadifen
B-860	terbuthylazine + tembotrione	isoxadifen
B-861	terbuthylazine + topramezone	isoxadifen
B-862	trifluralin + glyphosate	isoxadifen
B-863	clodinafop-propargyl	mefenpyr
B-864	cycloxydim	mefenpyr
B-865	cyhalofop-butyl	mefenpyr
B-866	fenoxaprop-P-ethyl	mefenpyr
B-867	pinoxaden	mefenpyr
B-868	profoxydim	mefenpyr
B-869	tepraloxydim	mefenpyr
B-870	tralkoxydim	mefenpyr
B-871	esprocarb	mefenpyr
B-872	prosulfocarb	mefenpyr
B-873	thiobencarb	mefenpyr
B-874	triallate	mefenpyr
B-875	bensulfuron-methyl	mefenpyr
B-876	bispyribac-sodium	mefenpyr
B-877	cyclosulfamuron	mefenpyr
B-878	flumetsulam	mefenpyr
B-879	flupyrsulfuron-methyl-sodium	mefenpyr
B-880	foramsulfuron	mefenpyr
B-881	imazamox	mefenpyr
B-882	imazapic	mefenpyr
B-883	imazapyr	mefenpyr
B-884	imazaquin	mefenpyr
B-885	imazethapyr	mefenpyr
B-886	imazosulfuron	mefenpyr
B-887	iodosulfuron-methyl-sodium	mefenpyr
B-888	mesosulfuron	mefenpyr
B-889	nicosulfuron	mefenpyr
B-890	penoxsulam	mefenpyr
B-891	propoxycarbazone-sodium	mefenpyr
B-892	pyrazosulfuron-ethyl	mefenpyr
B-893	pyroxsulam	mefenpyr
B-894	rimsulfuron	mefenpyr
B-895	sulfosulfuron	mefenpyr
B-896	thiencarbazone-methyl	mefenpyr
B-897	tritosulfuron	mefenpyr
B-898	2,4-D and its salts and esters	mefenpyr
B-899	aminopyralid and its salts and esters	mefenpyr
B-900	clopyralid and its salts and esters	mefenpyr
B-901	dicamba and its salts and esters	mefenpyr
B-902	fluroxypyr-meptyl	mefenpyr
B-903	quinclorac	mefenpyr
B-904	quinmerac	mefenpyr
B-905	H-9	mefenpyr
B-906	diflufenzopyr	mefenpyr
B-907	diflufenzopyr-sodium	mefenpyr
B-908	clomazone	mefenpyr
B-909	diflufenican	mefenpyr
B-910	fluorochloridone	mefenpyr
B-911	isoxaflutol	mefenpyr
B-912	mesotrione	mefenpyr
B-913	picolinafen	mefenpyr
B-914	sulcotrione	mefenpyr
B-915	tefuryltrione	mefenpyr

TABLE B-continued

	Herbicide(s) B	Safener C
B-916	tembotrione	mefenpyr
B-917	topramezone	mefenpyr
B-918	H-7	mefenpyr
B-919	atrazine	mefenpyr
B-920	diuron	mefenpyr
B-921	fluometuron	mefenpyr
B-922	hexazinone	mefenpyr
B-923	isoproturon	mefenpyr
B-924	metribuzin	mefenpyr
B-925	propanil	mefenpyr
B-926	terbuthylazine	mefenpyr
B-927	paraquat dichloride	mefenpyr
B-928	flumioxazin	mefenpyr
B-929	oxyfluorfen	mefenpyr
B-930	saflufenacil	mefenpyr
B-931	sulfentrazone	mefenpyr
B-932	H-1	mefenpyr
B-933	H-2	mefenpyr
B-934	glyphosate	mefenpyr
B-935	glyphosate-isopropylammonium	mefenpyr
B-936	glyphosate-trimesium (sulfosate)	mefenpyr
B-937	glufosinate	mefenpyr
B-938	glufosinate-ammonium	mefenpyr
B-939	pendimethalin	mefenpyr
B-940	trifluralin	mefenpyr
B-941	acetochlor	mefenpyr
B-942	cafenstrole	mefenpyr
B-943	dimethenamid-P	mefenpyr
B-944	fentrazamide	mefenpyr
B-945	flufenacet	mefenpyr
B-946	mefenacet	mefenpyr
B-947	metazachlor	mefenpyr
B-948	metolachlor-S	mefenpyr
B-949	pyroxasulfone	mefenpyr
B-950	isoxaben	mefenpyr
B-951	dymron	mefenpyr
B-952	indanofan	mefenpyr
B-953	oxaziclomefone	mefenpyr
B-954	triaziflam	mefenpyr
B-955	atrazine + H-1	mefenpyr
B-956	atrazine + glyphosate	mefenpyr
B-957	atrazine + mesotrione	mefenpyr
B-958	atrazine + nicosulfuron	mefenpyr
B-959	atrazine + tembotrione	mefenpyr
B-960	atrazine + topramezone	mefenpyr
B-961	clomazone + glyphosate	mefenpyr
B-962	diflufenican + clodinafop-propargyl	mefenpyr
B-963	diflufenican + fenoxaprop-P-ethyl	mefenpyr
B-964	diflufenican + flupyrsulfuron-methyl-sodium	mefenpyr
B-965	diflufenican + glyphosate	mefenpyr
B-966	diflufenican + mesosulfuron-methyl	mefenpyr
B-967	diflufenican + pinoxaden	mefenpyr
B-968	diflufenican + pyroxsulam	mefenpyr
B-969	flumetsulam + glyphosate	mefenpyr
B-970	flumioxazin + glyphosate	mefenpyr
B-971	imazapic + glyphosate	mefenpyr
B-972	imazethapyr + glyphosate	mefenpyr
B-973	isoxaflutol + H-1	mefenpyr
B-974	isoxaflutol + glyphosate	mefenpyr
B-975	metazachlor + H-1	mefenpyr
B-976	metazachlor + glyphosate	mefenpyr
B-977	metazachlor + mesotrione	mefenpyr
B-978	metazachlor + nicosulfuron	mefenpyr
B-979	metazachlor + terbuthylazine	mefenpyr
B-980	metazachlor + topramezone	mefenpyr
B-981	metribuzin + glyphosate	mefenpyr
B-982	pendimethalin + H-1	mefenpyr
B-983	pendimethalin + clodinafop-propargyl	mefenpyr
B-984	pendimethalin + fenoxaprop-P-ethyl	mefenpyr
B-985	pendimethalin + flupyrsulfuron-methyl-sodium	mefenpyr
B-986	pendimethalin + glyphosate	mefenpyr
B-987	pendimethalin + mesosulfuron-methyl	mefenpyr
B-988	pendimethalin + mesotrione	mefenpyr
B-989	pendimethalin + nicosulfuron	mefenpyr
B-990	pendimethalin + pinoxaden	mefenpyr

TABLE B-continued

	Herbicide(s) B	Safener C
B-991	pendimethalin + pyroxsulam	mefenpyr
B-992	pendimethalin + tembotrione	mefenpyr
B-993	pendimethalin + topramezone	mefenpyr
B-994	pyroxasulfone + tembotrione	mefenpyr
B-995	pyroxasulfone + topramezone	mefenpyr
B-996	sulfentrazone + glyphosate	mefenpyr
B-997	terbuthylazine + H-1	mefenpyr
B-998	terbuthylazine + foramsulfuron	mefenpyr
B-999	terbuthylazine + glyphosate	mefenpyr
B-1000	terbuthylazine + mesotrione	mefenpyr
B-1001	terbuthylazine + nicosulfuron	mefenpyr
B-1002	terbuthylazine + tembotrione	mefenpyr
B-1003	terbuthylazine + topramezone	mefenpyr
B-1004	trifluralin + glyphosate	mefenpyr
B-1005	clodinafop-propargyl	H-12
B-1006	cycloxydim	H-12
B-1007	cyhalofop-butyl	H-12
B-1008	fenoxaprop-P-ethyl	H-12
B-1009	pinoxaden	H-12
B-1010	profoxydim	H-12
B-1011	tepraloxydim	H-12
B-1012	tralkoxydim	H-12
B-1013	esprocarb	H-12
B-1014	prosulfocarb	H-12
B-1015	thiobencarb	H-12
B-1016	triallate	H-12
B-1017	bensulfuron-methyl	H-12
B-1018	bispyribac-sodium	H-12
B-1019	cyclosulfamuron	H-12
B-1020	flumetsulam	H-12
B-1021	flupyrsulfuron-methyl-sodium	H-12
B-1022	foramsulfuron	H-12
B-1023	imazamox	H-12
B-1024	imazapic	H-12
B-1025	imazapyr	H-12
B-1026	imazaquin	H-12
B-1027	imazethapyr	H-12
B-1028	imazosulfuron	H-12
B-1029	iodosulfuron-methyl-sodium	H-12
B-1030	mesosulfuron	H-12
B-1031	nicosulfuron	H-12
B-1032	penoxsulam	H-12
B-1033	propoxycarbazone-sodium	H-12
B-1034	pyrazosulfuron-ethyl	H-12
B-1035	pyroxsulam	H-12
B-1036	rimsulfuron	H-12
B-1037	sulfosulfuron	H-12
B-1038	thiencarbazone-methyl	H-12
B-1039	tritosulfuron	H-12
B-1040	2,4-D and its salts and esters	H-12
B-1041	aminopyralid and its salts and esters	H-12
B-1042	clopyralid and its salts and esters	H-12
B-1043	dicamba and its salts and esters	H-12
B-1044	fluroxypyr-meptyl	H-12
B-1045	quinclorac	H-12
B-1046	quinmerac	H-12
B-1047	B-9	H-12
B-1048	diflufenzopyr	H-12
B-1049	diflufenzopyr-sodium	H-12
B-1050	clomazone	H-12
B-1051	diflufenican	H-12
B-1052	fluorochloridone	H-12
B-1053	isoxaflutol	H-12
B-1054	mesotrione	H-12
B-1055	picolinafen	H-12
B-1056	sulcotrione	H-12
B-1057	tefuryltrione	H-12
B-1058	tembotrione	H-12
B-1059	topramezone	H-12
B-1060	H-7	H-12
B-1061	atrazine	H-12
B-1062	diuron	H-12
B-1063	fluometuron	H-12
B-1064	hexazinone	H-12
B-1065	isoproturon	H-12

TABLE B-continued

	Herbicide(s) B	Safener C
B-1066	metribuzin	H-12
B-1067	propanil	H-12
B-1068	terbuthylazine	H-12
B-1069	paraquat dichloride	H-12
B-1070	flumioxazin	H-12
B-1071	oxyfluorfen	H-12
B-1072	saflufenacil	H-12
B-1073	sulfentrazone	H-12
B-1074	H-1	H-12
B-1075	H-2	H-12
B-1076	glyphosate	H-12
B-1077	glyphosate-isopropylammonium	H-12
B-1078	glyphosate-trimesium (sulfosate)	H-12
B-1079	glufosinate	H-12
B-1080	glufosinate-ammonium	H-12
B-1081	pendimethalin	H-12
B-1082	trifluralin	H-12
B-1083	acetochlor	H-12
B-1084	cafenstrole	H-12
B-1085	dimethenamid-P	H-12
B-1086	fentrazamide	H-12
B-1087	flufenacet	H-12
B-1088	mefenacet	H-12
B-1089	metazachlor	H-12
B-1090	metolachlor-S	H-12
B-1091	pyroxasulfone	H-12
B-1092	isoxaben	H-12
B-1093	dymron	H-12
B-1094	indanofan	H-12
B-1095	oxaziclomefone	H-12
B-1096	triaziflam	H-12
B-1097	atrazine + H-1	H-12
B-1098	atrazine + glyphosate	H-12
B-1099	atrazine + mesotrione	H-12
B-1100	atrazine + nicosulfuron	H-12
B-1101	atrazine + tembotrione	H-12
B-1102	atrazine + topramezone	H-12
B-1103	clomazone + glyphosate	H-12
B-1104	diflufenican + clodinafop-propargyl	H-12
B-1105	diflufenican + fenoxaprop-P-ethyl	H-12
B-1106	diflufenican + flupyrsulfuron-methyl-sodium	H-12
B-1107	diflufenican + glyphosate	H-12
B-1108	diflufenican + mesosulfuron-methyl	H-12
B-1109	diflufenican + pinoxaden	H-12
B-1110	diflufenican + pyroxsulam	H-12
B-1111	flumetsulam + glyphosate	H-12
B-1112	flumioxazin + glyphosate	H-12
B-1113	imazapic + glyphosate	H-12
B-1114	imazethapyr + glyphosate	H-12
B-1115	isoxaflutol + H-1	H-12
B-1116	isoxaflutol + glyphosate	H-12
B-1117	metazachlor + H-1	H-12
B-1118	metazachlor + glyphosate	H-12
B-1119	metazachlor + mesotrione	H-12
B-1120	metazachlor + nicosulfuron	H-12
B-1121	metazachlor + terbuthylazine	H-12
B-1122	metazachlor + topramezone	H-12
B-1123	metribuzin + glyphosate	H-12
B-1124	pendimethalin + H-1	H-12
B-1125	pendimethalin + clodinafop-propargyl	H-12
B-1126	pendimethalin + fenoxaprop-P-ethyl	H-12
B-1127	pendimethalin + flupyrsulfuron-methyl-sodium	H-12
B-1128	pendimethalin + glyphosate	H-12
B-1129	pendimethalin + mesosulfuron-methyl	H-12
B-1130	pendimethalin + mesotrione	H-12
B-1131	pendimethalin + nicosulfuron	H-12
B-1132	pendimethalin + pinoxaden	H-12
B-1133	pendimethalin + pyroxsulam	H-12
B-1134	pendimethalin + tembotrione	H-12
B-1135	pendimethalin + topramezone	H-12
B-1136	pyroxasulfone + tembotrione	H-12
B-1137	pyroxasulfone + topramezone	H-12
B-1138	sulfentrazone + glyphosate	H-12
B-1139	terbuthylazine + H-1	H-12
B-1140	terbuthylazine + foramsulfuron	H-12

TABLE B-continued

	Herbicide(s) B	Safener C
B-1141	terbuthylazine + glyphosate	H-12
B-1142	terbuthylazine + mesotrione	H-12
B-1143	terbuthylazine + nicosulfuron	H-12
B-1144	terbuthylazine + tembotrione	H-12
B-1145	terbuthylazine + topramezone	H-12
B-1146	trifluralin + glyphosate	H-12
B-1147	2-1	—
B-1148	2-2	—
B-1149	2-3	—
B-1150	2-4	—
B-1151	2-5	—
B-1152	2-6	—
B-1153	2-7	—
B-1154	2-8	—
B-1155	2-9	—
B-1156	2-1	benoxacor
B-1157	2-2	benoxacor
B-1158	2-3	benoxacor
B-1159	2-4	benoxacor
B-1160	2-5	benoxacor
B-1161	2-6	benoxacor
B-1162	2-7	benoxacor
B-1163	2-8	benoxacor
B-1164	2-9	benoxacor
B-1165	2-1	cloquintocet
B-1166	2-2	cloquintocet
B-1167	2-3	cloquintocet
B-1168	2-4	cloquintocet
B-1169	2-5	cloquintocet
B-1170	2-6	cloquintocet
B-1171	2-7	cloquintocet
B-1172	2-8	cloquintocet
B-1173	2-9	cloquintocet
B-1174	2-1	cyprosulfamide
B-1175	2-2	cyprosulfamide
B-1176	2-3	cyprosulfamide
B-1177	2-4	cyprosulfamide
B-1178	2-5	cyprosulfamide
B-1179	2-6	cyprosulfamide
B-1180	2-7	cyprosulfamide
B-1181	2-8	cyprosulfamide
B-1182	2-9	cyprosulfamide
B-1183	2-1	dichlormid
B-1184	2-2	dichlormid
B-1185	2-3	dichlormid
B-1186	2-4	dichlormid
B-1187	2-5	dichlormid
B-1188	2-6	dichlormid
B-1189	2-7	dichlormid
B-1190	2-8	dichlormid
B-1191	2-9	dichlormid
B-1192	2-1	fenchlorazole
B-1193	2-2	fenchlorazole
B-1194	2-3	fenchlorazole
B-1195	2-4	fenchlorazole
B-1196	2-5	fenchlorazole
B-1197	2-6	fenchlorazole
B-1198	2-7	fenchlorazole
B-1199	2-8	fenchlorazole
B-1200	2-9	fenchlorazole
B-1201	2-1	isoxadifen
B-1202	2-2	isoxadifen
B-1203	2-3	isoxadifen
B-1204	2-4	isoxadifen
B-1205	2-5	isoxadifen
B-1206	2-6	isoxadifen
B-1207	2-7	isoxadifen
B-1208	2-8	isoxadifen
B-1209	2-9	isoxadifen
B-1210	2-1	mefenpyr
B-1211	2-2	mefenpyr
B-1212	2-3	mefenpyr
B-1213	2-4	mefenpyr
B-1214	2-5	mefenpyr
B-1215	2-6	mefenpyr

TABLE B-continued

	Herbicide(s) B	Safener C
B-1216	2-7	mefenpyr
B-1217	2-8	mefenpyr
B-1218	2-9	mefenpyr
B-1219	2-1	H-11
B-1220	2-2	H-11
B-1221	2-3	H-11
B-1222	2-4	H-11
B-1223	2-5	H-11
B-1224	2-6	H-11
B-1225	2-7	H-11
B-1226	2-8	H-11
B-1227	2-9	H-11
B-1228	2-1	H-12
B-1229	2-2	H-12
B-1230	2-3	H-12
B-1231	2-4	H-12
B-1232	2-5	H-12
B-1233	2-6	H-12
B-1234	2-7	H-12
B-1235	2-8	H-12
B-1236	2-9	H-12

[0379] The compounds I and the compositions according to the invention may also have a plant-strengthening action. Accordingly, they are suitable for mobilizing the defense system of the plants against attack by unwanted microorganisms, such as harmful fungi, but also viruses and bacteria. Plant-strengthening (resistance-inducing) substances are to be understood as meaning, in the present context, those substances which are capable of stimulating the defense system of treated plants in such a way that, when subsequently inoculated by unwanted microorganisms, the treated plants display a substantial degree of resistance to these microorganisms.

[0380] The compounds I can be employed for protecting plants against attack by unwanted microorganisms within a certain period of time after the treatment. The period of time within which their protection is effected generally extends from 1 to 28 days, preferably from 1 to 14 days, after the treatment of the plants with the compounds I, or, after treatment of the seed, for up to 9 months after sowing.

[0381] The compounds I and the compositions according to the invention are also suitable for increasing the harvest yield.

[0382] Moreover, they have reduced toxicity and are tolerated well by the plants.

[0383] Hereinbelow, the compounds of the formula I are illustrated by way of examples, without limiting the subject matter of the present invention to the examples shown.

I. SYNTHESIS EXAMPLES

[0384] With appropriate modification of the starting materials, the procedures given in the synthesis examples below were used to obtain further compounds I. The compounds obtained in this manner are listed in the table that follows, together with physical data.

[0385] The products shown below were characterized by determination of the melting point, by NMR spectroscopy or by the masses ([m/z]) or retention time (RT; [min.]) determined by HPLC-MS spectrometry.

HPLC-MS=high performance liquid chromatography coupled with mass spectrometry; HPLC column:

[0386] RP-18 column (Chromolith Speed ROD from Merck KgaA, Germany), 50*4.6 mm; mobile phase: acetonitrile+0.1% trifluoroacetic acid (TFA)/water+0.1% TFA, using a gradient from 5:95 to 100:0 over 5 minutes at 40° C., flow rate 1.8 ml/min.

[0387] MS: quadrupole electrospray ionization, 80 V (positive mode).

[0388] Ac: Acetyl; THF: tetrahydrofurane; DMF: dimethylformamide; dppf: 1,1'-bis(diphenylphosphino)ferrocen; dba: dibenzylidenacetone; PE: petrol ether; EtOAc: acetic acid ethyl ester; DCM: dichloromethane; NCS: N-chlorosuccinimide; LiHMDS: lithium-hexamethyldisilazane; AcOH: acetic acid; MeOH: methanol; TFA: trifluoroacetic acid; Ph: phenyl; i-Pr: iso-propyl; t-Bu: tert-butyl.

Example 1

Preparation of 3-[5-chloro-3-morpholino-2-(trifluoromethyl)phenyl]-4-hydroxy-pyrano[3,2-b]pyridin-2-one (Hereinafter also Referred to as Compound 11 which Corresponds to Compound 1-49 in the Table I Below)

[0389]



-continued



[0390] Step 1: To a solution of compound 1 (80 g, 0.41 mol) in 800 ml AcOH was added Br_2 (131 g, 0.82 mol) at room temperature. The mixture was stirred at 50° C. for 5 hrs. The mixture was diluted with CH_2Cl2 and washed with water, aq. Na_2CO_3 and brine, the organic layer was dried over Na_2SO_4 and concentrated in vacuum, the crude product was purified by column chromatography to give compound 2 (80 g, yield: 55%).

[0391] ^1H NMR MeOD 400 MHz δ 7.69 (s, 1H).

[0392] Step 2: To a solution of compound 2 (40 g, 0.11 mol) in H_3PO_4 (1.2 l) was added dropwise a solution of $NaNO_2$ (47 g, 0.68 mol) in 200 ml water at −4° C., H_3PO_2 (480 ml) was added dropwise at −4° C. The resulting mixture was stirred overnight at room temperature. The reaction mixture was diluted with CH_2Cl_2 and neutralized with sat. Na_2CO_3, the organic layer was washed brine, dried over anhydrous Na_2SO_4 and concentrated in vacuo, the crude product was purified by column chromatography to give compound 3 (30 g, yield: 78%).

[0393] ^1H NMR MeOD 400 MHz δ 7.93 (s, 2H).

[0394] Step 3: A mixture of compound 3 (10 g, 29.6 mmol), morpholine (2.6 g, 29.6 mmol), t-BuONa (5.7 g, 59.1 mmol), dppf (1.0 g, 1.77 mmol) and $Pd_2(dba)_3$ (0.81 g, 0.89 mmol) in toluene (150 ml) was heated to 90° C. under N_2 atmosphere overnight. The reaction mixture was filtered and concentrated in vacuo, the residue was purified by column chromatography to give compound 4 (2.8 g, yield: 25%).

[0395] ^1H NMR MeOD 400 MHz δ 7.56 (s, 1H), 7.33 (s, 1H), 3.77~3.79 (m, 4H), 2.95~2.97 (m, 4H).

[0396] Step 4: A mixture of compound 4 (5.0 g, 14.5 mmol), tri-n-butyl(cyanomethyl)stannane (5.7 g, 17.4 mmol, for preparation reference is made to J. Org. Chem. 1988, 53, 3051-3057), and $PdCl_2[(o\text{-}tolyl)_3]_2$ (120 mg, 0.15 mmol) in xylene (50 ml) was heated to 120° C. under N_2 atmosphere overnight. The reaction mixture was concentrated in vacuum, the residue was purified by column chromatography (PE: EtOAc=10:1) to give compound 5 (1 g, yield: 24%).

[0397] ^1H NMR MeOD 400 MHz δ 7.56 (s, 1H),7.33 (s, 1H), 4.57 (s, 2H), 3.78~3.80 (m, 4H), 2.95~2.97 (m, 4H).

[0398] Step 5: A mixture of compound 5 (2.7 g, 8.9 mmol) in 30 ml of HCl: AcOH (1:1) was stirred at 100° C. for 3 hrs. The reaction mixture was concentrated and diluted with water, the aqueous layer was basified to pH 9 with sat. $NaHCO_3$ and washed with EtOAc. The aqueous layer was acidified to pH 3, extracted with EtOAc and washed with brine. The organic layer was dried over anhydrous Na_2SO_4 and concentrated in vacuo to give compound 6 (1.3 g, yield: 45%).

[0399] ^1H NMR: $CDCl_3$ 400 MHz δ 7.23 (s, 1H), 7.08 (s, 1H), 3.81~3.83 (m, 6H), 2.89~2.92 (m, 4H).

[0400] Step 6: To a mixture of compound 6 (1.3 g, 4.0 mmol) in MeOH (30 ml) was added conc. H_2SO_4 (0.8 g, 8.0 mmol) at room temperature, then the resulting mixture was heated under reflux for 4 hrs. The reaction mixture was concentrated in vacuo, the residue was basified with saturated aq. $NaHCO_3$ and extracted with EtOAc. The organic layer was washed with brine and dried over Na_2SO_4, concentrated in vacuo to give compound 7 (1.1 g, yield: 81%).

[0401] ^1H NMR: $CDCl_3$ 400 MHz δ 7.23 (s, 1H), 7.08 (s, 1H), 3.95 (s, 3H), 3.81~3.83 (m, 6H), 2.89~2.92 (m, 4H).

[0402] Step 7: LiHMDS (0.8 mL, 0.8 mmol, 1 M) was added dropwise to a mixture of compound 7 (0.34 g, 0.8 mmol) and compound 8 (0.3 g, 0.8 mmol) in THF (20 mL) at −78° C. under N_2 atmosphere. The resulting mixture was warmed gradually to room temperature and continued to stir at −78° C. for 2 hrs. The reaction mixture was quenched with H_2O and acidified to pH 3, the mixture was extracted with EtOAc and washed with brine, the organic layer was dried over anhydrous Na_2SO_4 and concentrated in vacuo to give crude compound 9 (0.5 g, crude), the crude product was used directly without further purification.

[0403] Step 8: The compound 9 (0.5 g, crude) in TFA (10 mL) was stirred at room temperature for 3 hrs. The reaction mixture was concentrated in vacuo and purified by column chromatography (PE:EtOAc=50:1) to give compound 10 (0.1 g, yield: 20% from compound 7).

[0404] Step 9: To a mixture of compound 10 (0.1 g, 0.22 mmol) in MeOH (6 mL) and water (2 mL) was added NaOH (35 mg, 0.87 mmol) at room temperature, the resulting mixture was stirred at room temperature for 2 hrs. The reaction mixture was evaporated to remove methanol, the residue was diluted with water and washed with EtOAc, the aqueous layer was acidified with aq.HCl to pH<3, extracted with DCM. The organic layer was dried over anhydrous Na_2SO_4 and concentrated in vacuo, the crude product was purified by p-HPLC to give compound 11 (30 mg, yield: 32%)

[0405] ^1H NMR: $CDCl_3$ 400 MHz δ 8.56 (d, 1H, J=4.4 Hz), 7.76 (d, 1H, J=8.8 Hz), 7.62~7.65 (m, 1H), 7.40 (s, 1H), 7.19 (s, 1H), 4.83 (br, 1H), 3.85~3.87 (m, 4H), 2.97~2.99 (m, 4H).

Example 2

Preparation of 4-hydroxy-3-[3-(2-methoxyethoxy)-2-(trifluoromethyl)phenyl]pyrano[3,2-b]pyridin-2-one (Hereinafter also Referred to as Compound 19 which Corresponds to Compound 1-19 in the Table I Below)

[0406]





[0407] Step 1: To the 2-Methoxy-ethanol (1.41 g, 18.5 mol, 3 eq.) in DMF (10 ml) was added sodium hydride (800 mg, 6.1 mmol, 3 eq.) stirred at room temperature for 15 min, then compound 12 (1.5 g, 6.1 mmol) was added to above mixture, stirred at room temperature for 2 hours. The resulting solution was quenched with aq. NH_4Cl, separated between EtOAc and water. The organic solution was concentrated carefully at room temperature. The residue was 13 (1.6 g, 88%), that was used without further purification.

[0408] Step 2: To the solution of compound 13 (1.5 g, 5.05 mmol), LiCl (424 mg, 10.1 mmol) and $Pd(PPh_3)Cl_2$ (353 mg, 0.505 mmol) in 10 ml DMF, then allyl-tributyl-stannane (2.5 g, 7.6 mmol) was added to the reaction, and stirred under N_2 at 90° C. for 1 h. The reaction was quenched with aq.NH_4Cl, extracted with EtOAc, the organic layer was dried over Na_2SO_4, concentrated carefully at room temperature to give the crude product 14 (2.4 g, crude), then used directly.

[0409] ^1H NMR: $CDCl_3$ 400 MHz δ 7.37 (t, 1H, J=7.6 Hz), 6.91 (d, 1H, J=7.6 Hz), 6.85 (d, 1H, J=7.6 Hz), 5.92~5.97 (m, 1H), 5.02~5.06 (m, 2H), 4.18~4.21 (m, 2H), 4.18~4.21 (m, 2H), 3.54~3.56 (m, 2H), 3.45 (s, 3H).

[0410] Step 3: A solution of the crude compound 14 (2.4 g) in 100 mL DCM was cooled to −78° C. and bubbled with O_3 until the solution turned blue, and O_3 was continued to bubble for 0.5 h. The mixture was purged with oxygen and N_2. The cooled solution was added dropwise to a previously-prepared Jones Reagent (To a suspension of 13.4 g CrO_3 in 300 mL acetone was added 10 mL conc. H_2SO_4 and 10 mL water under ice-cooling) at 0° C. The mixture was stirred at room temperature overnight. The reaction mixture was quenched with i-PrOH and filtered. The filtrate was concentrated and diluted with water, basified to pH 10, washed with EtOAc. The aqueous phase was acidified to pH 3, extracted with EtOAc and concentrated in vacuo to give 15 (560 mg, crude).

[0411] Step 4: To the solution of compound 14 (560 mg, crude) in methanol (10 ml) was added conc. H_2SO_4 (352 mg, 3.6 mmol), stirred at refluxed overnight. The resulting mixture was concentrated in vaccum, and partitioned with EtOAc/H_2O, the organic layer was washed by brine and dried over Na_2SO_4. The organic was concentrated in vaccum. The residue was purified by column (PE: EtOAc=15:1) to yield compound 16 (400 mg).

[0412] ^1H NMR: $CDCl_3$ 400 MHz δ 7.394 (t, 1H, J=8 Hz), 7.003 (d, 1H, J=8 Hz), 6.841 (d, 1H, J=8 Hz), 4.179 (t, 2H), 3.828 (t, 2H), 3.788 (t, 2H), 3.704 (s, 3H), 3.455 (s, 3H).

[0413] Step 5: LiHMDS (5.5 ml, 5.5 mmol, 1M) was added dropwise to a solution of compound 8 (400 mg, 1.37mmol) and compound 16 (582 mg, 1.37 mmol) in dry THF (50 ml) at −78° C. under nitrogen. The mixture was continued to stir at −78° C., then warmed to room temperature and stirred for 2 hours. The mixture was concentrated in vacuum to give compound 17 (800 mg, crude) as a yellow syrup used directly without further purification.

[0414] Step 6: A solution of compound 17 (800 mg, crude) in TFA (10 ml) was stirred at room temperature for 1 hour. The mixture was adjusted to pH 7 with aqueous sodium hydroxide. Then it was used directly in the next step without further purification.

[0415] Step 7: To a solution of compound 18 in methanol/H_2O (30 ml/10 ml) was added sodium hydroxide (100 mg, 2.4 mmol) in portions at 0° C. The mixture was stirred at room temperature for 1 hour. Methanol was removed in vacuum. To the resulting aqueous phase was added water. It was washed with EtOAc and DCM. Then the aqueous phase was adjusted to pH 3 and extracted with DCM for 3 times. The resulting organic phase was dried over anhydrous sodium sulfate and concentrated in vacuum. The residue was purified by p-HPLC to give compound 19 as a yellow solid (120 mg, 23% three steps from compound 16).

[0416] ^1H NMR: $CDCl_3$ 400 MHz δ 8.545 (d, 1H, J=8 Hz), 7.742 (d, 1H, J=8 Hz), 7.526~7.61 (m, 3H), 7.140 (d, 1H, J=8 Hz), 6.969 (d, 1H, J=8 Hz), 4.246 (t, 2H), 3.821 (t, 2H), 3.477 (s, 3H).

TABLE I

Compounds of the formula I.1A-1

I.1A-1



No.	R^1	R^2	R^3	R^4	MS m/z
I-1	H	OCH_2O		H	284.0
I-2	H	CHCHCHCH		H	290.0
I-3	S—(4-Cl—Ph)	H	H	H	282.0
I-4	O—(2-(3,6-(OMe)2-Pyrimidyl)	H	H	H	394.1
I-5	CH_2—(2-thienyl)	H	H	H	336.1
I-6	S—Ph	H	H	H	348.0
I-7	S—(4-F—Ph)	H	H	H	366.0
I-8	S—CF_3	H	H	H	340.0
I-9	CF_3	3-Isoxazolinyl	H	H	377.0
I-10	Me	3-Isoxazolinyl	H	H	401.0
I-11	Cl	3-Isoxazolinyl	SMe	H	389.0
I-12	CF_3	3-Isoxazolyl	H	H	375.0
I-13	Ph	H	H	H	316.0
I-14	O—(2-(4-Br-Pyrimidyl))	H	H	H	411.0
I-15	H	OPh	H	H	332.1
I-16	Me	3-(5-Me-Isoxazolinyl)	SO_2Me	H	415.1
I-17	H	COMe	H	H	282.0
I-18	CF_3	OCH_2CF_3	H	H	405.0
I-19	CF_3	OCH_2CH_2OMe	H	H	382.0
I-20	CF_3	OCH_2(2-tetrahydrofuryl)	H	H	408.0
I-21	Me	3-Isoxazolinyl	CN	H	348.0
I-22	Cl	2-thiazolyl	SO_2Me	H	343.1
I-23	Me	$CHCH_2$	SO_2Me	H	358.0
I-24	Me	C(spiro-O—N—CMe—CH_2—)CH_2SO_2		H	413.0
I-25	$SCH_2CH_2C(Me)_2$		H	H	373.1
I-26	CF_3	4-Morpholinyl	H	H	393.1
I-27	CF_3	OPh	H	H	400.0
I-28	O—(2-Me—Ph)	H	H	H	346.1
I-29	O—(CH_2—(4-(2-(4-F-pheny))thiazolyl)	H	H	H	463.0
I-30	Me	SO_2NMe_2	SO_2Me	H	439.0
I-31	O—(2-(4,6-$(OMe)_2$)-triazinyl	H	H	H	395.1
I-32	CHCH—(5-(3-cyclopropyl)-oxazolyl)	H	H	H	373.1
I-33	OCH_2CHCH_2	H	H	H	296.0
I-34	OCOMe	H	H	H	298.0
I-35	H	OCH_2Ph	OMe	H	376.1
I-36	$OCH_2CH_2CH_2CH_2OPh$	H	H	H	404.1
I-37	OCH_2Ph	H	H	H	346.0
I-38	Me	3-Isoxazolinyl	CF_3	H	391.1
I-39	Me	1-phtalimido	H	H	399.1
I-40	Me	1-tetrahydrophtalimido	H	H	403.1
I-41	O—(3-(1-(4-Cl—Ph))-pyrrol	H	H	H	432.0
I-42	CHCHCHN		Me	H	305.1
I-43	CHCHCHN		Br	H	371.0
I-44	CF_3	SO_2Ph	H	H	448.0
I-45	O—(4-(2-propyl-4-CF_3-pyrimidyl))	H	H	H	444.1
I-46	Cl	$SO_2CH_2CH_2CMe_2$		H	405.0
I-47	Me	$SO_2CH_2CH_2CMe_2$		H	385.1
I-48	Me	Ph	H	H	330.1
I-49	CF_3	4-Morpholinyl	H	Cl	425.8
I-50	CF_3	SO_2Me	H	H	385.1

[0417] wherein Me denotes methyl and Ph denotes phenyl

TABLE II

Compounds of the formula I.2A-1

I.2A-1



No.	R^1	R^3	R^4	MS m/z
II-1	Cl	H	H	274.1
II-2	Cl	Cl	H	385.0

II. USE EXAMPLES

[0418] The herbicidal activity of the compunds of the formula I was demonstrated by the following greenhouse experiments:

[0419] The culture containers used were plastic flowerpots containing loamy sand with approximately 3.0% of humus as the substrate. The seeds of the test plants were sown separately for each species.

[0420] For the pre-emergence treatment, the active ingredients, which had been suspended or emulsified in water, were applied directly after sowing by means of finely distributing nozzles. The containers were irrigated gently to promote germination and growth and subsequently covered with transparent plastic hoods until the plants had rooted. This cover caused uniform germination of the test plants, unless this has been impaired by the active ingredients.

[0421] For the post-emergence treatment, the test plants were first grown to a height of 3 to 15 cm, depending on the plant habit, and only then treated with the active ingredients which had been suspended or emulsified in water. For this purpose, the test plants were either sown directly and grown in the same containers, or they were first grown separately as seedlings and transplanted into the test containers a few days prior to treatment.

[0422] Depending on the species, the plants were kept at 10-25° C. or 20-35° C. The test period extended over 2 to 4 weeks. During this time, the plants were tended, and their response to the individual treatments was evaluated.

[0423] Evaluation was carried out using a scale from 0 to 100. 100 means no emergence of the plants, or complete destruction of at least the aerial moieties, and 0 means no damage, or normal course of growth. A good herbicidal activity is given at values of at least 70 and a very good herbicidal activity is given at values of at least 85.

[0424] The plants used in the greenhouse experiments belonged to the following species:

Bayer Code	Scientific name	English name
ABUTH	*Abutilon theophrasti*	velvetleaf
ALOMY	*Alopecurus myosuroides*	blackgrass

-continued

Bayer Code	Scientific name	English name
AMARE	*Amaranthus retroflexus*	common amaranth
CHEAL	*Chenopodium album*	lampsquaters
ECHCG	*Echinochloa crus-galli*	comon barnyardgrass
GALAP	*Galium aparine*	goosegrass
SETFA	*Setaria faberi*	Faber's foxtail
SETVI	*Setaria viridis*	green foxtail

[0425] At an application rate of 3 kg/ha, the compound II-2 applied by the post-emergence method, showed very good herbicidal activity against ABUTH.

[0426] At an application rate of 1 kg/ha, the compound I-4, applied by the post-emergence method, showed very good herbicidal activity against ALOMY.

[0427] At an application rate of 0.5 kg/ha, the compound I-9, applied by the post-emergence method, showed very good herbicidal activity against ALOMY.

[0428] At an application rate of 0.3 kg/ha, the compound I-22 applied by the post-emergence method, showed very good herbicidal activity against AMARE.

[0429] At an application rate of 0.336 kg/ha, the compound I-21 applied by the post-emergence method, showed very good herbicidal activity against AMARE.

[0430] At an application rate of 0.5 kg/ha, the compounds I-9, I-10, I-16, I-18, I-19, I-20, I-23, I-24, I-27, I-50, I-42, I-43 and I-44 applied by the post-emergence method, showed very good herbicidal activity against AMARE.

[0431] At an application rate of 0.23 kg/ha, the compound I-30, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

[0432] At an application rate of 0.25 kg/ha, the compounds I-12 and I-41, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

[0433] At an application rate of 0.336 kg/ha, the compound I-21, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

[0434] At an application rate of 0.5 kg/ha, the compounds I-10, I-16, I-18, I-19, I-20, I-23, I-24, I-27, I-38, I-50, I-42, I-43 and I-44, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

[0435] At an application rate of 0.177 kg/ha, the compound I-26, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

[0436] At an application rate of 0.5 kg/ha, the compound I-38, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

[0437] At an application rate of 0.25 kg/ha, the compound I-49, applied by the post-emergence method, showed very good herbicidal activity against GALAP.

[0438] At an application rate of 1 kg/ha, the compounds I-4, II-1 and I-25 applied by the post-emergence method, showed very good herbicidal activity against SETFA.

[0439] At an application rate of 0.25 kg/ha, the compound I-49, applied by the post-emergence method, showed very good herbicidal activity against SETVI.

1-15. (canceled)

16. A compound of formula I



I

in which:

R is O—R^A, S(O)$_n$**13** R^A or O—S(O)$_n$—R^A;

R^A is hydrogen, C_1-C_4-alkyl, Z—C_3-C_6-cycloalkyl, C_1-C_4-haloalkyl, C_2-C_6-alkenyl, Z—C_3-C_6-cycloalkenyl, C_2-C_6-alkynyl, Z—C(=O)—R^a, Z—NR^1—C(O)—NR^iR^{ii}, Z—P(=O)(R^a)$_2$, NR^iR^{ii}, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^a and/or R^b,

R^a is hydrogen, OH, C_1-C_8-alkyl, C_1-C_4-haloalkyl, Z—C_3-C_6-cycloalkyl, C_2-C_8-alkenyl, Z—C_5-C_6-cycloalkenyl, C_2-C_8-alkynyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-haloalkoxy, Z—C_3-C_8-alkenyloxy, Z—C_3-C_8-alkynyloxy, NR^iR^{ii}, C_1-C_6-alkylsulfonyl, Z-(tri-C_1-C_4-alkyl)silyl, Z-phenyl, Z-phenoxy, Z-phenylamino or a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where the cyclic groups are unsubstituted or substituted by 1, 2, 3 or 4 groups R^b;

R^i, R^{ii} independently of one another are hydrogen, C_1-C_8-alkyl, C_1-C_4-halo-alkyl, C_3-C_8-alkenyl, C_3-C_8-alkynyl, Z—C_3-C_6-cycloalkyl, Z—C_1-C_8-alkoxy, Z—C_1-C_8-haloalkoxy, Z—C(=O)—R^a, Z-phenyl, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which is attached via Z; or

R^i and R^{ii} together with the nitrogen atom to which they are attached form a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S;

Z is a covalent bond or C_1-C_4-alkylene;

n is 0, 1 or 2;

R^1 is cyano, halogen, nitro, C_1-C_6-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_1-C_6-haloalkyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-alkoxy-C_1-C_4-alkoxy, Z—C_1-C_4-alkylthio, C_2-C_6-alkenyloxy, C_2-C_6-alkynyloxy, C_1-C_6-haloalkoxy, C_1-C_4-haloalkoxy-C_1-C_4-alkoxy, S(O)$_n$$R^{bb}$, Z-phenoxy, or Z-heterocyclyloxy, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b;

R^{bb} is C_1-C_8-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_2-C_6-haloalkenyl, C_2-C_6-haloalkynyl or C_1-C_6-haloalkyl and n is 0, 1 or 2;

A is N or C—R^2;

R^2 is Z^1-phenyl, phenoxy or Z^1-heterocyclyl, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b; or

R^2 is C_1-C_8-alkyl, C_2-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, C_2-C_8-alkenyl, C_2-C_8-alkynyl, C_2-C_8-haloalkenyl, C_2-C_8-haloalkynyl, C_2-C_6-alkoxy, Z—C_1-C_4-alkoxy-C_1-C_4-alkoxy, Z—C_1-C_4-haloalkoxy-C_1-C_4-alkoxy, C_2-C_6-haloalkoxy, C_3-C_6-alkenyloxy, C_3-C_6-alkynyloxy, C_2-C_6-alkylthio, C_2-C_6-haloalkylthio, Z—C(=O)—R^a, or S(O)$_{1-2}$$R^{bb}$;

Z^1 is a covalent bond, C_1-C_4-alkyleneoxy, C_1-C_4-oxyalkylene or C_1-C_4-alkyleneoxy-C_1-C_4-alkylene;

R^b independently of one another are Z—CN, Z—OH, Z—NO_2, Z-halogen, oxo (=O), =N—R^a, C_1-C_8-alkyl, C_1-C_4-haloalkyl, C_2-C_8-alkenyl, C_2-C_8-alkynyl, Z—C_1-C_8-alkoxy, Z—C_1-C_8-haloalkoxy, Z—C_3-C_{10}-cycloalkyl, O—Z—C_3-C_{10}-cycloalkyl, Z—C(=O)—R^a, NR^iR^{ii}, Z-(tri-C_1-C_4-alkyl)silyl, Z-phenyl and S(O)$_n$$R^{bb}$, or two groups R^b may together form a ring which has three to six ring members and, in addition to carbon atoms, contain heteroatoms from the group consisting of O, N and S and may be unsubstituted or substituted by further groups R^b; or

R^2 together with the group attached to the adjacent carbon atom form a five- to ten-membered saturated or partially or fully unsaturated mono- or bicyclic ring which, in addition to carbon atoms, may contain 1, 2 or 3 heteroatoms selected from the group consisting of O, N and S and may be substituted by further groups R^b;

R^3 is hydrogen, halogen, cyano, nitro, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_2-C_4-alkenyl, C_2-C_4-alkynyl, C_2-C_4-alkenyloxy, C_2-C_4-alkynyloxy, or S(O)$_n$$R^{bb}$;

R^4 is hydrogen, halogen or C_1-C_4-haloalkyl;

R^5 is hydrogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkoxy, or C_1-C_4-haloalkylthio;

R^6,R^7 independently of one another are hydrogen, halogen or C_1-C_4-alkyl;

Y is O or S;

X is O, S or N—R^x;

R^x is hydrogen, C_1-C_6-alkyl, C_1-C_4-haloalkyl, C_2-C_6-alkenyl, C_3-C_6-alkynyl, Z—C_3-C_{10}-cycloalkyl, C_1-C_6-alkoxy-C_1-C_6-alkyl, C_1-C_6-cyanoalkyl, Z-phenyl, Z—C(=O)—R^{a2} or tri-C_1-C_4-alkylsilyl;

R^{a2} is C_1-C_6-alkyl, C_1-C_4-haloalkyl, Z—C_1-C_6-alkoxy, Z—C_1-C_4-haloalkoxy or NR^iR^{ii};

where in the groups R^A and their subsubstituents, the carbon chains and/or the cyclic groups may be partially or fully substituted by groups Rb, or an N-oxide or an agriculturally suitable salt thereof

17. The compound of claim **16** in which A is CR^2.

18. The compound of claim **17** in which

R^2 is an optionally substituted five- or six-membered saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S.

19. The compound of claim **17** in which R^2 is



in which # denotes the bond through which the group R^2 is attached and:

R^{P2} is H or F;

R^{P3} is H, F, Cl or OCH_3; and

R^{P4} is H, F, Cl, CH_3, CF_3, OCH_3, OCH_2OCH_3 or $OCH_2CH_2OCH_3$.

20. The compound of claim **18** in which R^2 is an optionally R^b-substituted heterocycle selected from the group consisting of isoxazoline, tetrazolone, 1,2-dihydrotetrazolone, 1,4-dihydrotetrazolone, tetrahydrofuran, dioxolane, piperidine, morpholine, piperazine, isoxazole, pyrazole, thiazole, oxazole, furyl, pyridine and pyrazine.

21. The compound of claim **20** in which the groups R^b are selected from the group consisting of C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl and C_1-C_4-alkylthio-C_1-C_4-alkyl.

22. The compound of claim **17** in which

R^2 is an aliphatic group selected from the group consisting of C_1-C_6-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-haloalkoxy-C_1-C_4-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_2-C_4-alkoxy, C_2-C_4-haloalkoxy, C_3-C_6-alkenyloxy, C_3-C_6-alkynyloxy, C_3-C_6-haloalkenyloxy, C_3-C_6-haloalkynyloxy, C_1-C_4-alkoxycarbonyl, $S(O)_2$—C_1-C_8-alkyl and $S(O)_2$—C_1-C_8-haloalkyl.

23. The compound of claim **16** in which

R^1 is halogen, C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyk and

R^3 is H, halogen, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, or C_1-C_4-alkylsulfonyl.

24. The compound of claim **17** in which R^2 together with R^1 or R^3 forms an optionally R^b-substituted five- to ten-membered mono- or bicyclic, partially unsaturated ring which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S.

25. The compound of claim **22** in which the ring substituted by groups R^1, R^2, R^3 and R^4 corresponds to one of groups A to L

A



B



C



D



E



F



G



-continued

H



I



J



K



L



26. The compound of claim **16** in which A is N.

27. The compound of claim **26** in which

R^1 is nitro, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyl; and

R^3 is H, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio or C_1-C_4-alkylsulfonyl.

28. The compound of claim **16** in which

X,Y independently of one another are O or S and

R^4,R^5, R^6,R^7 are H.

29. A composition comprising a herbicidally effective amount of a compound of claim **16** and auxiliaries customary for formulating crop protection agents.

30. A method for controlling unwanted vegetation which comprises allowing a herbicidally effective amount of a compound of claim **16** to act on plants, their seed and/or their habitat.

31. The method of claim **30**, wherein in the compound of formula I, A is CR^2.

32. The method of claim **31**, wherein in the compound of formula I,

R^2 is an optionally substituted five- or six-membered saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S.

33. The method of claim **31**, wherein in the compound of formula I, R^2 is



in which # denotes the bond through which the group R^2 is attached and:

R^{P2} is H or F;

R^{P3} is H, F, Cl or OCH_3; and

R^{P4} is H, F, Cl, CH_3, CF_3, OCH_3, OCH_2OCH_3 or $OCH_2CH_2OCH_3$.

34. The method of claim **32**, wherein in the compound of formula I, R^2 is an optionally R^b-substituted heterocycle selected from the group consisting of isoxazoline, tetrazolone, 1,2-dihydrotetrazolone, 1,4-dihydrotetrazolone, tetrahydrofuran, dioxolane, piperidine, morpholine, piperazine, isoxazole, pyrazole, thiazole, oxazole, furyl, pyridine and pyrazine.

35. The method of claim **34**, wherein in the compound of formula I, the groups R^b are selected from the group consisting of C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl and C_1-C_4-alkylthio-C_1-C_4-alkyl.

36. The method of claim **31**, wherein in the compound of formula I,

R^2 is an aliphatic group selected from the group consisting of C_1-C_6-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-haloalkoxy-C_1-C_4-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, C_2-C_4-alkoxy, C_2-C_4-haloalkoxy, C_3-C_6-alkenyloxy, C_3-C_6-alkynyloxy, C_3-C_6-haloalkenyloxy, C_3-C_6-haloalkynyloxy, C_1-C_4-alkoxycarbonyl, $S(O)_2$—C_1-C_8-alkyl and $S(O)_2$—C_1-C_8-haloalkyl.

37. The method of claim **30**, wherein in the compound of formula I,

R^1 is halogen, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyl; and

R^3 is H, halogen, CN, NO_2, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, or C_1-C_4-alkylsulfonyl.

38. The method of claim **31**, wherein in the compound of formula I, R^2 together with R^1 or R^3 forms an optionally R^b-substituted five- to ten-membered mono- or bicyclic, partially unsaturated ring which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S.

39. The method of claim **30**, wherein in the compound of formula I, the ring substituted by groups R^1, R^2, R^3 and R^4 corresponds to one of groups A to L

A



B



C



D



E



F



G



-continued

H



I



J



K



L



40. The method of claim **30**, wherein in the compound of formula I, A is N.

41. The method of claim **40**, wherein in the compound of formula I,

R^1 is nitro, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-haloalkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkylthio or C_1-C_4-alkylsulfonyl; and

R^3 is H, CN, NO_2, C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio or C_1-C_4-alkylsulfonyl.

42. The method of claim **30**, wherein in the compound of formula I,

X,Y independently of one another are O or S and

R^4,R^5,R^6,R^7 are H.

* * * * *