



US 20130332292A1

(19) **United States**

(12) **Patent Application Publication**  
**Angert et al.**

(10) **Pub. No.: US 2013/0332292 A1**  
(43) **Pub. Date: Dec. 12, 2013**

(54) **METHOD AND SYSTEM FOR RE-ROUTING ITEMS SOLD OR AUCTIONED TO A NEW CUSTOMER**

continuation of application No. 10/857,831, filed on Jun. 1, 2004, now Pat. No. 7,505,929.

**Publication Classification**

(71) Applicants: **Charles D. Angert**, Colorado Springs, CO (US); **Andrew Mitchell Harris**, Athens, GA (US)

(51) **Int. Cl.**  
**G06Q 50/12** (2006.01)  
**G06Q 30/08** (2006.01)

(72) Inventors: **Charles D. Angert**, Colorado Springs, CO (US); **Andrew Mitchell Harris**, Athens, GA (US)

(52) **U.S. Cl.**  
CPC ..... **G06Q 50/12** (2013.01); **G06Q 30/08** (2013.01)  
USPC ..... **705/15**

(21) Appl. No.: **13/963,398**


(57) **ABSTRACT**

(22) Filed: **Aug. 9, 2013**

A method and system for auctioning or sales of deliverable items via the Internet permit customers to purchase or bid on items. Delivery of the item is first scheduled to a first bidder or purchaser and then in response to a second bidder or purchaser's bid or purchase, may be rescheduled for delivery to the second bidder or purchaser. A replacement item may be offered to a losing bidder and in the case of a purchase, may be automatically scheduled for delivery to a purchaser whose item has been re-scheduled for delivery to another.

**Related U.S. Application Data**

(63) Continuation of application No. 12/783,759, filed on May 20, 2010, now Pat. No. 8,515,822, which is a continuation of application No. 12/330,675, filed on Dec. 9, 2008, now Pat. No. 7,752,075, which is a






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5A




Fig. 5B




Fig. 6




Fig. 7






Fig. 8




Fig. 9

## METHOD AND SYSTEM FOR RE-ROUTING ITEMS SOLD OR AUCTIONED TO A NEW CUSTOMER

**[0001]** The present application is a Continuation of U.S. patent application Ser. No. 12/783,759 filed on May 20, 2010 and Claims priority therefrom under 35 U.S.C. §120. The above-referenced U.S. parent patent application is a Continuation of U.S. patent application Ser. No. 12/330,675 filed on Dec. 9, 2008 and issued as U.S. Pat. No. 7,752,075 on July 6, and which was a Continuation of U.S. patent application Ser. No. 10/857,831 filed on Jun. 1, 2004 and issued as U.S. Pat. No. 7,505,929 on Mar. 17, 2009. The disclosures of each of the above U.S. patent applications are incorporated herein by reference.

### BACKGROUND OF THE INVENTION

**[0002]** 1. Field of the Invention

**[0003]** The present invention relates generally to food delivery systems, and more specifically, to a method and system for auctioning and/or scheduling delivery of prepared food remotely over a network.

**[0004]** 2. Background of the Invention

**[0005]** Present-day culture is fascinated with the novelty and immediacy provided by state-of-the art data communications channels such as the Internet. Now that individuals have access to information and sales services at the click of a mouse, purchase of books, music, electronics items and other goods and services are available from the comfort of the couch. However, immediate needs of Internet users are not typically met by these systems, as traditional delivery services are typically used, introducing days or weeks of delay. Therefore, traditional Internet delivery methods are unsuitable for the delivery of prepared food, for which delay times of less than an hour are generally necessary.

**[0006]** Systems have been employed for the sale of groceries where delivery is somewhat more immediate, but deliveries are typically scheduled as a delivery vehicle and stock-pull person becomes available to service the need. Such systems are insufficient to fill the immediate feeding needs of the typical Internet user.

**[0007]** Auction-based Internet sites are especially popular in present culture, as they add an element of competition and chance to what would otherwise be an ordinary sales transaction. Food items are typically not sold at auction. Exceptions are auctions such as fund-raisers and charity events where an event such as a church bake sale is transformed into an auction where the spirit is more donative rather than competitive. Other auction items might include custom-prepared meals by expert gourmet chefs, but in general, prepared food is not auctioned, due to its perishable and location-specific nature.

**[0008]** Information about delivery and availability status of items for sale or auction via the Internet is typically limited to whether or not an item is in-stock and once an item has shipped, the tracking status of the items' delivery status, generally in terms of tracking points of a common carrier delivery service such as the United States Postal Service, United Parcel Service, Federal Express and the like.

**[0009]** Therefore, it would be desirable to provide a method and system for auctioning, delivering and modifying sales and delivery of prepared food items. It would further be desirable to provide a user interface for enhancing the purchase/auction experience via a visual display that provides

availability, competitive and progress tracking elements. It would also be desirable to provide a business method whereby auction paradigms may be applied to the sales of prepared food items.

### SUMMARY OF THE INVENTION

**[0010]** The above objectives of auctioning, delivering and modifying sales or delivery of prepared food items are achieved in a method and system for auctioning, delivering and modifying sales of prepared food items that include both business method and implementation methodology components. A customer user interface is also provided for enhancing the auction/delivery progress experience, as well as to reveal available options for decision-making by an Internet user.

**[0011]** The system provides an Internet site serving a customer interface having a list of prepared food items available for delivery within a short time interval and estimated delivery times generated in conformity with a predetermined locale associated with a customer. Additionally, map tracking information of a selected item's prospective delivery status and/or location may be provided for viewing by one or more users. A sales and/or auction activating control is provided for selection of a prepared food item by the customer. Upon selection of a prepared food item by the user, delivery is scheduled, unless the purchase method is an auction and the customer is not the initial high bidder. Periodic display is made of estimated arrival time and optionally a map showing the progress and route of a delivery vehicle assigned to deliver the selected prepared food item. Food may be prepared at a fixed location, or prepared en-route with order information communicated directly to the delivery vehicle.

**[0012]** In an auction, delivery may be interrupted en-route if the auction method provides for re-auction facilities. A re-auction may be employed as a renegotiating process that the customer has previously agreed to, whereby a sale of the prepared food item is usurped by another user via the Internet. Alternatively, an auction may be held open until the prepared food item is delivered to a particular bidder. For an auction, the customer interface may show prepared food items that are en-route to other users, so that a user may enter into bidding competition for the en-route items. The re-auction period is held open for a time period established by a timer and the timer may be set at each bid by determining slack time in the preparation/delivery schedule for the item to the current winning bidder or the bidding may be held open until actual delivery or expiration of the shelf life of the food item. Bid increments for a next bidder may be set in conformity with a level of burden associated with re-routing the food item.

**[0013]** The prepared food item sales and auction described above include associated sales that include prepared food items, such as airplane or other transportation tickets, but only as provided in a locale for immediate delivery, such as in an aircraft or at an airline terminal.

**[0014]** Additionally, the sales prices of food may be adjusted in conformity with the auction process. If a user has purchased an item that is usurped in a re-auction process, the vendor may make an identical or similar item available at a reduced price and later delivery. Alternatively, the vendor may provide an item identical or similar to an item on which an auction is lost or usurped available at a higher price and possibly earlier delivery. Alternatively, a vendor may conduct bidding on delivery time for items for sale and/or items already sold. For example, while a set of food items may

already be sold and scheduled for delivery, the vendor may conduct bidding for location in the delivery queue. For example, a vendor may have multiple orders sold and scheduled for delivery by a single vehicle and an on-line competition (i.e., bidding war) may be conducted for position of various customers in the delivery queue. As an alternative to an auction, a vendor may simply offer an improved delivery time at a higher cost, or a non-ensured or long delivery time at a lowered cost.

**[0015]** The methods of business employed in conjunction with the system includes franchising the tracking, various information and server equipment and/or endorsement provided by the delivery service equipment and Internet companies to food service establishments. The delivery systems may be individual vehicles associated with and possibly owned by a particular food service franchise, or may be a vehicle owned by a delivery service or other organization that delivers and/or prepares food from multiple food vendors under a franchise or other agreement with each food vendor. Advertising may be provided on the vehicle directed toward a specific food vendor and its trade indicia, or indicia of each of multiple vendors may be displayed.

**[0016]** The system providing functionality for the above-described methods includes an Internet server that serves the graphical user interface used by the various customer-users to bid on or purchase food items. Tracking of the delivery vehicle is provided by a global positioning (GPS) receiver mounted on each of the delivery vehicles or another location-finding system capable of tracking the vehicles in real-time or quasi-real-time. The vehicle includes communication apparatus which may be a wireless local area network connection (WLAN), cellular telephone or radio link by which the location information is communicated back to the Internet server so that estimated time-of arrival (ETA) may be related to the users via time and/or map display. The communication link also receives routing and change of routing information from the server so that the delivery schedule may be updated in real-time and the vehicle may be re-routed in conformity with a result of a sales or bidding process. Further equipment within the vehicle may include capability and inventory information systems for automatically determining the availability of food items and relaying information back to the server via the communication link so that available items may be displayed for purchase or auction and so that supply points may be notified of vehicle needs. The vehicle also may include camera equipment so that an image of the food preparation or delivery process may be delivered to one or more of the Internet users. For example, a user may be able to view the preparation of an ordered food item or have an audio-visual communication with or from a driver or other worker in a delivery/preparation vehicle or may view a view of the outside of the vehicle so that progress through city streets, etc. may be tracked, which may also aid in navigation for the vehicle driver should communication with a user be enabled via the Internet.

**[0017]** Supply points are re-stocking centers, which may be fixed food preparation establishments (such as a franchise outlet serving the public) or just raw material depots in systems where all preparation is performed within the delivery vehicle. Supply point communication is provided via wireless or wired network connection to the Internet server or may provide the physical location of the network server. Displays generated from user activity provide order information for food items auctioned or sold. For food items prepared or

partially prepared at the supply points, the order/auction information is used to queue food items in the preparation process and schedule pick-up by a delivery vehicle. For food items prepared wholly within the delivery vehicle, the information is used for readying raw materials for a re-stock when the delivery vehicle returns to the supply point.

**[0018]** Equipment at the user site is generally a user-supplied general-purpose computer system executing an Internet browser program for displaying web pages provided by the Internet server. The user site equipment may optionally include cameras and voice-over-Internet equipment for providing verbal and visual communication with the delivery vehicle and/or supply points. The web page user interface may even include a simulation of a fast-food franchise intercom and marquee with associated audio channel quality simulation program processing any audio transferred between the users and the vehicle and/or supply point. Graphic indicia may be used on the web page (including the appearance of an intercom and marquee) for identification of franchisors of various food items available for delivery.

**[0019]** The foregoing and other objectives, features, and advantages of the invention will be apparent from the following, more particular, description of the preferred embodiment of the invention, as illustrated in the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

**[0020]** FIG. 1 is a pictorial drawing depicting a system in accordance with an embodiment of the invention as deployed in an urban area.

**[0021]** FIG. 2 is a block diagram depicting a networked computer system in which an embodiment of the invention is practiced.

**[0022]** FIG. 3 is a pictorial drawing depicting an Internet browser output displayed on the customer graphic display of FIG. 2, as provided by a networked sales and delivery system in accordance with an embodiment of the invention.

**[0023]** FIG. 4 is a pictorial drawing depicting an Internet browser output displayed on the customer graphic display of FIG. 2, as provided by a networked food sales/auctioning/delivery system in accordance with another embodiment of the invention.

**[0024]** FIG. 5A is a pictorial drawing depicting a top inside view of a delivery/preparation vehicle in accordance with an embodiment of the invention.

**[0025]** FIG. 5B is a pictorial drawing depicting a side view of a delivery/preparation vehicle in accordance with an embodiment of the invention.

**[0026]** FIG. 6 is a flowchart depicting operation of a networked sales and delivery system in accordance with an embodiment of the invention.

**[0027]** FIG. 7 is a flowchart depicting operation of a networked food sales/auctioning/delivery system in accordance with another embodiment of the invention.

**[0028]** FIG. 8 is a pictorial drawing depicting a system in accordance with yet another embodiment of the invention as may be employed in airline terminals.

**[0029]** FIG. 9 is a pictorial drawing depicting a system in accordance with yet another embodiment of the invention as may be employed in aircraft.

DETAILED DESCRIPTION OF THE PREFERRED  
EMBODIMENTS

**[0030]** Referring now to the figures and in particular to FIG. 1, a food sales, delivery and auctioning system deployed in an urban area in accordance with an embodiment of the present invention is shown. FIG. 1 depicts an urban “grid” having blocks of buildings segmented via streets on which vehicles forming part of the system of the present invention are in transit. Various locations of specific importance to the illustration are located at various sites in the figure. In particular, a fast food retail establishment **14** is depicted serving fast-food customers **18** and in the present invention, also servicing a delivery vehicle **16A** that pick up prepared food and/or food preparation supplies from fast food retail establishment **14**. The system of the present invention encompasses mechanisms and methodologies for selling and/or auctioning prepared food items, and then delivering them within a scheduled period. Delivery vehicle **16C** is shown making a delivery to a residence or workplace **12**. The delivery may be made of items prepared at a retail location such as fast food retail establishment **14**, or may be prepared within delivery vehicle **16C** while it is on-route to scheduled deliveries.

**[0031]** Additionally, a supply depot **10** is provided for restocking delivery vehicles **16A-16C** as an alternative to, or in concert with fast food retail establishment **14**. Supply depot **10** may also serve as a supply source for fast food retail establishment **14** and delivery vehicles **16A-C** may also be used to deliver supplies from supply depot **10** to fast food retail establishment **14**, providing potential improved efficiency in the operation of the overall system. While the illustration shows food preparation either within one of delivery vehicles **16A-C** or within fast food retail establishment **14**, a fixed food preparation site may also be used that does not sell fast food to the public directly.

**[0032]** Each of the sites mentioned above as well each delivery vehicle **16A-C** includes at least one “client” networked computer system or networked portable appliance. The network interconnect may include both wired and wireless standard network connections, as well as proprietary radio networking connections to maintain contact with vehicles. For example, the customer may be using a personal digital assistant (PDA) or wireless telephone with an Internet interface to order food while at a place other than the customer’s residence or office. The wireless device may include a GPS receiver or may receive location information from the wireless network and relay the position information obtained thereby to the system of the present invention in order to provide a delivery location.

**[0033]** The four types of users with which the system communicates are customers, suppliers, drivers and supervisors. There are four corresponding “clients” connected to a server that provide interaction between the system and the corresponding user, providing client-server interaction to support sales and/or auction, preparation and delivery of a prepared food item. However, it is not necessary that the present invention use a network having traditional client-server architecture, as a distributed server network or other alternative may be employed as economies of scale and the particular implementation dictate.

**[0034]** Customers are members of the public who have accessed the networked computer system to purchase or bid on food items and drivers are responsible for delivery of the food items. Supervisors are responsible for scheduling of deliveries, ordering and inventory of supplies and re-stocking

the various locations with those supplies. The supervisors may largely be replaced with an automatic process that maintains inventories and schedules ordering and delivery of supplies, or a higher level of human involvement may be employed, as needed. Suppliers are responsible for food preparation, and therefore may be a dedicated preparation location, fast food retail establishment **14**, or preparation personnel within one of delivery vehicles **16A-C**.

**[0035]** The system of the present invention provide a highly flexible system that can respond to changing demand. Delivery vehicles (generally with the supplier included within the vehicles) may be deployed near events where high demand is expected, or the deployment of delivery vehicles may be made at any time based on the observed geographic patterns of deliveries made by the system. In general, the system will naturally adapt to geographic concentrations of demand as a function of normal routing for deliveries, but algorithms that observe and balance demand may additionally be employed to move idle or underutilized delivery vehicles to locales determined by the system.

**[0036]** FIG. 2 depicts a networked computer system in which a server **20** communicates via a network connection **21** and/or a wireless network connection **22** each of the above-described clients, each of which accesses server **20** using a computer system operating a browser program, a terminal for providing a special-purpose interface or via a portable device having a user interface. In general, the present invention may be implemented using any number of servers in communication so that the necessary interactions between users are supported (via the above-mentioned clients) to provide sales and/or auction of deliverable prepared food items. Specifically, it is desirable to provide a user interface to customers via a general-purpose computing system executing an Internet browser such as those that are presently in widespread use in homes and offices. Other emerging networks such as dedicated interactive cable systems and dedicated wireless networks may be used as an alternative to the Internet.

**[0037]** Interfaces for other users are desirably tailored to the users’ environments. For example, within delivery/preparation vehicles **16A-16C**, a driver may use a palm-held or dashboard-installed device as driver computer **25** networked via a wireless local area network (WLAN) network interface (NIC) **222**, while food preparation personnel (suppliers) may interact with server **20** via a larger dedicated terminal and a control pad designed to withstand a food preparation environment serving as a mobile version of supplier computer **24** and may share a connection through NIC **222** or have a separate interface for connection with a WLAN access point **221** connected to server **20**. A camera **243** may be connected to supplier computer **24** to provide streaming video or still images to customers, supervisors or drivers of the food preparation process. Driver computer **25** also includes an attachment to a global positioning system (GPS) receiver **253** so that location of delivery vehicles **16A-16C** may be tracked. Driver computer **25** may also include a camera in or outside of the vehicle so that customers or prospective customers may view the locale around the vehicle.

**[0038]** Supervisors and suppliers in fixed locations such as fast food retail establishment **14** use a supervisor computer system **26** and supplier computer system **24** that may be either general-purpose computing systems in an office-type environment, or if they located at a food service counter in a franchise establishment, a dedicated terminal system may be

more appropriate and may be combined or alternate functions with a point-of-sale system as generally provided in food service establishments.

[0039] Each of the above-described clients is provided access to a unique set of web pages or user-interface screens in order for them to interact with server 20. Access to server 20 is determined and managed by a username/security-password system where each client must log-in to a client account that has pre-assigned access privileges depending on the type of client, as well as specific client's stored preference information. Alternatively, log-in may be secured via security objects installed within each of the above-described client computers 24-26. Each of client computers 24-26 includes a graphical display 231, 241, 251 and 261 that displays an interface of a browser 232, 242, 252 and 262 executing on the associated client computer 24-26.

[0040] Server 20 maintains and manages a database 29 that stores information about food items, supplies and client computers 23-26. The food item database portion stores information about food items such as: descriptions of food items, standard preparation times, preparation locations (including location and scheduled route of vehicle if suppliers are located therein), prices at locations, stocking information, daily availability, and the longevity of prepared food item.

[0041] Database 29 also contains client information such as the type of client, name and location and phone number, distances from any supplier locations, estimated driving times between locations, client preferences, and a history of client activity. For driver clients 25, the database also stores current locations and destinations, GPS information reported by GPS receiver 253, destination lists, driver routing information, order delivery information and estimated arrival times. For supplier clients 24, the database also stores supply order/inventory information, food item order information, driver routing and end customer information.

[0042] FIG. 3 shows a diagram depicting browser 232 output 30 as displayed on customer graphic display 231 of FIG. 2, in accordance with an embodiment of the invention. Browser 232 may be an Internet browser of a type generally in use, such as Navigator (manufactured by Netscape, Inc.) or Internet Explorer (manufactured by Microsoft Corporation). A location bar 31 permits the user of the browser to direct the browser to interact with a web page (www.crninc.com in this example).

[0043] Browser output 30 depicts the graphical and textual content of a customer web page 300, which may contain supplemental content such as advertising link icons 39, as well as items associated directly with operation of the present invention. In the exemplary browser output, all of the operational items associated with the example are depicted as being located within one web page, but multiple pages may be used to separate the various steps associated with a sale or auction. When a customer points location bar 31 of Browser 30 at a customer interface web address of server 20, the depicted interface is delivered from server 20.

[0044] Server 20 uses the customer's geographic location to calculate estimated delivery times. The geographic location is entered during customer configuration (or in the case of a mobile wireless device, determined from a location system or embedded GPS receiver), and may be retrieved from database 29 upon login or may be stored locally on customer computer 22 as a cookie or other data source. A new customer will be prompted to provide this information, and previous customers may log-in using previously assigned name and

password. Server 20 then displays a dynamic on-line food menu 32 with which the customer may interact. On-line food menu 32 displays a list of available food items from participating vendors, along with an estimated time for delivery of each food item and a price for that item. The price may be tied to the ETA or delivery route so that the costs of delivery to distant locations is reflected in the price. The customer may sort the information presented by selectively choosing sort preferences 35 or by applying food category filters 36. The customer may display an on-line food menu 32 in order by price, or by delivery time. The customer may also choose to filter the displayed selections whereby only a specific food type or category is included or omitted from the browser display.

[0045] Web page 300 is updated from Server 20 upon receiving Customer's interactive preferences, as well as dynamically changing information about food item availability and estimated time for delivery. The Customer may choose one or more items from the on-line food menu purchase column 33 for purchase and delivery. The Customer WEB page 300 allows the Customer to choose items from the on-line food menu, then purchase those items. The customer may also be offered delivery options where available. In some areas, the customer may choose curb-side delivery at one price and to-door delivery at another price, selected by option controls 37.

[0046] Once a purchase selection button 34 is pressed by the customer, server 20 provides a payment web page, with customer options and information boxes for payment type, account numbers and other necessary information. When an order is confirmed (including an optional check for prior bad delivery points), server 20 will modify information in database 29 to reflect the order, including the creation of an order number, and generate an update to the web pages that may be being communicated and viewed by driver, supplier and supervisor type clients and causes automatic queuing of requests to the driver and supplier computer systems 24 and 25. In general, server 20 will either communicate the request to supervisor computer 26, at which the supervisor will either manually or supervisor computer will automatically schedule and assign a particular driver/supplier combination and add the preparation request to supplier computer system 24 and the delivery request to driver computer system 25, scheduling the preparation and deliver of the ordered food item(s) in queues maintained for the supplier and deliverer.

[0047] The scheduling of the two events: preparation and delivery is preferably a sophisticated process that takes into account routing efficiencies for deliveries, variable preparation times of food items, potential as-prepared shelf life of food items, payment incentives for faster delivery when offered, including the delivery type option selected by the customer.

[0048] FIG. 4 shows a diagram depicting a browser screen 40 displaying an auction customer page on customer graphic display 231 in accordance with another embodiment of the invention. In general, operation of the user interface and the responses of the system is as described above for a sales browser interface, but a web page 400 may alternatively provide auction capabilities, leading to an entertaining variant on the web purchase scheme outlined above. Customers may choose to purchase items via selection from the dynamic on-line food menu 42 as described above for the purchase-only interface of FIG. 3. Upon placing an order, the customer will have the option to accept or decline the exclusivity of an

item bid upon (yielding an ordinary purchase). While price bidding is generally the type of bidding recognized in an auction, another form of bidding may be employed in the methods of the present invention: delivery time or queue placement bidding. When auctioning prepared food items, the supply of such items can be regarded as quasi-infinite and therefore, bidding customers may bid on delivery time/queue placement rather than the actual food item. The distinction between item bidding and queue placement bidding is that the food item is not surrendered in queue placement bidding, only delayed in delivery. In a practical sense, as preparation time forms part of the total time for delivery, even in queue placement bidding the actual food item may be surrendered. However, an exact replacement item is automatically queued for delivery to a losing queue placement bidder, albeit after the queued delivery time for the winning bidder.

**[0049]** In addition to dynamic on-line food menu **42**, server **20** provides an additional bid-list **48** of all non-exclusive pending food item orders with details of their status, price and estimated time for delivery. Under certain circumstances bid-list **48** may contain items that were prepared but their delivery was canceled, or other items that are prepared and available. Bid-list **48** allows a second customer to offer a higher price for the item already being prepared. If this price margin is acceptable to a pre-defined price bid structure stored in database **29**, a bidding war process is started wherein the original customer is contacted by server and the original customer is informed that the customer's food order (or portion thereof) is being bid against. Server **20** will calculate and provide current bid parameters to each of the interested customers, checking bid increases against database **29** for acceptable bid parameters. Database **29** may contain a static list of bid parameters, such as minimum increase in bid to change delivery cycle, or may contain a dynamically changing list of bid parameters maintained by a stored set of rules whereby bid price options are determined based on inputs from any client and new parameters of a bidder.

**[0050]** In the event of a bidding war, a bid timer **44** will be initialized, activated and displayed by server **20** on each participant's graphical display. Server **20** manages bid timer **44** in coordination with the estimated time of arrival calculations for all bidders. Slack time calculation may be provided by determining the difference between preparation time and delivery time for a mobile provider, but generally slack time is a more complex function based on queued deliveries, queued preparation times and re-route burdens incurred for each bidder. When no slack time is present in the delivery sequence, the server ends the bidding process and awards the winner with the food item order and a new estimated time of arrival. Otherwise, bid timer **44** may be reset at each change of circumstance, such as when a new winning bidder slack time is greater. In addition, server **20** communicates with the unsuccessful bidder(s) and may offer them alternative choices in the form of updated dynamic on-line food menu **42** and updated bid-list **48**. Server **20** may also offer a discount on items subsequently re-ordered by an unsuccessful bidder.

**[0051]** As in the purchase-only example, the scheduling of the two events: preparation and delivery is preferably a sophisticated process that takes into account: routing efficiencies for deliveries, variable preparation times of food items, potential as-prepared shelf life of food items, payment incentives for faster delivery and further includes the bidding history and any changes to the delivery point occurring during the bidding and re-bidding process.

**[0052]** While the above-described example provides a mechanism for decision making (via bid timer **44**) that is advantageous in avoiding bidding process interference with delivery routes, it is possible to implement the bidding and routing process in different manners, some requiring timer **44** and some not. For example, bidding could be allowed up until the point of actual delivery and transfer of the food items. Such a mechanism would lead to unstable routing during a bidding war, but could be stabilized or at least made cost-efficient by server **20** adding a bid increment that corresponds to at least the cost of re-routing of delivery. As delivery approached on a winning bid, the incremental cost to outbid (due to re-routing) would increase, until the cost became prohibitive for actual food purchase and entered the realm of competitive gaming. With the bid increment, the organization and drivers could be rewarded for participation in re-bidding and re-routing of deliveries, yielding an environment that should be acceptable to the drivers as well as the customers.

**[0053]** It should be noted in the above example, that bidders closer to a fixed supplier would be advantaged over bidders farther away. An adjustment may be introduced to compensate for the differences in delivery distances, or the differences may be left in place, as in the purchase example above, so that the costs of delivery are integrated into the eventual prices developed by the bidding process.

**[0054]** FIGS. **5A** and **5B** show a delivery vehicle **50** in and with which an embodiment of the present invention is practiced. Delivery vehicle **50** may be a car or truck with or without food preparation capability. Vehicle **50** contains mobile laptop/palmtop computer **51** serving as driver computer **25** of FIG. **2** attached to a graphical display **52** displaying a driver browser page. Delivery vehicle **50** also includes a GPS position location receiver **54**, connected to driver computer **51**. Computer **51** is remotely connected to the Internet via WLAN interface **55**, which may be a cellular data link, WLAN connection or other proprietary RF interface. As depicted in FIG. **5B**, delivery vehicle **50** may self-advertise or advertise for others via signage **57**. Delivery vehicle **50** may also include camera **509** to provide video or still images of the locale around delivery vehicle **50** to server **20**, which can relay the images to clients.

**[0055]** Driver display **52** displays a customized Driver web page from server **20**. The driver, usually an employee, will be required to log in for the duration of the employee shift. When logged in as a driver type client, server **20** will receive position location information generated by GPS receiver **54** and update database **29** on a periodic basis, providing tracking of delivery vehicle **50**.

**[0056]** The driver of vehicle **50** receives a dynamic list of delivery tasks from server **20** that appearing on graphical display **52**, based on current order and delivery status information. Other information such as the order number and end customer information may also be displayed. Server **20** may also provide: detailed driving directions in either text-on-screen or via spoken audio prompts, mapping display showing current position and destination, and up to date road conditions.

**[0057]** The driver web page displayed on graphical display **52** is dynamically updated by server **20**, and provides an additional audible alarm or spoken audio prompt, via computer **51** and attached audio device **56** to alert the driver of a destination change.

**[0058]** Delivery vehicle **50** may optionally contain food preparation facilities and/or food warmers for transportation.

If delivery vehicle **50** carries food preparation facilities **500**, delivery vehicle will also carry an additional mobile laptop/palmtop computer **501** with graphical interface **502** displaying a supplier web page interface. Computer **501** is connected to the Internet by wireless link **55** and communicates with server **20** as a supplier client. Delivery vehicle **50** also includes food storage area **504** that may be used for: storage/warming of prepared food for delivery, storage of ingredients for food items prepared within delivery vehicle **50**, and storage of supplies picked up for delivery between a fixed supplier and a retail fast food location.

**[0059]** The supplier web page, communicating with the server **20** over the Internet via the supplier computer **501** and a browser executing thereon, is required to be logged in to server **20** during while that supplier is available to provide food items for sale. The supplier may be a franchise in a fixed location, or the supplier may be transported in a stocked mobile delivery vehicle **50** having food preparation facilities **500**. When logged in as a supplier type of client, server **20** presents to supplier a list of what food items to prepare next to the food preparation facility, as displayed on graphic display **502**. Server **20** supplies an order number and customer information corresponding to the current order.

**[0060]** The supplier interface appearing on graphic display **502** may be customized to display and allow user input in specific pre-arranged configuration. This input and display configuration could mimic the particular supplier's existing order system, and to the employee it would appear as another Point-of-Sale terminal for fixed retail locations acting as suppliers. Supplier display **501** displays a list of which food item to prepare next, and allows the supplier to communicate to server **20** that the present order has been filled. Server **20** responds by removing the present item from the list of items to prepare and updating the list of food items to prepare. Server **20** also recalculates delivery routings as necessary, and if the prepared item is not yet queued on the driver task list, the item is queued at that time. A camera **505** is located in the back of vehicle **50** for providing video or still images of the food preparation process to server **20**, which can relay that information to any of the clients.

**[0061]** The supervisor web pages, generally provided to a supervisor at a fixed location such as fast food retail establishment **14**, permit access to all other client levels, but are restricted as between supervisors. Such a system provides individual franchise isolation for information security purposes, and will also permit supporting multiple franchising organizations within a single system or server **20**, without compromising information that should only be available to a particular franchisee or franchising organization.

**[0062]** Referring now to FIG. 6, a method in accordance with an embodiment of the invention is depicted in a flowchart. When a customer logs in, a new account is created if the customer is new, otherwise database information is accessed for that user (step **60**). The customer is provided an opportunity to update preferences (step **61**) via an initial screen or a link. Server **20** then determines available food item options for the customer (step **62**) and calculates ETAs for each item (step **63**). Next, an order menu of available food items along with prices and ETAs is displayed (step **64**), so that the customer may elect to purchase food items for delivery.

**[0063]** If an order is entered by the customer (decision **65**), then a customer payment and payment preferences screen or window is displayed (step **66**), otherwise steps **61-65** are repeated in order to provide a dynamically updated food item

options menu and provide customers the opportunity to update their preferences. After the order is complete, an order record is generated and databases are updated (step **67**) and then a supplier is chosen if more than one supplier for that item is available (step **68**). If more than one item is available, an efficiency optimization algorithm, such as a time or route minimizer is used to elect the supplier that can meet the ETA provided in step **64** for the purchased food item(s). If the supplier is not mobile (decision **69**), then a deliverer is selected via another optimization algorithm (step **610**). Alternatively, the supplier and deliverer are chosen in combination in step **68**.

**[0064]** For a fixed-location supplier, the order pickup is scheduled for the supplier and deliverer (step **611**), preparation is queued at the supplier and pickup is queued for the deliverer. When pickup is next in queue, the driving pickup instruction is displayed (step **612**) and the food is picked up when the deliverer arrives at the supplier (step **613**). When the delivery is next in queue, the delivery instruction is displayed (step **614**) and if the food is deliverable (decision **605**) the food is delivered (step **607**). If the food is undeliverable (decision **605**), then the food item may be placed on auction server or alternatively placed back on purchase food item menus while the food item shelf-life is still valid (step **606**). Food items may be undeliverable if the delivery address is false or not locatable, the delivery is refused, or other circumstances cause the food item not to be delivered.

**[0065]** For a mobile supplier, preparation and delivery are queued at the supplier and deliverer based on route and preparation times (step **601**). When preparation is next in queue, the preparation instruction is displayed (step **602**) and when delivery is next in queue, the deliver instruction is displayed (step **603**). Food is prepared and delivered according to the instructions and the instruction queues are updated (step **604**). If the food is deliverable (decision **605**) the food is delivered (step **607**). If the food is undeliverable (decision **605**), then the food item may be placed on auction server or alternatively placed back on purchase food item menus while the food item shelf-life is still valid (step **606**). While the limited shelf-life of typical prepared fast food items is short, many Internet events can take place in the time it takes to prepare and deliver, for example, a pizza. With the density of urban living, the likelihood that an undeliverable pizza would be purchased by a nearby destination is great, especially when offered at a low price and possibly push-advertised to local clients or provided via a notification background applet.

**[0066]** Referring now to FIG. 7, a method in accordance with another embodiment of the invention is depicted in a flowchart. The method of FIG. 7 adds auction functionality to the on-line prepared food sales and ordering system. As in the method illustrated by FIG. 6, when a customer logs in, a new account is created if the customer is new, otherwise database information is accessed for that user (step **700**). The customer is provided an opportunity to update preferences (step **701**) via an initial screen or a link. Server **20** then determines available food item options for the customer (step **702**) and calculates ETAs for each item (step **703**). Next, an order menu of available food items along with prices and ETAs is displayed (step **704**), so that the customer may elect to purchase food items for delivery. Additionally, a bid list is built and displayed for food items that have already been purchased, but were purchased with an understanding that purchases the purchased items were available for bidding. The above variation can be implemented as either an initial purchase or an



initial bid, the difference being that in a bidding scenario, the customer dictates the amount of the initial offering and the sale can be refused if the bid is too low. In general, the first “purchase” in the method of FIG. 7 will in fact be an initial bid. The purchasing system of FIG. 6 should not overlap sales with the auctioning system of FIG. 7, unless specifically provided for in understanding with the customers, as “sales” are distinct in nature from “auctions” and different laws of sales contracts apply to each.

[0067] If a bid is entered by the customer (decision 75), then an initial bidding session is initiated (step 76), otherwise steps 71-75 are repeated in order to provide a dynamically updated food item options menu, bid list and provide customers the opportunity to update their preferences. After initial bidding is complete, which may be set via a timer, or may terminate when a minimum bid is reached, an order record is generated, databases are updated a supplier is chosen and preparation and delivery are scheduled for the winner (step 77). Bid increments are set for prospective re-auction bidders based on the rerouting cost (step 78) and a bid timer is set based on expected delivery time (step 79). Until the timer elapses (decision 701), other bids may interrupt the scheduled delivery (decision 702) and if another bidder outbids the prior top bidder during this re-auction process, steps 77-79 and 701 are repeated until the timer indicates that the delivery is completely committed to the present winner (due to the time to re-schedule and reroute, delivery is generally made when the driver is closer to the present bidder than a subsequent higher bidder). However, incentive such as high bid increments may make it practical to permit interruption of the delivery process at any point up to an actual delivery. Payment is generally made at delivery in the auction system or may function as in the method illustrated in FIG. 6, with or without actual posting of charges to a credit card, electronic account, smart card, or other payment means. The delivery scheduling of step 77 generally follows that of FIG. 6 from step 68 onward. When the bid timer has expired, if a food item is undeliverable (step 705), then an option on the item may be sent back to the auction server or placed on a sales menu (step 706) until the practical shelf-life is expired. If the food is deliverable (decision 705) then it is delivered (step 707). Payment is collected at this point for delivery point of payment systems or non-posted server payments. Otherwise, if payments are posted and no delivery is made due to outbidding, etc. credit can be made to the account(s) of the loser(s).

[0068] Additionally, a replacement food item may be offered to losing bidders, with a price that may differ for a variety of reasons. The price may be higher, reflecting a higher demand for the food item in the delivery locale, or the price may be set lower as an incentive to get the losing bidder to purchase the replacement food item. Such replacement items may be offered for exclusive sale or may be subject to subsequent re-auction.

[0069] Referring now to FIG. 8, a system in accordance with yet another embodiment of the invention as may be employed in airline terminals is depicted. Within the air travel industry, meals are typically tied to seating, with preferable meals provided to first-class passengers. Often, extra first class seats are available that are currently used to provide upgrades to coach passengers or business class passengers. The prepared food that is then given or sold to these passengers as part of the upgrade of seating. However, it is possible to sell or auction the meals associated with the extra first class

seats, or extra first class meals that will be available on an aircraft by a system in accordance with an embodiment of the present invention.

[0070] As depicted, an air terminal waiting area 80 includes seating 84 a gate counter 81 having a computer terminal 83 and a large display for showing flight status 82. A passenger using a notebook computer 85 may be interfaced to the system via a wireless network connection. The above-described systems and methods may be modified to auction or sell first class meals, either along with the first class seating, or to be delivered to a passenger's existing seat. While consumption of a first class meal in the coach or business seating area might break an established protocol, such dining could serve as a valuable marketing tool for first class tickets, as other coach passengers might be desirous of the level of food and the associated level of attention provided by the service personnel while delivering the meal.

[0071] The system depicted uses either the passenger's notebook computers 85 as the customer interface to the system depicted in FIG. 2, or the flight status display 82 may be also used to alert passengers without computers as to sales or auction availability of first class meals with or without accompanying seats. The supplier and deliverer (driver) interfaces are generally merged into a screen and provided by an on-board computer that manages the assignment of meals to passengers, including instructions to deliver first class meals to other sections when appropriate.

[0072] Referring now to FIG. 9, a system in accordance with yet another embodiment of the invention as may be employed in aircraft is depicted. The system of FIG. 8 may be used in conjunction with the system of FIG. 9 and also supplies a supplier/deliverer computer interface 94 in a food storage/preparation/delivery cart area 93 from which meals are deployed to a coach section 92 and a first class section 91. Seats in each section may include computer interfaces having a display on the back of each seat (or the bulkhead for front seats) and an input device that may serve as an on-board customer interface to continue the sales or bidding process that was provided by the system of FIG. 8 or to initiate a new sales or bidding process on the aircraft. Such a system could be used by passengers to either obtain meals with or without associated seats. Notebook computers in the possession of passengers such as notebook computer 85 could be used on the aircraft if the radiated emissions are permitted and do not interfere with the operation of the aircraft.

[0073] Further, passengers could have a provided interface that lets passengers auction first class/business class meals or seats to other passengers. Tracking regulations would be met by ensuring that the computer system driving the auction kept records of the seat reassignments.

[0074] While the invention has been particularly shown and described with reference to the preferred embodiments thereof, it will be understood by those skilled in the art that the foregoing and other changes in form, and details may be made therein without departing from the spirit and scope of the invention.

What is claimed is:

1. A computer-performed method of providing for purchase or auction of deliverable items, the method comprising: from a computer network, providing an offer listing one or more items to a prospective bidder or purchaser, wherein the one or more items are items for which delivery has commenced to at least one first customer other than the prospective bidder or purchaser;

- within the computer network, receiving a bid or purchase offer for a particular one of the items from the prospective bidder or purchaser as a second customer; and within the computer network, in response to receipt of the bid or purchase offer, re-scheduling delivery of the particular item to the second customer in response receiving the bid or purchase offer.
2. The computer-performed method of claim 1, further comprising within the computer network, determining that the particular item is undeliverable to the first customer, and wherein the providing an offer only lists the particular item in response to determining that the particular item is undeliverable.
3. The computer-performed method of claim 2, wherein the providing an offer lists the particular item at a discounted price less than a final bid or price agreed to by the first customer.
4. The computer-performed method of claim 1, further comprising within the computer network, in response to re-scheduling delivery of the particular item to the second customer, offering a replacement item for the particular item to the first customer.
5. The computer-performed method of claim 1, wherein the offer listing lists prices and an indication of an estimated delivery time for each of the one or more items to the prospective bidder or purchaser.
6. The computer-performed method of claim 1, further comprising within the computer network, selecting from one of multiple deliverers for the particular item according to a route or time minimizer.
7. The computer-performed method of claim 1, further comprising within the computer network, selecting from one of multiple suppliers for the particular item according to a route or time minimizer.
8. A computer-performed method of providing for purchase or auction of deliverable items, the method comprising:
- from a computer network, providing an offer listing an item to a prospective bidder or purchaser;
- within the computer network, receiving a bid or purchase offer for the items from the prospective bidder or purchaser as a customer; and
- within the computer network, in response to receipt of the bid or purchase offer, selecting a particular supplier from among multiple suppliers for the item; and
- within the computer network, scheduling delivery of the particular item to customer from the particular supplier in response to selecting the supplier.
9. The computer-performed method of claim 8, wherein the selecting selects the particular supplier according to a route or time minimizer.
10. The computer-performed method of claim 8, wherein the providing provides the offer offering the item for auction, wherein the receiving receives a winning bid for the item, and wherein the selecting selects the particular supplier in response to the receiving having received the winning bid.

\* \* \* \* \*